




Improving Workspaces. Elevating Efficiency.

One-Stop Workspace Solutions for Power, Cable Management & Ergonomics.



CE · UL · ETL · SAA · ASTA · TÜV · VDE · DEKRA



nicoletworkspace.com



WeChat



WhatsApp



Facebook



Linkedin



YouTube

15+ Years Manufacturing Experience
Strong OEM & ODM Capability
6,500 m² Production Facility
Global Safety Certifications

COMPANY PROFILE

About Nicolet

Improve Workspaces. Elevate Efficiency.

Nicolet is a trusted manufacturer of integrated workspace solutions, specializing in commercial workspace power solutions, under-desk cable management, and ergonomic workstation accessories for modern professional environments worldwide.

With over 15 years of manufacturing expertise in China, we support global office furniture brands, commercial distributors, and workplace solution providers with reliable, scalable, and cost-effective product development and turnkey manufacturing services.

What We Do

We provide one-stop, commercial-grade workspace solutions covering:

- ◆ Commercial Furniture Power Sockets
- ◆ Desktop Power Modules & USB Grommet Chargers
- ◆ Under-Desk Cable Management Systems
- ◆ Ergonomic Monitor Arms & Mounts
- ◆ Heavy-Duty CPU Holders
- ◆ Adjustable Keyboard Trays
- ◆ Premium Ergonomic Workspace Accessories

From standard catalog products to fully customized OEM & ODM development, Nicolet helps customers build cohesive, functional, and modern workspace systems.



Quality Assurance & Global Certifications

Quality is engineered into every stage of our production process—from raw material selection to final inspection and pre-shipment testing. Our products comply with major international standards:

CE · UL · ETL · SAA · TÜV · VDE · DEKRA · ASTA

Global Market Coverage

Nicolet's products are widely used in commercial offices, educational institutions, healthcare facilities, and public workspaces across: Europe · North & South America · Australia · Middle East · Southeast Asia

We are committed to helping our customers create efficient, organized, and future-ready work environments.

Nicolet - Your Strategic Manufacturing Partner from China.

MANUFACTURING CAPABILITY

Our 6,500 m² modern production facility is equipped with advanced manufacturing infrastructure and lean production systems, enabling consistent quality control and fast, reliable delivery.

Key industrial capabilities include:

- ◆ 15 Lean Assembly Lines
- ◆ 20 High-Precision CNC Machines
- ◆ 30 Advanced Punching & Stamping Machines
- ◆ 2 Automated Precision Cutting Systems
- ◆ 2 Industrial Laser Marking Units for Custom Branding
- ◆ 5 Plastic Injection Molding Machines

This setup supports rapid prototyping, flexible customization, and high-volume mass production with consistent dimensional accuracy.



ENGINEERING & OEM/ODM SUPPORT

Our experienced in-house engineering team works closely with customers from concept to mass production, offering comprehensive technical support across every stage of product development.

Our turnkey capabilities include:

- ◆ Industrial Design & Structural Engineering
- ◆ Product Performance Optimization & Cost Reduction
- ◆ Rapid Prototyping (In-House 3D Printing)
- ◆ Precision Mold Development & Fabrication
- ◆ Full OEM & ODM Customization

We help partners reduce R&D costs, improve product performance, and accelerate time-to-market.



QUALITY ASSURANCE

Component-Level Compliance

Customized solutions may vary by configuration. To ensure reliable performance and safety, all core electrical components — including power sockets, USB modules, plugs, and power cords — are certified to relevant international safety standards.



PRODUCT PORTFOLIO



MOTORIZED ROTARY
POWER & CONNECTIVITY HUB



MANUAL FLIP-UP
POWER & CONNECTIVITY HUB



MOTORIZED POP-UP POWER HUB



PNEUMATIC POP-UP POWER HUB



KITCHEN POP-UP POWER HUB



POP-UP POWER & CONNECTIVITY HUB




FLIP-UP DESKTOP
POWER & CONNECTIVITY HUB



SLIDING DESKTOP
POWER & CONNECTIVITY HUB



DESK-CLAMP POWER & CONNECTIVITY HUB




POWER TRACK SYSTEM




ALL-IN-ONE DESKTOP
POWER & CONNECTIVITY HUB



FLIP-UP DESK CABLE GROMMET



CABLE MANAGEMENT SYSTEM



ADJUSTABLE KEYBOARD TRAY



ADJUSTABLE CPU HOLDER




HEIGHT-ADJUSTABLE MONITOR ARM


MOTORIZED ROTARY POWER & CONNECTIVITY HUB WITH WIRELESS CHARGING




AVAILABLE SOCKETS




AVAILABLE MODULES




INSTALLATION STEPS



1. Place Unit
Place the unit into the desktop cutout.



2. Insert Screws
Insert long screws diagonally from the bottom.



3. Tighten Screws
Tighten screws until secure against the desk.

PRODUCT IMAGES			
MODEL NO.	NPR-600E	NPR-601E	NPR-602E
DIMENSIONS	390*120*105 mm	390*120*105 mm	445*120*105 mm
CUT-OUT SIZE	380*110*105 mm	380*110*105 mm	435*110*105 mm
MATERIAL	Aluminium Alloy + ABS	Aluminium Alloy + ABS	Aluminium Alloy + ABS
CONFIGURATION	1 * Qi Wireless Charging (MAX 15W) 2 * Schuko Sockets (AC 250V~, 16A, 50/60Hz, MAX 2300W) USB-A+USB-C (PD 10W / 20W / 65W) 1.5 m EU Plug Power Cord, 3G 1.0 mm ² Pure Copper	1 * Qi Wireless Charging (MAX 15W) 2 * UK Sockets (AC 250V~, 13A, 50/60Hz, MAX 2300W) USB-A+USB-C (PD 10W / 20W / 65W) 1.5 m UK Plug Power Cord, 3G 1.0 mm ² Pure Copper	1 * Qi Wireless Charging (MAX 15W) 3 * Schuko Sockets (AC 250V~, 16A, 50/60Hz, MAX 2300W) USB-A+USB-C (PD 10W / 20W / 65W) 1.5 m EU Plug Power Cord, 3G 1.0 mm ² Pure Copper
AVAILABLE COLORS	Brushed Silver / Brushed Black / Brushed Gold / Brushed Gunmetal		
AVAILABLE MODULES	UK / US / AU / Schuko / FR / CN / IN / TH / ZA / BR / IT / Universal Power Sockets; HDMI, VGA, USB3.0, CAT6 RJ45, RJ11, 3.5mm Audio, ect.		



BRUSHED BLACK



BRUSHED GOLD



BRUSHED SILVER

PRODUCT IMAGES			
MODEL NO.	NPR-603E	NPR-604E	NPR-605E
DIMENSIONS	445*120*105 mm	445*120*105 mm	445*120*105 mm
CUT-OUT SIZE	435*110*105 mm	435*110*105 mm	435*110*105 mm
MATERIAL	Aluminium Alloy + ABS	Aluminium Alloy + ABS	Aluminium Alloy + ABS
CONFIGURATION	1 * Qi Wireless Charging (MAX 15W) 3 * UK Sockets (AC 250V~, 13A, 50/60Hz, MAX 2300W) USB-A+USB-C (PD 10W / 20W / 65W) 1.5 m UK Plug Power Cord, 3G 1.0 mm ² Pure Copper	1 * Qi Wireless Charging (MAX 15W) 4 * US Sockets (AC 125V~, 13A, 50/60Hz, MAX 1600W) USB-A+USB-C (PD 10W / 20W / 65W) 1.5 m US Plug Power Cord, 16 AWG Pure Copper	1 * Qi Wireless Charging (MAX 15W) 3 * CN Sockets (AC 250V~, 10A, 50/60Hz, MAX 2200W) USB-A+USB-C (PD 10W / 20W / 65W) 1.5 m CN Plug Power Cord, 3G 1.0 mm ² Pure Copper
AVAILABLE COLORS	Brushed Silver / Brushed Black / Brushed Gold / Brushed Gunmetal		
AVAILABLE MODULES	UK / US / AU / Schuko / FR / CN / IN / TH / ZA / BR / IT / Universal Power Sockets; HDMI, VGA, USB3.0, CAT6 RJ45, RJ11, 3.5mm Audio, ect.		



CLOSED



OPEN



CLOSED




OPEN

MOTORIZED ROTARY POWER & CONNECTIVITY HUB




AVAILABLE SOCKETS




AVAILABLE MODULES




INSTALLATION STEPS



1.Place Unit
Place the unit into the desktop cutout.



2. Insert Screws
Insert long screws diagonally from the bottom.



3. Tighten Screws
Tighten screws until secure against the desk.

PRODUCT IMAGES			
MODEL NO.	NPR-400E	NPR-401E	NPR-402E
DIMENSIONS	315*120*105 mm	315*120*105 mm	370*120*105 mm
CUT-OUT SIZE	305*110*105 mm	305*110*105 mm	360*110*105 mm
MATERIAL	Aluminium Alloy + ABS	Aluminium Alloy + ABS	Aluminium Alloy + ABS
CONFIGURATION	2 * Schuko Sockets (AC 250V~, 16A, 50/60HZ, MAX 2300W) USB-A+USB-C (PD 10W / 20W / 65W) 1.5 m EU Plug Power Cord, 3G 1.0 mm ² Pure Copper	2 * UK Sockets (AC 250V~, 13A, 50/60HZ, MAX 2300W) USB-A+USB-C (PD 10W / 20W / 65W) 1.5 m UK Plug Power Cord, 3G 1.0 mm ² Pure Copper	2 * US Sockets (AC 125V~, 13A, 50/60HZ, MAX 1600W) USB-A+USB-C (PD 10W / 20W / 65W) 1.5 m US Plug Power Cord, 16AWG Pure Copper
AVAILABLE COLORS	Brushed Silver / Brushed Black / Brushed Gold / Brushed Gunmetal		
AVAILABLE MODULES	UK / US / AU / Schuko / FR / CN / IN / TH / ZA / BR / IT / Universal Power Sockets; HDMI, VGA, USB3.0, CAT6 RJ45, RJ11, 3.5mm Audio, ect.		



BRUSHED BLACK



BRUSHED GOLD




BRUSHED SILVER


PRODUCT IMAGES			
MODEL NO.	NPR-403E	NPR-404E	NPR-405E
DIMENSIONS	370*120*105 mm	422*120*105 mm	422*120*105 mm
CUT-OUT SIZE	360*110*105 mm	412*110*105 mm	412*110*105 mm
MATERIAL	Aluminium Alloy + ABS	Aluminium Alloy + ABS	Aluminium Alloy + ABS
CONFIGURATION	3 * CN Sockets (AC 250V~, 10A, 50/60Hz, MAX 2200W) USB-A+USB-C (PD 10W / 20W / 65W) 1.5 m CN Plug Power Cord, 3G 1.0 mm ² Pure Copper	4 * UK Sockets (AC 250V~, 13A, 50/60Hz, MAX 2300W) USB-A+USB-C (PD 10W / 20W / 65W) 1.5 m UK Plug Power Cord, 3G 1.0 mm ² Pure Copper	4 * Schuko Sockets (AC 250V~, 16A, 50/60Hz, MAX 2300W) USB-A+USB-C (PD 10W / 20W / 65W) 1.5 m EU Plug Power Cord, 3G 1.0 mm ² Pure Copper
AVAILABLE COLORS	Brushed Silver / Brushed Black / Brushed Gold / Brushed Gunmetal		
AVAILABLE MODULES	UK / US / AU / Schuko / FR / CN / IN / TH / ZA / BR / IT / Universal Power Sockets; HDMI, VGA, USB3.0, CAT6 RJ45, RJ11, 3.5mm Audio, ect.		



MOTORIZED ROTARY POWER & CONNECTIVITY HUB




AVAILABLE SOCKETS




AVAILABLE MODULES




INSTALLATION STEPS



1. Place Unit
Place the unit into the desktop cutout.



2. Insert Screws
Insert long screws diagonally from the bottom.



3. Tighten Screws
Tighten screws until secure against the desk.

PRODUCT IMAGES			
MODEL NO.	NPR-200E	NPR-201E	NPR-202E
DIMENSIONS	325*110*105 mm	380*110*105 mm	435*110*105 mm
CUT-OUT SIZE	295*105*105 mm	350*105*105 mm	405*105*105 mm
MATERIAL	Aluminium Alloy + ABS	Aluminium Alloy + ABS	Aluminium Alloy + ABS
CONFIGURATION	2 * CN Sockets (AC 250V~, 10A, 50/60Hz, MAX 2200W) USB-A+USB-C (PD 10W / 20W / 65W) 1.5 m CN Plug Power Cord, 3G 1.0 mm² Pure Copper	2 * CN Sockets (AC 250V~, 10A, 50/60Hz, MAX 2200W) USB-A+USB-C (PD 10W / 20W / 65W) CAT6 RJ45, HDMI 1.5 m CN Plug Power Cord, 3G 1.0 mm² Pure Copper 1.5 m CAT6 Cable, 1.5 m HDMI Cable	3 * CN Sockets (AC 250V~, 10A, 50/60Hz, MAX 2200W) USB-A+USB-C (PD 10W / 20W / 65W) CAT6 RJ45, HDMI 1.5 m CN Plug Power Cord, 3G 1.0 mm² Pure Copper 1.5 m CAT6 Cable, 1.5 m HDMI Cable
AVAILABLE COLORS	Textured Black / Textured Silver		
AVAILABLE MODULES	UK / US / AU / Schuko / FR / CN / IN / TH / ZA / BR / IT / Universal Power Sockets; HDMI, VGA, USB3.0, CAT6 RJ45, RJ11, 3.5mm Audio, ect.		



TEXTURED BLACK



TEXTURED SILVER



TEXTURED BLACK



TEXTURED SILVER

PRODUCT IMAGES			
MODEL NO.	NPR-203E	NPR-204E	NPR-205E
DIMENSIONS	435*110*105 mm	435*110*105 mm	435*110*105 mm
CUT-OUT SIZE	405*105*105 mm	405*105*105 mm	405*105*105 mm
MATERIAL	Aluminium Alloy + ABS	Aluminium Alloy + ABS	Aluminium Alloy + ABS
CONFIGURATION	3 * UK Sockets (AC 250V~, 13A, 50/60Hz, MAX 2300W) USB-A+USB-C (PD 10W / 20W / 65W) CAT6 RJ45, HDMI 1.5 m UK Plug Power Cord, 3G 1.0 mm ² Pure Copper 1.5 m CAT6 Cable, 1.5 m HDMI Cable	3 * Schuko Sockets (AC 250V~, 16A, 50/60Hz, MAX 2300W) USB-A+USB-C (PD 10W / 20W / 65W) CAT6 RJ45, HDMI 1.5 m EU Plug Power Cord, 3G 1.0 mm ² Pure Copper 1.5 m CAT6 Cable, 1.5 m HDMI Cable	4 * US Sockets (AC 125V~, 13A, 50/60Hz, MAX 1600W) USB-A+USB-C (PD 10W / 20W / 65W) CAT6 RJ45, HDMI 1.5 m US Plug Power Cord, 16 AWG Pure Copper 1.5 m CAT6 Cable, 1.5 m HDMI Cable
AVAILABLE COLORS	Textured Black / Textured Silver		
AVAILABLE MODULES	UK / US / AU / Schuko / FR / CN / IN / TH / ZA / BR / IT / Universal Power Sockets; HDMI, VGA, USB3.0, CAT6 RJ45, RJ11, 3.5mm Audio, ect.		



CLOSED



OPEN



CLOSED



OPEN

MANUAL ROTARY POWER & CONNECTIVITY HUB




AVAILABLE SOCKETS




AVAILABLE MODULES




INSTALLATION STEPS



1. Place Unit
Place the unit into the desktop cutout.



2. Insert Screws
Insert long screws diagonally from the bottom.



3. Tighten Screws
Tighten screws until secure against the desk.

PRODUCT IMAGES			
MODEL NO.	NPR-500H	NPR-501H	NPR-502H
DIMENSIONS	265*120*105 mm	265*120*105 mm	265*120*105 mm
CUT-OUT SIZE	255*110*105 mm	255*110*105 mm	255*110*105 mm
MATERIAL	Aluminium Alloy + ABS	Aluminium Alloy + ABS	Aluminium Alloy + ABS
CONFIGURATION	1 * Power Switch 2 * US Sockets (AC 125V~, 13A, 50/60Hz, MAX 1600W) USB-A+USB-C (PD 10W / 20W / 65W) 1.5 m US Plug Power Cord, 16 AWG Pure Copper	1 * Power Switch 2 * UK Sockets (AC 250V~, 13A, 50/60Hz, MAX 2300W) USB-A+USB-C (PD 10W / 20W / 65W) 1.5 m UK Plug Power Cord, 3G 1.0 mm ² Pure Copper	1 * Power Switch 2 * Schuko Sockets (AC 250V~, 16A, 50/60Hz, MAX 2300W) USB-A+USB-C (PD 10W / 20W / 65W) 1.5 m EU Plug Power Cord, 3G 1.0 mm ² Pure Copper
AVAILABLE COLORS	Brushed Silver / Brushed Black / Brushed Gold / Brushed Gunmetal		
AVAILABLE MODULES	UK / US / AU / Schuko / FR / CN / IN / TH / ZA / BR / IT / Universal Power Sockets; HDMI, VGA, USB3.0, CAT6 RJ45, RJ11, 3.5mm Audio, ect.		



BRUSHED BLACK



BRUSHED GOLD



BRUSHED SILVER

PRODUCT IMAGES			
MODEL NO.	NPR-503H	NPR-504H	NPR-505H
DIMENSIONS	315*120*105 mm	315*120*105 mm	315*120*105 mm
CUT-OUT SIZE	305*110*105 mm	305*110*105 mm	305*110*105 mm
MATERIAL	Aluminium Alloy + ABS	Aluminium Alloy + ABS	Aluminium Alloy + ABS
CONFIGURATION	1 * Power Switch 2 * CN Sockets (AC 250V~, 10A, 50/60Hz, MAX 2200W) USB-A+USB-C (PD 10W / 20W / 65W) CAT6 RJ45, HDMI 1.5 m CN Plug Power Cord, 3G 1.0 mm ² Pure Copper 1.5 m CAT6 Cable, 1.5 m HDMI Cable	1 * Power Switch 2 * UK Sockets (AC 250V~, 13A, 50/60Hz, MAX 2300W) USB-A+USB-C (PD 10W / 20W / 65W) CAT6 RJ45, HDMI 1.5 m UK Plug Power Cord, 3G 1.0 mm ² Pure Copper 1.5 m CAT6 Cable, 1.5 m HDMI Cable	1 * Power Switch 2 * Schuko Sockets (AC 250V~, 16A, 50/60Hz, MAX 2300W) USB-A+USB-C (PD 10W / 20W / 65W) CAT6 RJ45, HDMI 1.5 m EU Plug Power Cord, 3G 1.0 mm ² Pure Copper 1.5 m CAT6 Cable, 1.5 m HDMI Cable
AVAILABLE COLORS	Brushed Silver / Brushed Black / Brushed Gold / Brushed Gunmetal		
AVAILABLE MODULES	UK / US / AU / Schuko / FR / CN / IN / TH / ZA / BR / IT / Universal Power Sockets; HDMI, VGA, USB3.0, CAT6 RJ45, RJ11, 3.5mm Audio, ect.		



BEFORE FLIPPING



AFTER FLIPPING



BEFORE FLIPPING



AFTER FLIPPING

MANUAL ROTARY POWER & CONNECTIVITY HUB




AVAILABLE SOCKETS




AVAILABLE MODULES




INSTALLATION METHOD



1. Place Unit
Place the unit into the desktop cutout.



2. Insert Screws
Insert long screws diagonally from the bottom.



3. Tighten Screws
Tighten screws until secure against the desk.

PRODUCT IMAGES			
MODEL NO.	NPR-300H	NPR-301H	NPR-302H
DIMENSIONS	270*110*105 mm	325*110*105 mm	325*110*105 mm
CUT-OUT SIZE	240*105*105 mm	295*105*105 mm	295*105*105 mm
MATERIAL	Aluminium Alloy + ABS	Aluminium Alloy + ABS	Aluminium Alloy + ABS
CONFIGURATION	1 * Power Switch 2 * CN Sockets (AC 250V~, 10A, 50/60Hz, MAX 2200W) USB-A+USB-C (PD 10W / 20W / 65W) 1.5 m CN Plug Power Cord, 3G 1.0 mm² Pure Copper	1 * Power Switch 2 * CN Sockets (AC 250V~, 10A, 50/60Hz, MAX 2200W) USB-A+USB-C (PD 10W / 20W / 65W) CAT6 RJ45, HDMI 1.5 m CN Plug Power Cord, 3G 1.0 mm² Pure Copper 1.5 m CAT6 Cable, 1.5 m HDMI Cable	1 * Power Switch 2 * Schuko Sockets (AC 250V~, 16A, 50/60Hz, MAX 2300W) USB-A+USB-C (PD 10W / 20W / 65W) CAT6 RJ45, HDMI 1.5 m EU Plug Power Cord, 3G 1.0 mm² Pure Copper 1.5 m CAT6 Cable, 1.5 m HDMI Cable
AVAILABLE COLORS	Textured Black / Textured Silver		
AVAILABLE MODULES	UK / US / AU / Schuko / FR / CN / IN / TH / ZA / BR / IT / Universal Power Sockets; HDMI, VGA, USB3.0, CAT6 RJ45, RJ11, 3.5mm Audio, ect.		



TEXTURED BLACK



TEXTURED SILVER



TEXTURED BLACK



TEXTURED SILVER

PRODUCT IMAGES			
MODEL NO.	NPR-303H	NPR-304H	NPR-305H
DIMENSIONS	380*110*105 mm	380*110*105 mm	380*110*105 mm
CUT-OUT SIZE	350*105*105 mm	350*105*105 MM	350*105*105 mm
MATERIAL	Aluminium Alloy + ABS	Aluminium Alloy + ABS	Aluminium Alloy + ABS
CONFIGURATION	1 * Power Switch 3 * UK Sockets (AC 250V~, 13A, 50/60Hz, MAX 2300W) USB-A+USB-C (PD 10W / 20W / 65W) CAT6 RJ45, HDMI 1.5 m UK Plug Power Cord, 3G 1.0 mm ² Pure Copper 1.5 m CAT6 Cable, 1.5 m HDMI Cable	1 * Power Switch 3 * Schuko Sockets (AC 250V~, 16A, 50/60Hz, MAX 2300W) USB-A+USB-C (PD 10W / 20W / 65W) CAT6 RJ45, HDMI 1.5 m EU Plug Power Cord, 3G 1.0 mm ² Pure Copper 1.5 m CAT6 Cable, 1.5 m HDMI Cable	1 * Power Switch 4 * US Sockets (AC 125V~, 13A, 50/60Hz, MAX 1600W) USB-A+USB-C (PD 10W / 20W / 65W) CAT6 RJ45, HDMI 1.5 m US Plug Power Cord, 16 AWG Pure Copper 1.5 m CAT6 Cable, 1.5 m HDMI Cable
AVAILABLE COLORS	Textured Black / Textured Silver		
AVAILABLE MODULES	UK / US / AU / Schuko / FR / CN / IN / TH / ZA / BR / IT / Universal Power Sockets; HDMI, VGA, USB3.0, CAT6 RJ45, RJ11, 3.5mm Audio, ect.		



CLOSED



OPEN



CLOSED



OPEN



MOTORIZED POP-UP DESKTOP POWER HUB



NPR-1050
4*CN Sockets



NPR-1051
2*CN Sockets
Bluetooth Speaker



NPR-1052
4*Universal Sockets



NPR-1053
2*Universal Sockets
Bluetooth Speaker

Dimensions: 320 mm (Closed Height)*120 mm 425 mm (Raised Height)*120 mm

Cut-out size: $\Phi 105$ mm

Available Colors: Black / Grey / White

Materials: Aluminium Alloy+Flame-Retardant PC+Tempered Glass

Input: AC 250V~, 13A, 50/60Hz

Rated Power: MAX 2300W


USB Charging: 2* USB-A+2*USB-C (PD 20W)

Qi Wireless Charging: MAX 15W

Available Power Cord: UK / US / AU / Schuko / CN / IN / TH / ZA / BR / IT / Plug Power Cord, Pure Copper



Integrated Bluetooth Speaker
Fast & Stable Bluetooth Pairing
High-Quality Audio Output



4-Port USB Fast Charging
2*USB-A + 2*USB-C (PD 20W)
Qi Wireless Charging (15W)



IP22 Rated
Anti-pinch Protection



MOTORIZED POP-UP DESKTOP POWER HUB



NPR-1100
4*US Sockets



NPR-1101
4*UK Sockets



NPR-1102
3*Universal Sockets
Bluetooth Speaker



TYPEL TYPEG TYPEF TYPEC TYPEJ

Multi-Standard
Sockets Available



Integrated Bluetooth Speaker
App & Voice Dual-Mode Control



Same WiFi Smart Device Control

Dimensions: 230 mm (Closed Height)*120 mm 330 mm (Raised Height)*120 mm

Cut-out size: $\Phi 110$ mm Available Colors: Black / Grey / White


Materials: Flame-Retardant PC+Tempered Glass

Input: AC 110-250V~, 10-16A, 50/60Hz Rated Power: MAX 1600W - 2300W

USB Charging: 2* USB-A+2*USB-C (PD 20W) Qi Wireless Charging: MAX 15W

Available Sockets: UK / US / AU / Schuko / FR / CN / IN / TH / ZA / BR / IT / Universal Power Sockets

MOTORIZED POP-UP DESKTOP POWER HUB



NPR-1020
3*CN Sockets



NPR-1021
3*UK Sockets



NPR-1022
3*Schuko Sockets



NPR-1023
2*US Sockets
Bluetooth Speaker

Dimensions: 415 mm (Closed Height)*120 mm	625 mm (Raised Height)*120 mm
Cut-out size: Φ 102 mm	Available Colors: Black / Silver / White
Materials: Aluminium Alloy + ABS	Input: AC 110–240V 50/60Hz
USB Charging: 2*USB-A (PD 15W) / USB-A+USB-C (PD 20W) / 2*USB-A+USB-C (PD 65W)	
Qi Wireless Charging: MAX 15W	Rated Power: MAX 1600W - 2300W
Available Modules: UK / US / AU / Schuko / FR / CN / IN / TH / ZA / BR / IT / Universal	
Power Sockets; USB-A+USB-A / USB-A+USB-C / 2*USB-A+USB-C, Bluetooth Speaker	



MOTORIZED POP-UP DESKTOP POWER HUB



NPR-0650
2* Universal Sockets



NPR-0651
2*Schuko Sockets



NPR-0652
2*US Sockets



NPR-0653
2*UK Sockets

Dimensions: 520 mm (Closed Height)*80 mm

Cut-out size: Φ 65 mm

Materials: Aluminium Alloy + Flame-Retardant PC

Input: AC 110-250V~, 10-16A, 50/60Hz

USB Charging: USB-A+2*USB-C (PD 20W/30W/65W)

Available Modules: UK / US / AU / Schuko / FR / CN / IN / TH / ZA / BR / IT /

Universal Power Sockets; USB-A+USB-A, Bluetooth Speaker

690 mm (Raised Height)*80 mm

Available Colors: Black / Silver

Rated Power: MAX 1600W - 3500W

Qi Wireless Charging: MAX 10W



MOTORIZED POP-UP DESKTOP POWER HUB



NPR-1100
4*UK Sockets



NPR-1101
4*US Sockets



NPR-1102
4*Schuko Sockets



NPR-1103
4*Universal Sockets

Dimensions: 275 mm (Closed Height)*120 mm

450 mm (Raised Height)*120 mm

Cut-out size: Ø110 mm

Available Colors: Black / Grey / White

Materials: Aluminium Alloy + Flame-Retardant PC + Tempered Glass

Input: AC 110-250V~, 10-16A, 50/60Hz


Rated Power: MAX 1600W - 2300W

USB Charging: USB-A+2*USB-C (PD 20W/45W)

Qi Wireless Charging: MAX 15W

Available Sockets: UK / US / AU / Schuko / FR / CN / IN / TH / ZA / BR / IT / Universal Power Sockets

PNEUMATIC POP-UP DESKTOP POWER HUB



NPR-1200
4*UK Sockets




NPR-1201
4*Universal Sockets



NPR-1202
4*US Sockets

Dimensions: 170 mm (Closed Height)*145 mm	270 mm (Raised Height)*145 mm
Cut-out size: Ø120 mm	Material: ABS
Input: AC 110-250V~, 10-16A, 50/60Hz	Rated Power: MAX 1600W - 2300W
USB Charging: USB-A+USB-C (PD 20W)	Qi Wireless Charging: MAX 15W
Available Sockets: UK / US / AU / Schuko / FR / CN / IN / TH / ZA / BR / IT / Universal Power Sockets	



MANUAL POP-UP DESKTOP POWER HUB



NPR-0800
Power Switch
3*US Sockets



NPR-0801
Power Switch
3*Schuko Sockets



NPR-0802
Power Switch
3*Universal Sockets



NPR-0803
Power Switch
3*UK Sockets

Dimensions: 335*90 mm Cut-out size: Ø80 mm Available Colors: Black / Grey / White

Materials: Aluminium Alloy+Flame-Retardant PC+Tempered Glass

Input: AC 110-250V~, 10-16A, 50/60Hz Rated Load: MAX 1600W - 2300W

USB Charging: USB-A+2*USB-C(PD 20W/45W) Qi Wireless Charging: MAX 15W


Available Sockets: UK / US / AU / Schuko / FR / CN / IN / TH / ZA / BR / IT / Universal Power Sockets




KITCHEN POP-UP DESKTOP POWER HUB




AVAILABLE MODULES

 UNIVERSAL SOCKET	 AU SOCKET	 CN SOCKET	 US SOCKET	 SCHUKO SOCKET	 FR SOCKET	 UK SOCKET
 SCHUKO / IT SOCKET	 IEC C13	 IEC C14	 IEC C19	 USB-A+USB-C	 USB-A+2*USB-C	 2*USB-A+USB-C


INSTALLATION STEPS




Φ60mm Desk Cut-out



Insert the unit



Secure with
Threaded Lock Ring




Model No.: NPR-0600

3*Schuko Sockets
 Dimensions: 345*80 mm
 Cut-out Size: $\Phi 60$ mm
 Materials: Aluminium Alloy+ABS+
 Flame-Retardant PC
 Available Colors: Black / Silver / White
 Input: AC 250V~, 16A, 50/60Hz
 Rated Load: MAX 3500W
 USB Charging: USB-A+2*USB-C
 (PD 20W/30W/65W)
 Power Cord: 1.8 m Schuko Plug Power Cord,
 3G 1.5 mm² Pure Copper




Model No.: NPR-0601

3*US Sockets
 Dimensions: 345*80 mm
 Cut-out Size: $\Phi 60$ mm
 Materials: Aluminium Alloy+ABS+
 Flame-Retardant PC
 Available Colors: Black / Silver / White
 Input: AC 125V~, 15A, 50/60Hz
 Rated Load: MAX 1600W
 USB Charging: USB-A+2*USB-C
 (PD 20W/30W/65W)
 Power Cord: 1.8 m US Plug Power Cord,
 16AWG Pure Copper




Model No.: NPR-0602

3*UK Sockets
 Dimensions: 345*80 mm
 Cut-out Size: $\Phi 60$ mm
 Materials: Aluminium Alloy+ABS+
 Flame-Retardant PC
 Available Colors: Black / Silver / White
 Input: AC 250V~, 13A, 50/60Hz
 Rated Load: MAX 3200W
 USB Charging: USB-A+2*USB-C
 (PD 20W/30W/65W)
 Power Cord: 1.8 m UK Plug Power Cord,
 3G 1.5 mm² Pure Copper



Model No.: NPR-0603

3*AU Sockets
 Dimensions: 345*80 mm
 Cut-out Size: $\Phi 60$ mm
 Materials: Aluminium Alloy+ABS+
 Flame-Retardant PC
 Available Colors: Black / Silver / White
 Input: AC 250V~, 10A, 50/60Hz
 Rated Load: MAX 2300W
 USB Charging: USB-A+2*USB-C
 (PD 20W/30W/65W)
 Power Cord: 1.8 m AU Plug Power Cord,
 3G 1.5 mm² Pure Copper



POP-UP DESKTOP HUB WITH WIRELESS CHARGING

AVAILABLE SOCKETS



UNIVERSAL
SOCKET



AU SOCKET



CN SOCKET



US TSOCKET



SCHUKO / IT
SOCKET



SCHUKO
SOCKET



FR SOCKET



UK SOCKET

INSTALLATION STEPS



Model No.: NPR-050

2*CN Sockets
Dimensions: 266*118*75 mm
Cut-out Size: 235*110 mm
Materials: Aluminium Alloy + ABS
Available Colors: Textured Black /
Textured Silver / Textured White
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2200W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Qi Wireless Charging: MAX 15W



Model No.: NPR-053

2*UK Sockets
Dimensions: 266*118*75 mm
Cut-out Size: 235*110 mm
Materials: Aluminium Alloy + ABS
Available Colors: Textured Black /
Textured Silver / Textured White
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Qi Wireless Charging: MAX 15W



Model No.: NPR-051

2*US Sockets
Dimensions: 266*118*75 mm
Cut-out Size: 235*110 mm
Materials: Aluminium Alloy + ABS
Available Colors: Textured Black /
Textured Silver / Textured White
Input: AC 125V~, 13A, 50/60Hz
Rated Load: MAX 1600W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Qi Wireless Charging: MAX 15W



Model No.: NPR-054

2*AU Sockets
Dimensions: 266*118*75 mm
Cut-out Size: 235*110 mm
Materials: Aluminium Alloy + ABS
Available Colors: Textured Black /
Textured Silver / Textured White
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Qi Wireless Charging: MAX 15W



Model No.: NPR-052

2*Universal Sockets
Dimensions: 266*118*75 mm
Cut-out Size: 235*110 mm
Materials: Aluminium Alloy + ABS
Available Colors: Textured Black /
Textured Silver / Textured White
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Qi Wireless Charging: MAX 15W



Model No.: NPR-055

2*Schuko Sockets
Dimensions: 266*118*75 mm
Cut-out Size: 235*110 mm
Materials: Aluminium Alloy + ABS
Available Colors: Textured Black /
Textured Silver / Textured White
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Qi Wireless Charging: MAX 15W



POP-UP DESKTOP POWER & CONNECTIVITY HUB



Model No.: NPR-020

2*Universal Sockets

Dimensions: 138*135*68 mm

Cut-out Size: 130*110 mm

Materials: Zinc Alloy + Cold Rolled Steel

Available Colors: Textured Black /
Textured Silver

Input: AC 250V~, 13A, 50/60Hz

Rated Load: MAX 2300W

Available Modules: HDMI, VGA, USB
3.0, CAT6 RJ45, RJ11, 3.5mm Audio ect.



Model No.: NPR-021

1*CN Socket

Dimensions: 138*135*68 mm

Cut-out Size: 130*110 mm

Materials: Zinc Alloy + Cold Rolled Steel

Available Colors: Textured Black /
Textured Silver

Input: AC 250V~, 10A, 50/60Hz

Rated Load: MAX 2200W

USB Charging: 100-240V~, 50/60Hz

USB-A+USB-C (PD 10W/20W)



Model No.: NPR-022

1*CN Socket

Dimensions: 138*135*68 mm

Cut-out Size: 130*110 mm

Materials: Zinc Alloy + Cold Rolled Steel

Available Colors: Textured Black /
Textured Silver

Input: AC 250V~, 10A, 50/60Hz

Rated Load: MAX 2200W

Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11



1*UK Socket

Dimensions: 138*135*68 mm

Cut-out Size: 130*110 mm

Materials: Zinc Alloy + Cold Rolled Steel

Available Colors: Textured Black /
Textured Silver

Input: AC 250V~,13A ,50/60Hz

Rated Load: MAX 2300W

USB Charging: 100-240V~, 50/60Hz

USB-A+USB-C (PD 10W/20W)



1*Universal Socket
Dimensions: 138*135*68 mm
Cut-out Size: 130*110 mm
Materials: Zinc Alloy + Cold Rolled Steel
Available Colors: Textured Black /
Textured Silver
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W)



1*Universal Socket
Dimensions: 138*135*68 mm
Cut-out Size: 130*110 mm
Materials: Zinc Alloy + Cold Rolled Steel
Available Colors: Textured Black /
Textured Silver
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11



1*AU Socket
Dimensions: 138*135*68 mm
Cut-out Size: 130*110 mm
Materials: Zinc Alloy + Cold Rolled Steel
Available Colors: Textured Black /
Textured Silver
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W)



1*Schuko Socket
Dimensions: 138*135*68 mm
Cut-out Size: 130*110 mm
Materials: Zinc Alloy + Cold Rolled Steel
Available Colors: Textured Black /
Textured Silver
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W)



1*US Socket
Dimensions: 138*135*68 mm
Cut-out Size: 130*110 mm
Materials: Zinc Alloy + Cold Rolled Steel
Available Colors: Textured Black /
Textured Silver
Input: AC 125V~, 13A, 60Hz
Rated Load: MAX 1600W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W)



POP-UP DESKTOP POWER & CONNECTIVITY HUB

Model No.: NPR-030

2*Universal Sockets

Dimensions: 265*118*68 mm

Cut-out Size: 225*111 mm

Materials: Zinc Alloy + Cold Rolled Steel

Available Colors: Textured Black /
Textured Silver

Input: AC 250V~, 13A, 50/60Hz

Rated Load: MAX 2300W

Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5mm Audio ect.



Model No.: NPR-031

3*CN Sockets

Dimensions: 265*118*68 mm

Cut-out Size: 225*111 mm

Materials: Zinc Alloy + Cold Rolled Steel

Available Colors: Textured Black /
Textured Silver


Input: AC 250V~, 10A, 50/60Hz

Rated Load: MAX 2200W


Available Sockets: UK / US / AU / TH / ZA /
BR / IT / Universal Power Sockets




Installation Steps




1.Pop up
Press the button to open the panel.



2.Remove Screws
Unscrew the 2 side screws
to detach the panel.



3.Fix Housing
Insert the housing into the desk cutout
and secure with 4 self-tapping screws.
(Tip: Keep power and data cables
separated.)



4.Reassemble Panel
Place the panel back and tighten the
2 side screws to finish.

Model No.: NPR-032

3*Schuko Sockets
Dimensions: 265*118*68 mm
Cut-out Size: 225*111 mm
Materials: Zinc Alloy + Cold Rolled Steel
Available Colors: Textured Black /
Textured Silver
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
Available Sockets: FR Power Sockets



Model No.: NPR-035

2*AU Sockets
Dimensions: 265*118*68 mm
Cut-out Size: 225*111 mm
Materials: Zinc Alloy + Cold Rolled Steel
Available Colors: Textured Black /
Textured Silver
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W)
Available Sockets: CN / US / UK / TH /
ZA / BR / IT /Universal Power Sockets



Model No.: NPR-033

2*Schuko Sockets
Dimensions: 265*118*68 mm
Cut-out Size: 225*111 mm
Materials: Zinc Alloy + Cold Rolled Steel
Available Colors: Textured Black /
Textured Silver
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W)
Available Sockets: FR Power Sockets



Model No.: NPR-036

2*US Sockets
Dimensions: 265*118*68 mm
Cut-out Size: 225*111 mm
Materials: Zinc Alloy + Cold Rolled Steel
Available Colors: Textured Black /
Textured Silver
Input: AC 125V~, 13A, 60Hz
Rated Load: MAX 1600W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W)
Available Modules: HDMI, USB 3.0, CAT6
RJ45, RJ11, CN / UK / AU / TH / ZA / BR / IT /Universal Power Sockets



Model No.: NPR-034

2*UK Sockets
Dimensions: 265*118*68 mm
Cut-out Size: 225*111 mm
Materials: Zinc Alloy + Cold Rolled Steel
Available Colors: Textured Black /
Textured Silver
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W)
Available Sockets: CN / US / AU / TH / ZA /
BR / IT /Universal Power Sockets



Model No.: NPR-037

2*Universal Sockets
Dimensions: 265*118*68 mm
Cut-out Size: 225*111 mm
Materials: Zinc Alloy + Cold Rolled Steel
Available Colors: Textured Black /
Textured Silver
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
Configuration: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5 Audio
Available Sockets: CN / US / UK / AU/
TH / ZA / BR / IT Power Sockets



PNEUMATIC POP-UP DESKTOP POWER & CONNECTIVITY HUB

Model No.: NPR-1750

1*CN Socket

Dimensions: 175*130*130 mm

Cut-out Size: 168*125 mm

Materials: Aluminium Alloy + Cold Rolled Steel

Available Colors: Brushed Silver /

Brushed Black / Brushed Gold /

Brushed Gunmetal

Input: AC 250V~, 13A, 50/60Hz

Rated Load: MAX 2200W

Available Modules: HDMI, VGA, USB 3.0,

CAT6 RJ45, RJ11, 3.5 Aduio, Type-C,

RCA Vedio & Audio, UK / US / AU / Schuko /

TH / ZA / BR / IT / IN / Universal Power Sockets,

USB-A+USB-C (PD 10W/20W)



Model No.: NPR-1751

1*Universal Socket

Dimensions: 175*130*130 mm

Cut-out Size: 168*125 mm

Materials: Aluminium Alloy + Cold Rolled Steel

Available Colors: Brushed Silver /

Brushed Black / Brushed Gold /

Brushed Gunmetal

Input: AC 250V~, 13A, 50/60Hz

Rated Load: MAX 2300W

Available Modules: HDMI, VGA, USB 3.0,

CAT6 RJ45, RJ11, 3.5 Aduio,

RCA Vedio & Audio, Type-C, CN / UK / US /

AU / Schuko / TH / ZA / BR / IT / IN / Power Sockets,

USB-A+USB-C (PD 10W/20W)



Model No.: NPR-1752

2*UK Sockets

Dimensions: 175*130*130 mm

Cut-out Size: 168*125 mm

Materials: Aluminium Alloy + Cold Rolled Steel

Available Colors: Brushed Silver /

Brushed Black / Brushed Gold /

Brushed Gunmetal

Input: AC 250V~, 13A, 50/60Hz

Rated Load: MAX 2300W

Available Modules: HDMI, VGA, USB 3.0,

CAT6 RJ45, RJ11, 3.5 Aduio,

RCA Vedio & Audio, Type-C, CN / US / AU /

Schuko / TH / ZA / BR / IT / IN / Universal Power Sockets,

USB-A+USB-C (PD 10W/20W)



PNEUMATIC POP-UP DESKTOP POWER & CONNECTIVITY HUB



Model No.: NPR-2660

2*Schuko Sockets

Dimensions: 266*130*130 mm

Cut-out Size: 258*125 mm

Materials: Aluminium Alloy + Cold Rolled Steel

Available Colors: Brushed Silver /

Brushed Black / Brushed Gold /

Brushed Gunmetal

Input: AC 250V, 16A, 50/60Hz

Rated Load: MAX 2300W

USB Charging: 100-240V~, 50/60Hz

2*USB-A+2*USB-C (PD 10W/20W)

Available Modules: HDMI, VGA, USB

3.0, CAT6 RJ45, RJ11, 3.5 Audio, RCA Video & Audio,

Type-C, CN / UK / US / AU / TH / ZA / BR / IT / IN / Universal Power Sockets



Model No.: NPR-2661

2*Universal Sockets

Dimensions: 266*130*130 mm

Cut-out Size: 258*125 mm

Materials: Aluminium Alloy + Cold Rolled Steel

Available Colors: Brushed Silver /

Brushed Black / Brushed Gold /

Brushed Gunmetal

Input: AC 250V, 13A, 50/60Hz

Rated Load: MAX 2300W

USB Charging: 100-240V~, 50/60Hz

USB-A+USB-C (PD 10W/20W)

Available Modules: HDMI, VGA, USB 3.0,

CAT6 RJ45, RJ11, 3.5 Audio, RCA Video & Audio, Type-C,

CN / UK / US / AU / Schuko / TH / ZA / BR / IT / IN / Power Sockets



Model No.: NPR-2662

2*AU Sockets

Dimensions: 266*130*130 mm

Cut-out Size: 258*125 mm

Materials: Aluminium Alloy + Cold Rolled Steel

Available Colors: Brushed Silver /

Brushed Black / Brushed Gold /

Brushed Gunmetal

Input: AC 250V, 13A, 50/60Hz

Rated Load: MAX 2300W

USB Charging: 100-240V~, 50/60Hz


USB-A+USB-C (PD 10W/20W)

Available Modules: HDMI, VGA, USB 3.0,

CAT6 RJ45, RJ11, 3.5 Audio, RCA Video & Audio,

Type-C, CN / UK / US / Schuko / TH / ZA / BR / IT / IN / Universal Power Sockets





FLIP-UP DESKTOP POWER & CONNECTIVITY HUB

Model No.: NPR-A0201

1*CN Socket

Dimensions: 145*130*68 mm

Cut-out Size: 135*120 mm

Materials: Aluminium Alloy + Cold Rolled Steel

Available Colors: Brushed Black / Silver /

Brushed Gunmetal / Gold

Input: AC 250V~, 10A, 50/60Hz

Rated Load: MAX 2200W

Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5 Audio, AV, UK / US /
AU / Schuko / IN / TH / ZA / BR / IT /
Universal Power Sockets



Model No.: NPR-A0202

2*CN Sockets

Dimensions: 145*130*68 mm

Cut-out Size: 135*120 mm

Materials: Aluminium Alloy + Cold Rolled Steel

Available Colors: Brushed Black / Silver /

Brushed Gunmetal / Gold

Input: AC 250V~, 10A, 50/60Hz

Rated Load: MAX 2200W

Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / US / AU / Schuko /
IN / TH / ZA / BR / IT / Universal Power Sockets,
USB-A+USB-C (PD 10W/20W/65W)



Model No.: NPR-A0203

1*AU Socket
Dimensions: 145*130*68 mm
Cut-out Size: 135*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / US / CN / Schuko /
IN / TH / ZA / BR / IT / Universal Power Sockets



Model No.: NPR-A0206

1*IN Socket
Dimensions: 145*130*68 mm
Cut-out Size: 135*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / US / CN / AU / Schuko /
TH / ZA / BR / IT / Universal Power Sockets




Model No.: NPR-A0204

1*Universal Socket
Dimensions: 145*130*68 mm
Cut-out Size: 135*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, UK / US / AU / CN / Schuko
IN / TH / ZA / BR / IT Power Sockets



Model No.: NPR-A0207

1*UK Socket
Dimensions: 145*130*68 mm
Cut-out Size: 135*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5 Audio, AU / US / CN /
Schuko / IN / TH / ZA / BR / IT / Universal Power Sockets



Model No.: NPR-A0205

1*US Socket
Dimensions: 145*130*68 mm
Cut-out Size: 135*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 125V~, 13A, 60Hz
Rated Load: MAX 1600W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / AU / CN / Schuko /
IN / TH / ZA / BR / IT / Universal Power Sockets



Model No.: NPR-A0208

1*Schuko Socket
Dimensions: 145*130*68 mm
Cut-out Size: 135*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5 Audio, UK / US / CN /
AU / IN / TH / ZA / BR / IT / Universal Power Sockets



FLIP-UP DESKTOP POWER & CONNECTIVITY HUB

Model No.: NPR-L0210

2*CN Sockets
Dimensions: 266*130*100 mm
Cut-out Size: 258*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2200W
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5 Audio, UK / US / AU /
Schuko / IN / TH / ZA / BR / IT /
Universal Power Sockets,
USB-A+USB-C (PD 10W/20W/65W)



Model No.: NPR-L0211

2*CN Sockets
Dimensions: 266*130*100 mm
Cut-out Size: 258*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2200W
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5 Audio, AV, XLR Port,
UK / US / AU / Schuko / IN / TH / ZA / BR / IT /
Universal Power Sockets, USB-A+USB-C (PD 10W/20W/65W)



Model No.: NPR-L0212

3*US Sockets
Dimensions: 266*130*100 mm
Cut-out Size: 258*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 125V~, 13A, 60Hz
Rated Load: MAX 1600W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / AU / CN / Schuko /
IN / TH / ZA / BR / IT / Universal Power Sockets



Model No.: NPR-L0215

2*AU Sockets
Dimensions: 266*130*100 mm
Cut-out Size: 258*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5 Aduio, UK / US / CN /
Schuko / IN / TH / ZA / BR / IT /
Universal Power Sockets,
USB-A+USB-C (PD 10W/20W/65W)



Model No.: NPR-L0213

2*Schuko Sockets
Dimensions: 266*130*100 mm
Cut-out Size: 258*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / US / CN / AU / IN /
TH / ZA / BR / IT / Universal Power Sockets



Model No.: NPR-L0216

2*UK Sockets
Dimensions: 266*130*100 mm
Cut-out Size: 258*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, AU / US / CN / Schuko /
IN / TH / ZA / BR / IT / Universal Power Sockets



Model No.: NPR-L0214

2*Universal Sockets
Dimensions: 266*130*100 mm
Cut-out Size: 258*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, UK / US / AU / CN / Schuko /
IN / TH / ZA / BR / IT Power Sockets



Model No.: NPR-L0217

3*IN Sockets
Dimensions: 266*130*100 mm
Cut-out Size: 258*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / US / CN / AU / Schuko /
TH / ZA / BR / IT / Universal Power Sockets



Model No.: NPR-L0175

2*CN Sockets
Dimensions: 175*130*70 mm
Cut-out Size: 168*122 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2200W
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5 Aduio, AV, UK / US /
AU / Schuko / IN / TH / ZA / BR / IT /
Universal Power Sockets,
USB-A+USB-C (PD 10W/20W/65W)



Model No.: NPR-L0301

2*IN Sockets
Dimensions: 300*120*138 mm
Cut-out Size: 290*110 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5 Audio, AV,
6.35 mm MIC Jack, UK / US / CN / AU /
Schuko / TH / ZA / BR / IT / Universal Power Sockets,
USB-A+USB-C (PD 10W/20W/65W)



Model No.: NPR-L0176

1*Universal Socket
Dimensions: 175*130*70 mm
Cut-out Size: 168*122 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5 Aduio, AV, UK / US /
AU / CN / Schuko / IN / TH / ZA / BR /
IT Power Sockets, USB-A+USB-C (PD 10W/20W/65W)




Model No.: NPR-L0302

2*UK Sockets
Dimensions: 300*150*138 mm
Cut-out Size: 290*142 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5 Audio, AV,
6.35 mm MIC Jack, UK / US / CN / AU /
Schuko / TH / ZA / BR / IT / Universal Power Sockets,
USB-A+USB-C (PD 10W/20W/65W)



Model No.: NPR-L0185

2*Universal Sockets
Dimensions: 185*100*78 mm
Cut-out Size: 178*88 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5 Aduio, AV, UK / US /
AU / CN / Schuko / IN / TH / ZA / BR /
IT Power Sockets, USB-A+USB-C (PD 10W/20W/65W)



Model No.: NPR-L0303








3*Schuko Sockets
Dimensions: 240*80*45 mm
Cut-out Size: 232*72 mm
Material: Aluminium Alloy
Available Colors: Black / Silver
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5 Audio, UK / US / CN /
AU / IN / TH / ZA / BR / IT / Universal Power Sockets



FLIP-UP DESKTOP POWER & CONNECTIVITY HUB



AVAILABLE MODULES:

						
CN Socket	Universal Socket	UK Socket	Schuko Socket	US Socket	AU Socket	
						
ZA Socket	FR Socket	IN Socket	USB-A+USB-C 20W	USB-A+USB-C 10W	USB-A+USB-A 10W	
						
BR Socket	IT Socket	HDMI	CAT 5E RJ45	USB 3.0	CAT 3 RJ11	Type-C

Model No.: NPR-F1580

2*Universal Sockets
Dimensions: 208*158*68 mm
Cut-out Size: 194*149 mm
Materials: Aluminium Alloy + ABS
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Textured White
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5 Aduio, Type-C, UK /
US / AU / CN / Schuko / IN / TH / ZA / BR / IT Power Sockets



Model No.: NPR-F1583

3*IN Sockets
Dimensions: 262*158*68 mm
Cut-out Size: 248*149 mm
Materials: Aluminium Alloy + ABS
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Textured White
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5 Aduio, Type-C, UK /
US / CN / Schuko / AU / TH / ZA / BR / IT /
Universal Power Sockets,
USB-A+USB-C (PD 10W/20W/65W)



Model No.: NPR-F1581

3*AU Sockets
Dimensions: 262*158*68 mm
Cut-out Size: 248*149 mm
Materials: Aluminium Alloy + ABS
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Textured White
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5 Aduio, Type-C, UK /
US / CN / Schuko / IN / TH / ZA / BR / IT / Universal Power Sockets



Model No.: NPR-F1584

3*US Sockets
Dimensions: 316*158*68 mm
Cut-out Size: 302*149 mm
Materials: Aluminium Alloy + ABS
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Textured White
Input: AC 125V~, 13A, 60Hz
Rated Load: MAX 1600W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5 Aduio, Type-C, UK / IN /
CN / Schuko / AU / TH / ZA / BR / IT / Universal Power Sockets



Model No.: NPR-F1582

3*UK Sockets
Dimensions: 262*158*68 mm
Cut-out Size: 248*149 mm
Materials: Aluminium Alloy + ABS
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Textured White
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5 Aduio, Type-C, AU /
US / CN / Schuko / IN / TH / ZA / BR / IT / Universal Power Sockets



Model No.: NPR-F1585

5*Schuko Sockets
Dimensions: 370*158*68 mm
Cut-out Size: 356*149 mm
Materials: Aluminium Alloy + ABS
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Textured White
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5 Aduio, Type-C, UK /
US / CN / IN / AU / TH / ZA / BR / IT / Universal Power Sockets



FLIP-UP DESKTOP POWER & CONNECTIVITY HUB



Model No.: NPR-L0350

3*CN Sockets
Dimensions: 350*130*105 mm
Cut-out Size: 335*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2200W
Qi Wireless Charging: MAX 15W
Available Modules: HDMI, VGA, USB
3.0, CAT6 RJ45, RJ11, UK / US / AU / Schuko /
IN / TH / ZA / BR / IT / Universal Power Sockets,
USB-A+USB-C (PD 10W/20W/65W)



Model No.: NPR-L0351

2*AU Sockets
Dimensions: 350*130*105 mm
Cut-out Size: 335*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Qi Wireless Charging: MAX 15W
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, UK / US / CN / Schuko / IN / TH / ZA / BR / IT / Universal Power Sockets



AVAILABLE MODULES:



Model No.: NPR-L0352

3*US Sockets
Dimensions: 350*130*105 mm
Cut-out Size: 335*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 125V~, 13A, 60Hz
Rated Load: MAX 1600W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Qi Wireless Charging: MAX 15W
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / AU / CN / Schuko / IN / TH / ZA / BR / IT / Universal Power Sockets



Model No.: NPR-L0355

2*Schuko Sockets
Dimensions: 350*130*105 mm
Cut-out Size: 335*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver
Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Qi Wireless Charging: MAX 15W
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, UK / US / CN / AU / IN / TH / ZA / BR / IT / Universal Power Sockets



Model No.: NPR-L0353

3*UK Sockets
Dimensions: 350*130*105 mm
Cut-out Size: 335*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Qi Wireless Charging: MAX 15W
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, AU / US / CN / Schuko / IN / TH / ZA / BR / IT / Universal Power Sockets



Model No.: NPR-L0356

2*CN Sockets
Dimensions: 350*130*105 mm
Cut-out Size: 335*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2200W
Qi Wireless Charging: MAX 15W
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5 Aduio, AV, XLR Port,
UK / US / AU / Schuko / IN / TH / ZA / BR / IT / Universal Power Sockets,
USB-A+USB-C (PD 10W/20W/65W)



Model No.: NPR-L0354


3*Universal Sockets
Dimensions: 350*130*105 mm
Cut-out Size: 335*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
Qi Wireless Charging: MAX 15W
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, UK / US / AU / CN / Schuko /
IN / TH / ZA / BR / IT Power Sockets, USB-A+USB-C (PD 10W/20W/65W)



Model No.: NPR-L0357

3*IN Sockets
Dimensions: 350*130*105 mm
Cut-out Size: 335*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Qi Wireless Charging: MAX 15W
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / US / CN / AU / Schuko / TH / ZA / BR / IT / Universal Power Sockets





FLIP-UP DESKTOP POWER & CONNECTIVITY HUB

Model No.: NPR-F1950

2*CN Sockets

Dimensions: 195*102*56 mm

Cut-out Size: 182*72 mm

Materials: Aluminium Alloy + Cold Rolled Steel

Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold

Input: AC 250V~, 10A, 50/60Hz

Rated Load: MAX 2200W

Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / US / AU / IN / TH /
ZA / BR / IT / Universal Power Sockets,
USB-A+USB-C (PD 10W/20W/65W)



Model No.: NPR-F1951

2*CN Sockets

Dimensions: 195*102*56 mm

Cut-out Size: 182*72 mm

Materials: Aluminium Alloy + Cold Rolled Steel

Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold

Input: AC 250V~, 10A, 50/60Hz

Rated Load: MAX 2200W

USB Charging: 100-240V~, 50/60Hz

USB-A+USB-C (PD 10W/20W/65W)

Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / US / AU / IN / TH /
ZA / BR / IT / Universal Power Sockets



Model No.: NPR-F1952

1*Schuko Socket
Dimensions: 195*102*56 mm
Cut-out Size: 182*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, FR Power Sockets



Model No.: NPR-F1955

2*Universal Sockets
Dimensions: 195*102*56 mm
Cut-out Size: 182*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / US / AU / CN / IN /
TH / ZA / BR / IT Power Sockets



Model No.: NPR-F1953

2*UK Sockets
Dimensions: 195*102*56 mm
Cut-out Size: 182*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, US / AU / CN / IN / TH /
ZA / BR / IT / Universal Power Sockets



Model No.: NPR-F1956

2*AU Sockets
Dimensions: 195*102*56 mm
Cut-out Size: 182*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / US / CN / IN /
TH / ZA / BR / IT / Universal Power Sockets



Model No.: NPR-F1954


1*IN Socket
Dimensions: 195*102*56 mm
Cut-out Size: 182*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~5, 0/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / US / AU / CN / TH /
ZA / BR / IT / Universal Power Sockets



Model No.: NPR-F1957

2*US Sockets
Dimensions: 195*102*56 mm
Cut-out Size: 182*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 125V~, 13A, 60Hz
Rated Load: MAX 1600W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / AU / CN / IN / TH /
ZA / BR / IT / Universal Power Sockets





FLIP-UP DESKTOP POWER & CONNECTIVITY HUB

Model No.: NPR-F2850

3*Schuko Sockets
Dimensions: 285*102*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
Available Sockets: FR Power Sockets



Model No.: NPR-F2851

2*Schuko Sockets
Dimensions: 285*102*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, FR Power Sockets



Model No.: NPR-F2852

2*CN Sockets
Dimensions: 285*102*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2200W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / US / AU / IN / TH / ZA /
BR / IT / Universal Power Sockets



Model No.: NPR-F2855

3*US Sockets
Dimensions: 285*102*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 125V~, 13A, 60Hz
Rated Load: MAX 1600W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / AU / CN / IN / TH / ZA /
BR / IT / Universal Power Sockets



Model No.: NPR-F2853

2*UK Sockets
Dimensions: 285*102*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, US / AU / CN / IN / TH / ZA /
BR / IT / Universal Power Sockets



Model No.: NPR-F2856

2*IN Sockets
Dimensions: 285*102*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / US / AU / CN / TH / ZA /
BR / IT / Universal Power Sockets



Model No.: NPR-F2854

3*AU Sockets
Dimensions: 285*102*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / US / CN / IN / TH / ZA /
BR / IT / Universal Power Sockets



Model No.: NPR-F2857

2*Universal Sockets
Dimensions: 285*102*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / US / AU / CN / IN / TH /
ZA / BR / IT Power Sockets





FLIP-UP DESKTOP POWER & CONNECTIVITY HUB

AVAILABLE MODULES:



Model No.: NPR-F2860

2*Schuko Sockets

Dimensions: 285*102*56 mm

Cut-out Size: 272*72 mm

Materials: Aluminium Alloy & Cold Rolled Steel

Available Colors: Brushed Black / Silver /

Brushed Gunmetal / Gold

Input: AC 250V~, 16A, 50/60Hz

Rated Load: MAX 2300W

USB Charging: 100-240V~, 50/60Hz

USB-A+USB-C (PD 45W), 400 mm

Retractable Type-C Charging Cable (PD 20W)

Available Modules: HDMI, USB 3.0, CAT6 RJ45,

RJ11, Power Switch, AU / US / IN / UK / FR / IT /

CN / BR / TH / ZA / Universal Power Sockets, Qi Wireless Charging

Model No.: NPR-F2861

2*AU Sockets

Dimensions: 285*102*56 mm

Cut-out Size: 272*72 mm

Materials: Aluminium Alloy & Cold Rolled Steel

Available Colors: Brushed Black / Silver /

Brushed Gunmetal / Gold

Input: AC 250V~, 10A, 50/60Hz

Rated Load: MAX 2300W

USB Charging: 100-240V~, 50/60Hz

USB-A+USB-C (PD 45W), 400 mm

Retractable Type-C Charging Cable (PD 20W)




Available Modules: HDMI, USB 3.0, CAT6 RJ45,

RJ11, Power Switch, Schuko / US / IN / UK / FR / IT /

CN / BR / TH / ZA / Universal Power Sockets, Qi Wireless Charging



FLIP-UP DESKTOP POWER & CONNECTIVITY HUB



AVAILABLE MODULES:



Model No.: NPR-S3000

2*Schuko Sockets

Dimensions: 300*90*88 mm

Cut-out Size: 296*84 (R42) mm

Materials: Aluminium Alloy & Cold Rolled Steel

Available Colors: Brushed Black / Silver /

Brushed Gunmetal / Gold

Input: AC 250V~, 16A, 50/60Hz

Rated Load: MAX 2300W

Qi Wireless Charging: MAX 15W

USB Charging: 100-240V~, 50/60Hz

USB-A+USB-C (PD 10W/20W/65W)

Available Modules: HDMI, VGA, USB 3.0,

CAT6 RJ45, RJ11, 3.5 mm Audio, US / UK / AU /

CN / IN / FR / TH / ZA / BR / IT / Universal Power Sockets



Model No.: NPR-S3001

2*UK Sockets

Dimensions: 300*90*88 mm

Cut-out Size: 296*84 (R42) mm

Materials: Aluminium Alloy & Cold Rolled Steel

Available Colors: Brushed Black / Silver /

Brushed Gunmetal / Brushed Gold

Input: AC 250V~, 13A, 50/60Hz

Rated Load: MAX 2300W

Qi Wireless Charging: MAX 15W


USB Charging: 100-240V~, 50/60Hz

USB-A+USB-C (PD 10W/20W/65W)

Available Modules: HDMI, VGA, USB 3.0, CAT6 RJ45,

RJ11, 3.5 mm Audio, US / Schuko / AU / CN / IN / FR / TH / ZA / BR / IT / Universal Power Sockets





FLIP-UP DESKTOP POWER & CONNECTIVITY HUB

Model No.: NPR-F3550

3*Schuko Sockets
Dimensions: 355*102*56 mm
Cut-out Size: 342*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
Qi Wireless Charging: MAX 15W
Available Sockets: FR Power Sockets



Model No.: NPR-F3551

2*Schuko Sockets
Dimensions: 355*102*56 mm
Cut-out Size: 342*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
Qi Wireless Charging: MAX 15W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0, CAT6 RJ45, RJ11, FR Power Sockets



Model No.: NPR-F3552

2*CN Sockets
Dimensions: 355*102*56 mm
Cut-out Size: 342*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2200W
Qi Wireless Charging: MAX 15W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / US / AU / IN / TH / ZA /
BR / IT / Universal Power Sockets



Model No.: NPR-F3553

2*UK Sockets
Dimensions: 355*102*56 mm
Cut-out Size: 342*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
Qi Wireless Charging: MAX 15W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, US / AU / CN / IN / TH / ZA /
BR / IT / Universal Power Sockets



Model No.: NPR-F3554

3*AU Sockets
Dimensions: 355*102*56 mm
Cut-out Size: 342*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
Qi Wireless Charging: MAX 15W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, US / UK / CN / IN / TH / ZA /
BR / IT / Universal Power Sockets



Model No.: NPR-F3555

3*US Sockets
Dimensions: 355*102*56 mm
Cut-out Size: 342*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 125V~, 13A, 60Hz
Rated Load: MAX 1600W
Qi Wireless Charging: MAX 15W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, AU / UK / CN / IN / TH / ZA /
BR / IT / Universal Power Sockets



Model No.: NPR-F3556


2*IN Sockets
Dimensions: 355*102*56 mm
Cut-out Size: 342*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
Qi Wireless Charging: MAX 15W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, US / UK / CN / AU / TH / ZA /
BR / IT / Universal Power Sockets



Model No.: NPR-F3557

2*Universal Sockets
Dimensions: 355*102*56 mm
Cut-out Size: 342*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
Qi Wireless Charging: MAX 15W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0, CAT6 RJ45,
RJ11, US / UK / CN / IN / AU / TH / ZA / BR / IT Power Sockets





SLIDING DESKTOP POWER & CONNECTIVITY HUB

Model No.: NPR-S1850

2*Schuko Sockets

Dimensions: 185*80*60 mm

Cut-out Size: 172*58 mm

Material: Aluminium Alloy & Cold Rolled Steel

Available Colors: Brushed Black / Silver /

Brushed Gunmetal / Brushed Gold

Input: AC 250V~, 16A, 50/60Hz

Rated Load: MAX 2300W

USB Charging: 100-240V~, 50/60Hz

USB-A+USB-C (PD 10W/20W/65W)

Available Modules: HDMI, USB 3.0,

CAT6 RJ45, RJ11, US / UK / AU / CN / IN /

FR / TH / ZA / BR / IT / Universal Power Sockets



Model No.: NPR-S1851

2*US Sockets

Dimensions: 185*80*60 mm

Cut-out Size: 172*58 mm

Material: Aluminium Alloy & Cold Rolled Steel

Available Colors: Brushed Black / Silver /

Brushed Gunmetal / Brushed Gold

Input: AC 125V~, 13A, 50/60Hz

Rated Load: MAX 1600W

USB Charging: 100-240V~, 50/60Hz


USB-A+USB-C (PD 10W/20W/65W)

Available Modules: HDMI, USB 3.0,

CAT6 RJ45, RJ11, Schuko / UK / AU / CN / IN /

FR / TH / ZA / BR / IT / Universal Power Sockets





SLIDING DESKTOP POWER & CONNECTIVITY HUB

Model No.: NPR-S1900

3*Schuko Sockets

Dimensions: 190*100*56 mm

Cut-out Size: 182*72 mm

Materials: Aluminium Alloy + Cold Rolled Steel

Available Colors: Brushed Black / Silver /

Brushed Gunmetal / Gold

Input: AC 250V~, 16A, 50/60Hz

Rated Load: MAX 2300W

Available Sockets: FR Power Sockets



Model No.: NPR-S1901

2*Schuko Sockets

Dimensions: 190*100*56 mm

Cut-out Size: 182*72 mm

Materials: Aluminium Alloy + Cold Rolled Steel

Available Colors: Brushed Black / Silver /

Brushed Gunmetal / Gold

Input: AC 250V~, 16A, 50/60Hz

Rated Load: MAX 2300W

USB Charging: 100-240V~, 50/60Hz

USB-A+USB-C (PD 10W/20W/65W)

Available Modules: HDMI, USB 3.0,

CAT6 RJ45, RJ11, FR Power Sockets



Model No.: NPR-S1902

2*CN Sockets
Dimensions: 190*100*56 mm
Cut-out Size: 182*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2200W
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / US / AU / IN / TH /
ZA / BR / IT / Universal Power Sockets,
USB-A+USB-C (PD 10W/20W/65W)



Model No.: NPR-S1905

2*US Sockets
Dimensions: 190*100*56 mm
Cut-out Size: 182*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 125V~, 13A, 50/60Hz
Rated Load: MAX 1600W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / AU / CN / IN / TH / ZA /
BR / IT / Universal Power Sockets



Model No.: NPR-S1903

2*UK Sockets
Dimensions: 190*100*56 mm
Cut-out Size: 182*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, US / AU / CN / IN / TH / ZA /
BR / IT / Universal Power Sockets



Model No.: NPR-S1906

2*IN Sockets
Dimensions: 190*100*56 mm
Cut-out Size: 182*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, US / UK / CN / AU / TH / ZA /
BR / IT / Universal Power Sockets



Model No.: NPR-S1904


2*AU Sockets
Dimensions: 190*100*56 mm
Cut-out Size: 182*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, US / UK / CN / IN / TH / ZA /
BR / IT / Universal Power Sockets



Model No.: NPR-S1907

2*Universal Sockets
Dimensions: 190*100*56 mm
Cut-out Size: 182*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / US / AU / CN / IN /
TH / ZA / BR / IT Power Sockets,
USB-A+USB-C (PD 10W/20W/65W)





SLIDING DESKTOP POWER & CONNECTIVITY HUB

Model No.: NPR-S2400


2*Schuko Sockets
Dimensions: 240*80*60 mm
Cut-out Size: 225*58 mm
Material: Aluminium Alloy & Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, US / UK / AU / CN / IN / FR /
TH / ZA / BR / IT / Universal Power Sockets



Model No.: NPR-S2401

2*UK Sockets
Dimensions: 240*80*60 mm
Cut-out Size: 225*58 mm
Material: Aluminium Alloy & Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, US / Schuko / AU / CN / IN /
FR / TH / ZA / BR / IT / Universal Power Sockets





SLIDING DESKTOP POWER & CONNECTIVITY HUB

Model No.: NPR-S2403

2*Schuko Sockets

Dimensions: 240*80*60 mm

Cut-out Size: 225*58 mm

Material: Aluminium Alloy & Cold Rolled Steel

Available Colors: Brushed Black / Silver /

Brushed Gunmetal / Gold

Input: AC 250V~, 16A, 50/60Hz

Rated Load: MAX 2300W

USB Charging: 100-240V~, 50/60Hz

USB-A+USB-C (PD 10W/20W/65W)

Available Modules: HDMI, USB 3.0,

CAT6 RJ45, RJ11, Cable Retention Clamp,

US / UK / AU / CN / IN / FR / TH / ZA / BR / IT / Universal Power Sockets



Model No.: NPR-S2404

2*UK Sockets

Dimensions: 240*80*60 mm

Cut-out Size: 225*58 mm

Material: Aluminium Alloy & Cold Rolled Steel

Available Colors: Brushed Black / Silver /

Brushed Gunmetal / Brushed Gold

Input: AC 250V~, 13A, 50/60Hz

Rated Load: MAX 2300W

USB Charging: 100-240V~, 50/60Hz


USB-A+USB-C (PD 10W/20W/65W)

Available Modules: HDMI, USB 3.0,

CAT6 RJ45, RJ11, Cable Retention Clamp, US /

Schuko / AU / CN / IN / FR / TH / ZA / BR / IT / Universal Power Sockets





SLIDING DESKTOP POWER & CONNECTIVITY HUB

Model No.: NPR-S2800

3*Schuko Sockets

Dimensions: 280*100*56 mm

Cut-out Size: 272*72 mm

Materials: Aluminium Alloy + Cold Rolled Steel

Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold

Input: AC 250V~, 16A, 50/60Hz

Rated Load: MAX 2300W

USB Charging: 100-240V~, 50/60Hz

USB-A+USB-C (PD 10W/20W/65W)

Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, FR Power Sockets



Model No.: NPR-S2801

2*Schuko Sockets

Dimensions: 280*100*56 mm

Cut-out Size: 272*72 mm

Materials: Aluminium Alloy + Cold Rolled Steel

Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold

Input: AC 250V~, 16A, 50/60Hz

Rated Load: MAX 2300W

USB Charging: 100-240V~, 50/60Hz

USB-A+USB-C (PD 10W/20W/65W)

Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, FR Power Sockets



Model No.: NPR-S2802

2*CN Sockets
Dimensions: 280*100*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2200W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / US / AU / IN / TH / ZA /
BR / IT / Universal Power Sockets



Model No.: NPR-S2805

3*US Sockets
Dimensions: 280*100*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 125V~, 13A, 50/60Hz
Rated Load: MAX 1600W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / AU / CN / IN / TH / ZA /
BR / IT / Universal Power Sockets



Model No.: NPR-S2803

3*UK Sockets
Dimensions: 280*100*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, US / AU / CN / IN / TH / ZA /
BR / IT / Universal Power Sockets



Model No.: NPR-S2806

3*IN Sockets
Dimensions: 280*100*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, US / UK / CN / AU / TH / ZA /
BR / IT / Universal Power Sockets



Model No.: NPR-S2804


3*AU Sockets
Dimensions: 280*100*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, US / UK / CN / IN / TH / ZA /
BR / IT / Universal Power Sockets



Model No.: NPR-S2807

2*Universal Sockets
Dimensions: 280*100*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / US / AU / CN / IN / TH /
ZA / BR / IT Power Sockets





SLIDING DESKTOP POWER & CONNECTIVITY HUB

Model No.: NPR-S2800B

3*Schuko Sockets

Dimensions: 280*100*56 mm

Cut-out Size: 272*72 mm

Materials: Aluminium Alloy + Cold Rolled Steel

Available Colors: Brushed Black / Silver /

Brushed Gunmetal / Gold

Input: AC 250V~, 16A, 50/60Hz

Rated Load: MAX 2300W

USB Charging: 100-240V~, 50/60Hz

USB-A+USB-C (PD 10W/20W/65W)

Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, FR Power Sockets



Model No.: NPR-S2801B

2*Schuko Sockets

Dimensions: 280*100*56 mm

Cut-out Size: 272*72 mm

Materials: Aluminium Alloy + Cold Rolled Steel

Available Colors: Brushed Black / Silver /

Brushed Gunmetal / Gold

Input: AC 250V~, 16A, 50/60Hz

Rated Load: MAX 2300W

USB Charging: 100-240V~, 50/60Hz

USB-A+USB-C (PD 10W/20W/65W)

Available Sockets: HDMI, USB 3.0,
CAT6 RJ45, RJ11, FR Power Sockets



Model No.: NPR-S2802B

2*CN Sockets
Dimensions: 280*100*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2200W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / US / AU / IN / TH / ZA /
BR / IT / Universal Power Sockets



Model No.: NPR-S2805B

3*US Sockets
Dimensions: 280*100*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Brushed Gold
Input: AC 125V~, 13A ,50/60Hz
Rated Load: MAX 1600W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / AU / CN / IN / TH / ZA /
BR / IT / Universal Power Sockets



Model No.: NPR-S2803B

3*UK Sockets
Dimensions: 280*100*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, US / AU / CN / IN / TH / ZA /
BR / IT / Universal Power Sockets



Model No.: NPR-S2806B

3*IN Sockets
Dimensions: 280*100*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, US / UK / CN / AU / TH /
ZA / BR / IT / Universal Power Sockets



Model No.: NPR-S2804B

3*AU Sockets
Dimensions: 280*100*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, US / UK / CN / IN / TH / ZA /
BR / IT / Universal Power Sockets



Model No.: NPR-S2807B

2*Universal Sockets
Dimensions: 280*100*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / US / AU / CN / IN /
TH / ZA / BR / IT Power Sockets




SLIDING-FORWARD DESKTOP POWER & CONNECTIVITY HUB



AVAILABLE SOCKETS




AVAILABLE MODULES




Overload Protection Switch

1.8 m Power Plug, Pure Copper


INSTALLATION STEPS



248×55 mm Desk Cut-out & Insert Unit



Slide forward cover and fix with self-tapping screws



Snap on screw caps to finish

Model No.: NPR-S2920

2*Schuko Sockets
Dimensions: 292*70*62 mm
Cut-out Size: 248*55 (R5) mm
Material: Flame-Retardant PC
Available Colors: Black / White
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, UK / US / AU / FR / CN /
IN / TH / ZA / BR / IT / Universal Power Sockets



Model No.: NPR-S2923

4*US Sockets
Dimensions: 292*70*62 mm
Cut-out Size: 248*55 (R5) mm
Material: Flame-Retardant PC
Available Colors: Black / White
Input: AC 125V~, 13A, 50/60Hz
Rated Load: MAX 1600W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, UK / AU / Schuko / FR /
CN / IN / TH / ZA / BR / IT /
Universal Power Sockets



Model No.: NPR-S2921

4*UK Sockets
Dimensions: 292*70*62 mm
Cut-out Size: 248*55 (R5) mm
Material: Flame-Retardant PC
Available Colors: Black / White
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, US / AU / Schuko / FR /
CN / IN / TH / ZA / BR / IT /
Universal Power Sockets



Model No.: NPR-S2924

4*CN Sockets
Dimensions: 292*70*62 mm
Cut-out Size: 248*55 (R5) mm
Material: Flame-Retardant PC
Available Colors: Black / White
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2200W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, UK / US / Schuko /
FR / AU / IN / TH / ZA / BR / IT /
Universal Power Sockets



Model No.: NPR-S2922


4*AU Sockets
Dimensions: 292*70*62 mm
Cut-out Size: 248*55 (R5) mm
Material: Flame-Retardant PC
Available Colors: Black / White
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, UK / US / Schuko / FR /
CN / IN / TH / ZA / BR / IT /
Universal Power Sockets



Model No.: NPR-S2925

4*Universal Sockets
Dimensions: 292*70*62 mm
Cut-out Size: 248*55 (R5) mm
Material: Flame-Retardant PC
Available Colors: Black / White
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, UK / US / AU / Schuko /
FR / CN / IN / TH / ZA / BR / IT Power Sockets





SLIDING DESKTOP POWER & CONNECTIVITY HUB

Model No.: NPR-S3500

3*Schuko Sockets
Dimensions: 350*100*56 mm
Cut-out Size: 342*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
Qi Wireless Charging: MAX 15W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, FR Power Sockets



Model No.: NPR-S3501

2*Schuko Sockets
Dimensions: 350*100*56 mm
Cut-out Size: 342*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal /Brushed Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
Qi Wireless Charging: MAX 15W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, FR Power Sockets



Model No.: NPR-S3502

2*CN Sockets
Dimensions: 350*100*56 mm
Cut-out Size: 342*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2200W
Qi Wireless Charging: MAX 15W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / US / AU / IN / TH / ZA /
BR / IT / Universal Power Sockets



Model No.: NPR-S3503

3*UK Sockets
Dimensions: 350*100*56 mm
Cut-out Size: 342*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
Qi Wireless Charging: MAX 15W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, US / AU / CN / IN / TH / ZA /
BR / IT / Universal Power Sockets



Model No.: NPR-S3504

3*AU Sockets
Dimensions: 350*100*56 mm
Cut-out Size: 342*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
Qi Wireless Charging: MAX 15W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, US / UK / CN / IN / TH /
ZA / BR / IT / Universal Power Sockets



Model No.: NPR-S3505

3*US Sockets
Dimensions: 350*100*56 mm
Cut-out Size: 342*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 125V~, 13A, 50/60Hz
Rated Load: MAX 1600W
Qi Wireless Charging: MAX 15W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / AU / CN / IN / TH /
ZA / BR / IT / Universal Power Sockets



Model No.: NPR-S3506

3*IN Sockets
Dimensions: 350*100*56 mm
Cut-out Size: 342*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
Qi Wireless Charging: MAX 15W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, US / UK / CN / AU / TH / ZA /
BR / IT / Universal Power Sockets



Model No.: NPR-S3507

2*Universal Sockets
Dimensions: 350*100*56 mm
Cut-out Size: 342*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
Qi Wireless Charging: MAX 15W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / US / AU / CN / IN /
TH / ZA / BR / IT Power Sockets





DUAL-SLIDING DESKTOP POWER & CONNECTIVITY HUB

AVAILABLE MODULES:



Model No.: NPR-S3510

2*Schuko Sockets
Dimensions: 350*100*56 mm
Cut-out Size: 342*72 mm
Materials: Aluminium Alloy & Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
Qi Wireless Charging: MAX 15W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W/35W/65W)
Available Modules: HDMI, USB 3.0, CAT6 RJ45,
RJ11, AU / US / IN / UK / FR / IT / CN / BR / TH / ZA / Universal Power Sockets



Model No.: NPR-S3511

2*US Sockets
Dimensions: 350*100*56 mm
Cut-out Size: 342*72 mm
Materials: Aluminium Alloy & Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 125V~, 13A, 50/60Hz
Rated Load: MAX 1600W
Qi Wireless Charging: MAX 15W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0, CAT6 RJ45,
RJ11, UK / AU / CN / IN / TH / ZA / BR / IT / Universal Power Sockets





400 mm
Retractable
Type-C


USB-A
USB-C
(PD 20W)

CLAMP-ON DESKTOP POWER HUB

AVAILABLE SOCKETS



CN SOCKET



SCHUKO
SOCKET



UK SOCKET



UNIVERSAL
SOCKET



AU SOCKET



US SOCKET

Model No.: NPJ-1420

1*CN Socket

Dimensions: 142*72*60 mm

Material: Flame-Retardant PC

Available Colors: Black / White

Input: AC 250V~, 10A, 50/60Hz

Rated Load: MAX 2200W

USB Charging: 100-240V~, 50/60Hz

USB-A+USB-C (PD 20W)

400 mm Retractable Type-C

Charging Cable (PD 20W)

Available Sockets: US / UK / AU / Schuko /

FR / IN / TH / ZA / BR / IT / Universal Power Socket



Model No.: NPJ-1421

1*UK Socket

Dimensions: 142*72*60 mm

Material: Flame-Retardant PC

Available Colors: Black / White

Input: AC 250V~, 13A, 50/60Hz

Rated Load: MAX 2300W

USB Charging: 100-240V~, 50/60Hz

USB-A+USB-C (PD 20W)

400 mm Retractable Type-C

Charging Cable (PD 20W)

Available Sockets: US / CN / AU / Schuko /

FR / IN / TH / ZA / BR / IT / Universal Power Socket



CLAMP-ON DESKTOP POWER HUB




USB-A+USB-C (PD 20W)


Clamping Range:15-30 mm

Overload Protection Switch


AVAILABLE SOCKETS




INSTALLATION STEPS



Secure clamp with screws
and apply anti-scratch pad.



Thread thumb screw into clamp
then attach swivel pad.



Slide clamp onto desk edge
and tighten thumb screw.

Model No.: NPJ-2780

3*CN Sockets
Dimensions: 278*52*45 mm
Material: Flame-Retardant PC
Available Colors: Black / White
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2200W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Available Sockets: US / UK / AU / Schuko /
FR / IN / TH / ZA / BR / IT /
Universal Power Sockets



Model No.: NPJ-2781

3*AU Sockets
Dimensions: 278*52*45 mm
Material: Flame-Retardant PC
Available Colors: Black / White
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Available Sockets: US / UK / CN / Schuko /
FR / IN / TH / ZA / BR / IT /
Universal Power Sockets



Model No.: NPJ-2782

3*Universal Sockets
Dimensions: 278*52*45 mm
Material: Flame-Retardant PC
Available Colors: Black / White
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Available Sockets: US / UK / CN / AU /
Schuko / FR / IN / TH / ZA /
BR / IT Power Sockets



Model No.: NPJ-2783

3*US Sockets
Dimensions: 278*52*45 mm
Material: Flame-Retardant PC
Available Colors: Black / White
Input: AC 125V~, 13A, 50/60Hz
Rated Load: MAX 1600W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Available Sockets: AU / UK / CN /
Schuko / FR / IN / TH / ZA / BR / IT /
Universal Power Sockets



Model No.: NPJ-2784


3*UK Sockets
Dimensions: 278*52*45 mm
Material: Flame-Retardant PC
Available Colors: Black / White
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Available Sockets: US / AU / CN / Schuko /
FR / IN / TH / ZA / BR / IT /
Universal Power Sockets




Model No.: NPJ-2785

3*Schuko Sockets
Dimensions: 278*52*45 mm
Material: Flame-Retardant PC
Available Colors: Black / White
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Available Sockets: US / AU / CN / UK /
FR / IN / TH / ZA / BR / IT /
Universal Power Sockets





CLAMP-ON DESKTOP POWER HUB



Overload Protection Switch

Clamping Range: 15-30 mm

USB-A+2*USB-C
(PD 20W / 30W / 65W)

AVAILABLE MODULES



UNIVERSAL
SOCKET




AU SOCKET




CN SOCKET




US SOCKET




SCHUKO
SOCKET



FR SOCKET



UK SOCKET



SCHUKO / IT
SOCKET



IEC C13



IEC C14



IEC C19



USB-A+USB-C



USB-A+2*USB-C



2*USB-A+USB-C

Model No.: NPJ-2850

3*CN Sockets
Dimensions: 285*45*125 mm
Materials: Aluminium Alloy +
Flame-Retardant PC
Available Colors: Black / White
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2200W
USB Charging: 100-240V~, 50/60Hz
USB-A+2*USB-C (PD 20W/30W/65W)
Power Cord: 1.8 m CN Plug Power Cord,
3G 1.5 mm² Pure Copper



Model No.: NPJ-2851

3*AU Sockets
Dimensions: 285*45*125 mm
Materials: Aluminium Alloy +
Flame-Retardant PC
Available Colors: Black / White
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+2*USB-C (PD 20W/30W/65W)
Power Cord: 1.8 m AU Plug Power Cord,
3G 1.5 mm² Pure Copper



Model No.: NPJ-2852

3*Universal Sockets
Dimensions: 285*45*125 mm
Materials: Aluminium Alloy +
Flame-Retardant PC
Available Colors: Black / White
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 3200W
USB Charging: 100-240V~, 50/60Hz
USB-A+2*USB-C (PD 20W/30W/65W)
Available Sockets: US / UK / CN / AU /
Schuko / FR / IT Power Sockets



Model No.: NPJ-2853

3*US Sockets
Dimensions: 285*45*125 mm
Materials: Aluminium Alloy +
Flame-Retardant PC
Available Colors: Black / White
Input: AC 125V~, 15A, 50/60Hz
Rated Load: MAX 1600W
USB Charging: 100-240V~, 50/60Hz
USB-A+2*USB-C (PD 20W/30W/65W)
Power Cord: 1.8 m US Plug Power Cord,
16 AWG Pure Copper



Model No.: NPJ-2854

3*UK Sockets
Dimensions: 285*45*125 mm
Materials: Aluminium Alloy +
Flame-Retardant PC
Available Colors: Black / White
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 3200W
USB Charging: 100-240V~, 50/60Hz
USB-A+2*USB-C (PD 20W/30W/65W)
Power Cord: 1.8 m UK Plug Power Cord,
3G 1.5 mm² Pure Copper



Model No.: NPJ-2855

3*Schuko Sockets
Dimensions: 285*45*125 mm
Materials: Aluminium Alloy +
Flame-Retardant PC
Available Colors: Black / White
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 3500W
USB Charging: 100-240V~, 50/60Hz
USB-A+2*USB-C (PD 20W/30W/65W)
Power Cord: 1.8 m Schuko Plug Power Cord,
3G 1.5 mm² Pure Copper



CLAMP-ON DESKTOP POWER & CONNECTIVITY HUB



Overload Protection Switch Clamping Range:15-35 mm USB-A+USB-C (PD 10W / 20W / 65W)

AVAILABLE MODULES

US SOCKET	AU SOCKET	UK SOCKET	SCHUKO SOCKET	CN SOCKET	UNIVERSAL SOCKET	ZA SOCKET	FR SOCKET
3.5 AUDIO	USB-A USB-C	6.35mm MIC JACK	CAT6 RJ45	VGA	RJ11	USB2.0/3.0	HDMI

INSTALLATION STEPS

Snap clamp into center slot on bottom of unit.

Align and slide the unit onto desk edge.

Tighten thumb screw to secure the unit.

Model No.: NPJ-2400

3*UK Sockets
Dimensions: 240*80*175 mm
Materials: Aluminium Alloy + ABS +
Flame-Retardant PC
Available Colors: Textured Black/White/Silver
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5mm Audio, Overload Protection Switch,
US / IN / AU / Schuko / FR / IT / CN / BR / TH / ZA / Universal Power Sockets



Model No.: NPJ-2401

3*Schuko Sockets
Dimensions: 240*80*175 mm
Materials: Aluminium Alloy + ABS +
Flame-Retardant PC
Available Colors: Textured Black/White/Silver
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5mm Audio, Overload Protection Switch,
US / IN / AU / UK / FR / IT / CN / BR / TH / ZA / Universal Power Sockets



Model No.: NPJ-2402

3*AU Sockets
Dimensions: 240*80*175 mm
Materials: Aluminium Alloy + ABS +
Flame-Retardant PC
Available Colors: Textured Black/White/Silver
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5mm Audio, Overload Protection Switch,
US / IN / Schuko / UK / FR / IT / CN / BR / TH / ZA / Universal Power Sockets



Model No.: NPJ-2150

2*Universal Sockets
Dimensions: 215*80*175 mm
Materials: Aluminium Alloy + ABS +
Flame-Retardant PC
Available Colors: Textured Black/White/Silver
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5mm Audio, Overload Protection Switch,
US / UK / CN / AU / Schuko / FR / IT / IN / BR / TH / ZA Power Sockets



Model No.: NPJ-2680

2*CN Sockets
Dimensions: 268*80*175 mm
Materials: Aluminium Alloy + ABS +
Flame-Retardant PC
Available Colors: Textured Black/White/Silver
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2200W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5mm Audio, Overload Protection Switch,
US / UK / AU / Schuko / FR / IT / IN / BR / TH / ZA / Universal Power Sockets




Model No.: NPJ-2681

2*IN Sockets
Dimensions: 268*80*175 mm
Materials: Aluminium Alloy + ABS +
Flame-Retardant PC
Available Colors: Textured Black/White/Silver
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5mm Audio, Overload Protection Switch,
US / UK / AU / Schuko / FR / IT / CN / BR / TH / ZA / Universal Power Sockets




POWER TRACK SYSTEM

(Flush-Mounted Series)




5x 3.5mm Solid Copper Bars
8000W Max Capacity



Flexible 360° Versatile Wiring Support for Easy Installation



Triple Protection: Waterproof,
Dustproof, and Shock-Resistant
with High-Resilience Safety Seals




Available Length: 1200 / 1500 / 1800 / 2000 / 2500 / 3000 mm



Matte White



Deep Space Grey



Meteorite Black

Model No. : NPT-080
Materials: Aluminium Alloy + Acrylic + Flame-Retardant PC
Input: AC 110-250V~, 10-16A, 50/60 Hz Rated Load: MAX 8000W
USB Charging: USB-A+USB-A (PD 10W), USB-A+USB-C (PD 20W)

AVAILABLE MODULES:



AU SOCKET



TH SOCKET



SCHUKO
SOCKET



FR SOCKET



CN SOCKET



US SOCKET



UNIVERSAL
SOCKET



UK SOCKET




USB-A
USB-A




USB-A
USB-C


INSTALLATION STEPS




Cutout Dimensions:
72 mm (W) x 18 mm (D) x
(Track Length - 5 mm) (L)



Position and secure mounting brackets
with screws.



Remove the bottom cover,
secure the L, N, and G wires in order,
then snap the cover back.



Snap the track into mounting brackets
to complete installation.

POWER TRACK SYSTEM


(Surface-Mounted Series)




5x 3.5mm Solid Copper Bars
8000W Max Capacity



Flexible 360° Versatile Wiring Support for Easy Installation



Triple Protection: Waterproof,
Dustproof, and Shock-Resistant
with High-Resilience Safety Seals



Available Length: 1200 / 1500 / 1800 / 2000 / 2500 / 3000 mm



Matte White



Deep Space Grey



Meteorite Black

Model No. : NPT-086

Materials: Aluminium Alloy + Acrylic + Flame-Retardant PC

Input: AC 110-250V~, 10-16A, 50/60 Hz Rated Load: MAX 8000W

USB Charging: USB-A+USB-A (PD 10W), USB-A+USB-C (PD 20W)

AVAILABLE MODULES:



AU SOCKET



TH SOCKET



SCHUKO
SOCKET



FR SOCKET



CN SOCKET



US SOCKET



UNIVERSAL
SOCKET



UK SOCKET




USB-A
USB-A




USB-A
USB-C


INSTALLATION STEPS




Mark a positioning line along
the top of the track.



Align with positioning line and
secure mounting brackets.



Remove the bottom cover,
secure the L, N, and G wires in order,
then snap the cover back.



Snap the track into mounting brackets to
complete installation.

POWER TRACK SYSTEM



UNDER-DESK POWER & CONNECTIVITY HUB

AVAILABLE MODULES:



Model No.: NPU-3190

2*Schuko Sockets

Dimensions: 319*68*68 mm

Material: Aluminium Alloy + ABS

Available Colors: Textured Black / White / Silver

Input: AC 250V~, 16A, 50/60Hz

Rated Load: MAX 2300W

USB Charging: 100-240V~, 50/60Hz

USB-A+USB-C (PD 10W/20W/65W)

Available Modules: HDMI, VGA, USB 3.0,

CAT6 RJ45, RJ11, 3.5mm Audio,

Overload Protection Switch, US / IN / AU /

UK / FR / IT / CN / BR / TH / ZA / Universal Power Sockets



Model No.: NPU-3191

2*UK Sockets

Dimensions: 319*68*68 mm

Material: Aluminium Alloy + ABS

Available Colors: Textured Black / White / Silver

Input: AC 250V~, 13A, 50/60Hz

Rated Load: MAX 2300W

USB Charging: 100-240V~, 50/60Hz

USB-A+USB-C (PD 10W/20W/65W)


Available Modules: HDMI, VGA, USB 3.0,

CAT6 RJ45, RJ11, 3.5mm Audio,

Overload Protection Switch, Schuko / US / IN /


AU / FR / IT / CN / BR / TH / ZA / Universal Power Sockets





UNDER-DESK POWER & CONNECTIVITY HUB

AVAILABLE MODULES:



Model No.: NPU-2650


2*Schuko Sockets
Dimensions: 265*80*80 mm
Material: Aluminium Alloy + ABS
Available Colors: Textured Black / White / Silver
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5mm Audio,
Overload Protection Switch, US / IN / AU /
UK / FR / IT / CN / BR / TH / ZA / Universal Power Sockets



Model No.: NPU-2651

NPU-2651
2*UK Sockets
Dimensions: 265*80*80 mm
Material: Aluminium Alloy + ABS
Available Colors: Textured Black / White / Silver
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5mm Audio,
Overload Protection Switch, Schuko / US / IN /
AU / FR / IT / CN / BR / TH / ZA / Universal Power Sockets





400 mm
Retractable
Type-C


USB-A
USB-C
(PD 20W)

RECESSED POWER HUB

AVAILABLE SOCKETS



CN SOCKET



SCHUKO
SOCKET



UK SOCKET



UNIVERSAL
SOCKET



AU SOCKET



US SOCKET

Model No.: NPR-R1420

1*CN Socket

Dimensions: 142*72*60 mm

Cut-out Size: 112*66 (R8) mm

Material: Flame-Retardant PC

Available Colors: Black / White

Input: AC 250V~, 10A, 50/60Hz

Rated Load: MAX 2200W

USB Charging: 100-240V~, 50/60Hz

USB-A+USB-C (PD 20W)

400 mm Retractable Type-C

Charging Cable (PD 20W)

Available Sockets: US / UK / AU / Schuko / FR /

IN / TH / ZA / BR / IT / Universal Power Socket

Model No.: NPR-R1421

1*UK Socket

Dimensions: 142*72*60 mm

Cut-out Size: 112*66 (R8) mm

Material: Flame-Retardant PC

Available Colors: Black / White

Input: AC 250V~, 13A, 50/60Hz

Rated Load: MAX 2300W

USB Charging: 100-240V~, 50/60Hz

USB-A+USB-C (PD 20W)

400 mm Retractable Type-C


Charging Cable (PD 20W)

Available Sockets: US / CN / AU / Schuko / FR

IN / TH / ZA / BR / IT / Universal Power Socket



RECESSED POWER & CONNECTIVITY HUB



Model No.: NPR-R2860

2*Schuko Sockets
Dimensions: 286*68*56 mm
Cut-out Size: 248*55 (R5) mm
Material: Flame-Retardant PC
Available Colors: Black / White
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, Cable Retention Slot, UK /
US / AU / FR / CN / IN / TH / ZA / BR /
IT / Universal Power Sockets



Model No.: NPR-R2863

4*US Sockets
Dimensions: 286*68*56 mm
Cut-out Size: 248*55 (R5) mm
Material: Flame-Retardant PC
Available Colors: Black / White
Input: AC 125V~, 13A, 50/60Hz
Rated Load: MAX 1600W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, Cable Retention Slot,
Schuko / AU / UK / FR / CN / IN / TH / ZA /
BR / IT / Universal Power Sockets



Model No.: NPR-R2861

4*UK Sockets
Dimensions: 286*68*56 mm
Cut-out Size: 248*55 (R5) mm
Material: Flame-Retardant PC
Available Colors: Black / White
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, Cable Retention Slot,
Schuko / US / AU / FR / CN / IN / TH / ZA /
BR / IT / Universal Power Sockets



Model No.: NPR-R2864

4*CN Sockets
Dimensions: 286*68*56 mm
Cut-out Size: 248*55 (R5) mm
Material: Flame-Retardant PC
Available Colors: Black / White
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2200W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, Cable Retention Slot,
Schuko / US / UK / FR / AU / IN / TH / ZA /
BR / IT / Universal Power Sockets



Model No.: NPR-R2862

4*AU Sockets
Dimensions: 286*68*56 mm
Cut-out Size: 248*55 (R5) mm
Material: Flame-Retardant PC
Available Colors: Black / White
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, Cable Retention Slot,
Schuko / US / UK / FR / CN / IN / TH / ZA /
BR / IT / Universal Power Sockets



Model No.: NPR-R2865

4*Universal Sockets
Dimensions: 286*68*56 mm
Cut-out Size: 248*55 (R5) mm
Material: Flame-Retardant PC
Available Colors: Black / White
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, Cable Retention Slot,
Schuko / US / UK / CN / FR / AU / IN / TH /
ZA / BR / IT Power Sockets



RECESSED POWER & CONNECTIVITY HUB




1.5 h Power Plg, Pure Copper

USB-A+USB-A
USB-A+USB-C
(PD 10W / 20W)
2*USB-A+USB-C
USB-A+2*USB-C
(Gan PD 65W)


AVAILABLE MODULES




INSTALLATION STEPS



Make a cutout: 72mm (W) x (L-8mm)
(L = Unit Length)




Insert unit into cutout.



Secure L-bracket to unit housing and press
against tabletop. Tighten screws to finish.

Model No.: NPR-R8450

2*AU Sockets
Dimensions: 190*80*45 mm
Cut-out Size: 182*72 mm
Material: Aluminium Alloy
Available Colors: Textured Black /
Textured White / Matte Silver
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5mm Audio,
Overload Protection Switch, Schuko / US / UK /
FR / CN / IN / TH / ZA / BR / IT / Universal Power Sockets



Model No.: NPR-R8451

2*IN Sockets
Dimensions: 190*80*45 mm
Cut-out Size: 182*72 mm
Material: Aluminium Alloy
Available Colors: Textured Black /
Textured White / Matte Silver
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5mm Audio,
Overload Protection Switch, Schuko / US / UK /
FR / CN / AU / TH / ZA / BR / IT / Universal Power Sockets



Model No.: NPR-R8452

3*Universal Sockets
Dimensions: 270*80*45 mm
Cut-out Size: 262*72 mm
Material: Aluminium Alloy
Available Colors: Textured Black /
Textured White / Matte Silver
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5mm Audio,
Overload Protection Switch, Schuko / US / UK /
FR / CN / IN / TH / ZA / BR / IT / AU Power Sockets



Model No.: NPR-R8453

3*CN Sockets
Dimensions: 295*80*45 mm
Cut-out Size: 287*72 mm
Material: Aluminium Alloy
Available Colors: Textured Black /
Textured White / Matte Silver
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2200W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5mm Audio,
Overload Protection Switch, Schuko / US / UK /
FR / AU / IN / TH / ZA / BR / IT / Universal Power Sockets




Model No.: NPR-R8454



3*Schuko Sockets
Dimensions: 295*80*45 mm
Cut-out Size: 287*72 mm
Material: Aluminium Alloy
Available Colors: Textured Black /
Textured White / Matte Silver
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+2*USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5mm Audio,
Overload Protection Switch, CN / US / UK / FR /
AU / IN / TH / ZA / BR / IT / Universal Power Sockets



Model No.: NPR-R8455

3*UK Sockets
Dimensions: 322*80*45 mm
Cut-out Size: 314*72 mm
Material: Aluminium Alloy
Available Colors: Textured Black /
Textured White / Matte Silver
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
Qi Wireless Charging: MAX 15W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5mm Audio, Overload Protection Switch,
Schuko / US / CN / FR / AU / IN / TH / ZA / BR / IT / Universal Power Sockets





**FLUSH-MOUNT RECESSED
QI WIRELESS CHARGING GROMMET**



NPG-0600

DIMENSIONS: $\Phi 70 \times 40$ mm

CUT-OUT SIZE: $\Phi 80$ mm

COLOR: Black / White

MATERIAL: Flame-Retardant PC+ Acrylic

INPUT: AC 110-250V, 50/60Hz, Max 16A

Qi WIRELESS CHARGING: MAX 15W



NPG-0806

DIMENSIONS: $\Phi 95 \times 65 \text{ mm}$

CUT-OUT SIZE: $\Phi 80 \text{ mm}$

COLOR: Black / White

MATERIAL: Flame-Retardant PC + Acrylic

INPUT: AC 250V~, 13A, 50/60Hz

USB-C OUTPUT (PD 3.0): 5V-3A, 9V-3A, 12V-3A, 15V-3A, 20V-3.25A (Max 65W)

USB-A OUTPUT (QC 3.0): 5V-3A, 9V-2A, 12V-1.5A (Max 18W)

SIMULTANEOUS OUTPUT: USB-C (45W) + USB-A (15W)



NPG-0601

DIMENSIONS: $\Phi 70 \times 45 \text{ mm}$

CUT-OUT SIZE: $\Phi 60 \text{ mm}$

COLOR: Black / White

MATERIAL: Flame-Retardant PC+ Acrylic

Input: AC 110V - 250V, 50/60Hz, 16A Max

Type-C (RETRACTABLE): PD 3.0 | Max 45W (5V-3A, 9V-3A, 12V-3A, 15V-3A, 20V-2.25A)


Type-C (PORT): PD 3.0 | Max 45W (5V=3A, 9V=3A, 12V=3A, 15V=3A, 20V=2.25A)

USB-A (PORT): QC 3.0 | Max 18W (5V-3A, 9V-2A, 12V-1.5A)

SIMULTANEOUS OUTPUT: Retractable Cable 30W | USB-C + USB-A: Max 15W



ALL-IN-ONE DESKTOP POWER & CONNECTIVITY HUB



ALL-IN-ONE DESKTOP POWER & CONNECTIVITY HUB


AVAILABLE MODULES:



US Socket




AU Socket



UK Socket



Schuko Socket



IN Socket



Universal Socket



ZA Socket



FR Socket



BR Socket



USB-A+USB-C



CAT 6 RJ45




RJ11




USB3.0




HDMI



Make a Φ 80 mm desk cut-out.



Insert the unit.



Secure with threaded lock ring to finish.

Model No.: NPG-0800

1*UK Socket
Dimensions: Φ 90*90 mm
Cut-out Size: Φ 80 mm
Material: Flame-Retardant PC+ Acrylic
Available Colors: Black / White
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, Cable Pass-Through Hole,
Schuko / US / IN / AU / FR / IT / CN / BR / TH / ZA / Universal Power Socket



Model No.: NPG-0803

1*Schuko Socket
Dimensions: Φ 90*90 mm
Cut-out Size: Φ 80 mm
Material: Flame-Retardant PC+ Acrylic
Available Colors: Black / White
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, Cable Pass-Through Hole,
AU / US / IN / UK / FR / IT / CN / BR / TH / ZA / Universal Power Socket



Model No.: NPG-0801

1*AU Socket
Dimensions: Φ 90*90 mm
Cut-out Size: Φ 80 mm
Material: Flame-Retardant PC+ Acrylic
Available Colors: Black / White
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W/65W)
Available Modules: HDMI, USB 3.0, CAT6 RJ45,
RJ11, Cable Pass-Through Hole, Schuko / US / IN /
UK / FR / IT / CN / BR / TH / ZA / Universal Power Socket



Model No.: NPG-0804

1*IT Socket
Dimensions: Φ 90*90 mm
Cut-out Size: Φ 80 mm
Material: Flame-Retardant PC+ Acrylic
Available Colors: Black / White
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, Cable Pass-Through Hole,
Schuko / AU / US / IN / UK / FR / CN / BR / TH / ZA / Universal Power Socket



Model No.: NPG-0802

1*US Socket
Dimensions: Φ 90*90 mm
Cut-out Size: Φ 80 mm
Material: Flame-Retardant PC+ Acrylic
Available Colors: Black / White
Input: AC 125V~, 13A, 50/60Hz
Rated Load: MAX 1600W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, Cable Pass-Through Hole,
Schuko / AU / IN / UK / FR / IT / CN / BR / TH / ZA / Universal Power Socket




Model No.: NPG-0805

1*BR Socket
Dimensions: Φ 90*90 mm
Cut-out Size: Φ 80 mm
Material: Flame-Retardant PC+ Acrylic
Available Colors: Black / White
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, Cable Pass-Through Hole,
Schuko / AU / US / IN / UK / FR / CN / IT / TH / ZA / Universal Power Socket



MEDICINE CABINET CORNER POWER HUB



AVAILABLE MODULES:



Model No.: NPC-1080

1*Schuko Socket
 Dimensions: 108*76*76 mm
 Material: Aluminium Alloy + ABS
 Available Colors: Textured Black / White / Silver
 Input: AC 250V~, 16A, 50/60Hz
 Rated Load: MAX 2300W
 USB Charging: 100-240V~, 50/60Hz
 USB-A+USB-C (PD 20W/65W)
 Available Modules: US / IN / AU / UK / FR / IT / CN / BR / TH / ZA / Universal Power Sockets



Model No.: NPC-1081

1*US Socket
 Dimensions: 108*76*76 mm
 Material: Aluminium Alloy + ABS
 Available Colors: Textured Black / White / Silver
 Input: AC 125V~, 13A, 50/60Hz
 Rated Load: MAX 1600W
 USB Charging: 100-240V~, 50/60Hz
 USB-A+USB-C (PD 20W/65W)
 Available Modules: Schuko / IN / AU / UK / FR / IT / CN / BR / TH / ZA / Universal Power Sockets



ALUMINIUM FLIP-UP DESK CABLE GROMMET





NPG-01

MATERIAL: Aluminium Alloy

FINISH: Anodized Silver / Black

DIMENSIONS: 80 X 80 X 28 mm

CUT-OUT SIZE: 72 X 72 mm



NPG-03

MATERIAL: Aluminium Alloy

FINISH: Anodized Silver / Black

DIMENSIONS: 280 X 80 X 28 mm

CUT-OUT SIZE: 272 X 72 mm



NPG-01B

MATERIAL: Aluminium Alloy

FINISH: Anodized Silver / Black

DIMENSIONS: 80 X 80 X 28 mm

CUT-OUT SIZE: 72 X 72 mm



NPG-04

MATERIAL: Aluminium Alloy

FINISH: Anodized Silver / Black

DIMENSIONS: 300/400/500 X 120 X 28 mm

CUT-OUT SIZE: 292/392/492 X 112 mm



NPG-02

MATERIAL: Aluminium Alloy

FINISH: Anodized Silver / Black

DIMENSIONS: 160 X 80 X 28 mm

CUT-OUT SIZE: 152 X 72 mm



NPG-05

MATERIAL: Aluminium Alloy

FINISH: Anodized Silver / Black

DIMENSIONS: 300/400/500 X 145 X 28 mm

CUT-OUT SIZE: 292/392/492 X 137 mm




NPG-02B

MATERIAL: Aluminium Alloy

FINISH: Anodized Silver / Black

DIMENSIONS: 160 X 80 X 28 mm

CUT-OUT SIZE: 152 X 72 mm



NPG-05B

MATERIAL: Aluminium Alloy

FINISH: Anodized Silver / Black

DIMENSIONS: 300/400/500 X 145 X 28 mm

CUT-OUT SIZE: 292/392/492 X 137 mm

NPG-06
SOFT CLOSE



MATERIAL: Aluminium Alloy + ABS

FINISH: Anodized Brushed Silver / Black / Space Gray

DIMENSIONS: 80 X 80 X 28 mm

CUT-OUT SIZE: 72 X 72 mm

NPG-07
SOFT CLOSE



MATERIAL: Aluminium Alloy + ABS

FINISH: Anodized Brushed Silver / Black / Space Gray

DIMENSIONS: 160 X 80 X 28 mm

CUT-OUT SIZE: 152 X 72 mm

NPG-08
SOFT CLOSE



MATERIAL: Aluminium Alloy + ABS

FINISH: Anodized Brushed Silver / Black / Space Gray

DIMENSIONS: 200/300/400 X 80 X 28 mm

CUT-OUT SIZE: 192/292/392 X 72 mm

NPG-09
SOFT CLOSE
INTEGRATED
CABLE CLIP DESIGN



MATERIAL: Aluminium Alloy + ABS

FINISH: Anodized Brushed Silver / Black / Space Gray

DIMENSIONS: 255 X 105 X 30 mm

CUT-OUT SIZE: 245 X 95 mm



Anodized Brushed Silver



Anodized Brushed Space Gray



Anodized Brushed Black

NPG-10
SOFT CLOSE



MATERIAL: Aluminium Alloy

DIMENSIONS: 300 X 100 X 26 mm

CUT-OUT SIZE: 300 X 100 mm (R3)



NPG-12
SOFT CLOSE
USB-A+USB-C (20W)



MATERIAL: Aluminium Alloy + Cold Rolled Steel

DIMENSIONS: 200/300 X 90 X 28 mm

CUT-OUT SIZE: 190/290 X 80 mm

Anodized Brushed Silver



Anodized Brushed Space Gray



Anodized Brushed Black



Anodized Brushed Silver



Anodized Brushed Space Gray



Anodized Brushed Black

NPG-11
SOFT CLOSE



MATERIAL: Aluminium Alloy + Cold Rolled Steel

DIMENSIONS: 200/300/400 X 90 X 28 mm

CUT-OUT SIZE: 190/290/390 X 80 mm





NPG-14
SOFT CLOSE



MATERIAL: Aluminium Alloy

DIMENSIONS: 300/400 X 128 X 28 mm

CUT-OUT SIZE: 292/392 X 112 mm

Textured White



Textured Silver



Textured Black



Anodized Brushed Silver



Anodized Brushed Space Gray



Anodized Brushed Black

NPG-13
SOFT CLOSE



MATERIAL: Aluminium Alloy + ABS

DIMENSIONS: 300/400 X 120 X 28 mm

CUT-OUT SIZE: 285/385 X 103 mm





NPG-16
SOFT CLOSE
USB-A+USB-C (20W)



MATERIAL: Aluminium Alloy
DIMENSIONS: 300/400 X 128 X 28 mm
CUT-OUT SIZE: 292/392 X 112 mm

Textured White



Textured Silver



Textured Black



Anodized Brushed Silver



Anodized Brushed Space Gray



Anodized Brushed Black

NPG-15
SOFT CLOSE
USB-A+USB-C (20W)



MATERIAL: Aluminium Alloy + ABS
DIMENSIONS: 300/400 X 120 X 28 mm
CUT-OUT SIZE: 290/390 X 110 mm





NPG-18
DUAL SLIDING COVERS
FOR DUAL-SIDED CABLE ACCESS



MATERIAL: Aluminium Alloy + ABS

DIMENSIONS: 295 X 120 X 28 mm

CUT-OUT SIZE: 285 X 110 mm

Textured White




Textured Silver



Textured Black



Anodized Brushed Silver



Anodized Brushed Space Gray



Anodized Brushed Black

NPG-17
NEW



MATERIAL: Aluminium Alloy + ABS

DIMENSIONS: 300/400/500 X 115 X 42 mm

CUT-OUT SIZE: 294/394/494 X 110 mm





NPG-20
POP-UP
SOFT CLOSE



MATERIAL: Aluminium Alloy + ABS

DIMENSIONS: 395/490/585 X 152 X 28 mm

CUT-OUT SIZE: 390/485/580 X 138 mm

Textured White



Textured Silver



Textured Black



Textured White



Textured Silver



Textured Black

NPG-19
POP-UP
SOFT CLOSE
USB-A+USB-C (20W)



MATERIAL: Aluminium Alloy + ABS

DIMENSIONS: 295/388 X 115 X 28 mm

CUT-OUT SIZE: 290/384 X 110 mm






NPG-22
DUAL FLIP-UP COVER
FOR DUAL-SIDED CABLE ACCESS



MATERIAL: Aluminium Alloy + Zinc Alloy
DIMENSIONS: 300/400/500/600 X 150 X 38 mm
CUT-OUT SIZE: 278/378/478/578 X 135 mm

Textured White



Textured Silver



Textured Black



Textured White



Textured Silver




Textured Black

NPG-21
SOFT CLOSE
3-SIDED CABLE ACCESS



MATERIAL: Aluminium Alloy
DIMENSIONS: 300/400 X 152 X 28 mm
CUT-OUT SIZE: 282/382 X 138 mm





NPG-24
DUAL FLIP-UP COVERS
FOR DUAL-SIDED CABLE ACCESS



MATERIAL: Aluminium Alloy

DIMENSIONS: 300/400 X 180 X 28 mm

CUT-OUT SIZE: 290/390 X 170 mm


Textured White



Textured Silver



Textured Black



Anodized Brushed Silver



Anodized Brushed Space Gray



Anodized Brushed Black

NPG-23
BIDIRECTIONAL SLIDING COVER
FOR DUAL-SIDED CABLE ACCESS



MATERIAL: Aluminium Alloy + ABS

DIMENSIONS: 300/400 X 150 X 30 mm

CUT-OUT SIZE: 288/388 X 142 mm





NPG-26
INTEGRATED ORGANIZER



MATERIAL: ABS


DIMENSIONS: 255 X 115 X 28 mm

CUT-OUT SIZE: 205 X 108 mm

White

Silver

Black



White



Silver



Black

NPG-25
SOFT CLOSE
3-SIDED CABLE ACCESS



MATERIAL: ABS

DIMENSIONS: 300 X 120 X 28 mm

CUT-OUT SIZE: 290 X 112 mm





NPG-27



MATERIAL: ABS
COLOR: Black / White
CUT-OUT SIZE: 195 X 25 X R12.5 mm


NPG-28



MATERIAL: ABS
COLOR: Black / White
CUT-OUT SIZE: Φ80 mm





NPG-29




MATERIAL: ABS / PP
COLOR: Black / White
DIMENSIONS: 295 X 120 X 28 mm
CUT-OUT SIZE: 275 X 100 mm (R3)

NPE-29





MATERIAL: ABS / PP
COLOR: Black / White
DIMENSIONS: 328 X 158 X 106 mm

NPG-30



MATERIAL: ABS / PP
COLOR: Black / White
DIMENSIONS: 395X 120 X 28 mm
CUT-OUT SIZE: 375 X 100 mm (R3)

NPE-30



MATERIAL: ABS / PP
COLOR: Black / White
DIMENSIONS: 420 X 158 X 106 mm



NPG-32



MATERIAL: Aluminium Alloy + ABS

DIMENSIONS: 300/400/500 X 145 X 100 mm

CUT-OUT SIZE: 285/385/485 X 121 mm

Textured White



Anodized Silver



Textured Black



Anodized Silver



Anodized Black

NPG-31
SOFT CLOSE



MATERIAL: Aluminium Alloy + ABS


DIMENSIONS: 220/300/400 X 120 X 80 mm

CUT-OUT SIZE: 210/290/390 X 110 mm





NPG-34
SOFT CLOSE
DUAL FLIP-UP COVER
FOR DUAL-SIDED CABLE ACCESS



MATERIAL: Aluminium Alloy + Zinc Alloy

DIMENSIONS: 300/400/500/600 X 145 X 100 mm

CUT-OUT SIZE: 292/392/492/592 X 135 mm

Textured White



Textured Silver



Textured Black



Textured White



Textured Silver



Textured Black


NPG-33
SOFT CLOSE



MATERIAL: Aluminium Alloy

DIMENSIONS: 300/400/500 X 135 X 100/130 mm

CUT-OUT SIZE: 292/392/492 X 122 mm




UNDER-DESK POWER & CABLE MANAGEMENT SYSTEM




The Ultimate Integrated Power & Wire Solution for Modern Workspaces

NPE-40
3-SIDED CONNECTIVITY
DUAL-SIDED CABLE ENTRY



Side Cable Pass-Through
for Horizontal & Daisy-Chain Cable Routing



NPE-41
DUAL-SIDED CABLE ENTRY



UNDER-DESK POWER & DATA ENCLOSURE





NPE-31
DUAL-SIDED CABLE ENTRY







COLOR: White
MATERIAL: Aluminium Alloy + ABS
DIMENSIONS: 340/440/540 X 147 X 125 mm
Custom Lengths Available
86-TYPE MODULES: 3 / 4 / 5

NPE-32
3-SIDED CONNECTIVITY
DUAL-SIDED CABLE ENTRY




COLOR: White
MATERIAL: Aluminium Alloy + ABS
DIMENSIONS: 376/476/576 X 260 X 125 mm
Custom Lengths Available
86-TYPE MODULES: 9 / 12 / 15

				
MODEL NO.	NPE-40	NPE-42	NPE-41	NPE-43
MATERIAL	ABS	ABS	ABS	ABS
INSERT TYPE	Power & Data Strip	86-Type Modules	Power & Data Strip	86-Type Modules
DIMENSIONS	389 X 380 X 147 mm Custom lengths available	389/483/577 X 380 X 147 mm	389 X 214 X 147 mm Custom lengths available	389/483/577 X 214 X 147 mm



UNDER-DESK CABLE BASKET

NPB-03



FINISH: Textured Silver / White

DIMENSIONS: 900 X 260 X 80 mm

MATERIAL: Cold-Rolled Steel & Steel Wire

NPB-01



MATERIAL: ABS & Steel Wire

FINISH: Textured Silver / White

DIMENSIONS: 575 X 138 X 134 mm

NPB-02



MATERIAL: ABS & Steel Wire

FINISH: Textured Silver / White


DIMENSIONS: 575 X 276 X 134 mm



CLAMP-ON CABLE MANAGEMENT TRAY




NPB-05
NO-DRILL CLAMP MOUNTING




FINISH: Textured Black / White
DIMENSIONS: 500 X 190 X 200 mm
MATERIAL: Cold-Rolled Steel & Steel Wire


NPB-06
INTEGRATED CABLE MANAGEMENT



FINISH: Textured Black / Iron Gray / White
DIMENSIONS: 360/720 X 160 X 80/130 mm
MATERIAL: Cold-Rolled Steel & Steel Wire




NPB-04
ADJUSTABLE LENGTH
NO-DRILL CLAMP MOUNTING
INTEGRATED CABLE MANAGEMENT




MATERIAL: Cold-Rolled Steel
FINISH: Textured Black / White
DIMENSIONS: 520 X 130 X 190 mm

NPB-07




FINISH: Textured Black / Iron Gray / White
DIMENSIONS: 580 X 160 X 150 mm
MATERIAL: Cold-Rolled Steel & Steel Wire

NPB-08




FINISH: Textured Black / Iron Gray / White
DIMENSIONS: 900 X 160 X 80/130 mm
MATERIAL: Cold-Rolled Steel & Steel Wire

UNDER-DESK CABLE RACEWAY



UNDER-DESK CABLE MANAGEMENT COMB

NPC-02




COLOR: White
MATERIAL: PP
DIMENSIONS: 332 X 46.5 X 40 mm

NPC-03




COLOR: White
MATERIAL: PP
DIMENSIONS: Φ 40 X 300/500 mm

NPC-04




MATERIAL: Nylon
COLOR: Black / White
DIMENSIONS: 235 X 21 X 22 mm

NPC-01



MATERIAL: PP
COLOR: White
DIMENSIONS: Φ 80 X 109 mm





UNDER-DESK CABLE ROUTING CLIP





UNDER-DESK CABLE RACEWAY



NPR-02



COLOR: White
MATERIAL: ABS + PVC
DIMENSIONS: 600/900/1100 X 127 X 105 mm
 Custom Lengths Available



NPR-01




COLOR: White
MATERIAL: ABS + PVC
DIMENSIONS: 600/900/1100/1300 X 135 X 126 mm
 Custom Lengths Available



UNDER-DESK CABLE MANAGEMENT SPINE




UNDER-DESK CABLE MANAGEMENT SPINE




NPS-01

MATERIAL: ABS
COLOR: Black / Silver / White
LENGTH: 800 mm
Custom Lengths Available



NPS-02


MATERIAL: ABS
COLOR: Black / Silver / White / Orange + White / Grey + White
LENGTH: 800 mm
Custom Lengths Available



For Sit-Stand Desk

NPS-01L

MATERIAL: ABS
COLOR: Black / Silver / White
LENGTH: 1300 mm
Custom Lengths Available



For Sit-Stand Desk



NPS-02L

MATERIAL: ABS
COLOR: Black / Silver / White / Orange + White / Grey + White
LENGTH: 1300 mm
Custom Lengths Available




NPS-04

MATERIAL: ABS
COLOR: Black / Silver / White
LENGTH: 800 mm
Custom Lengths Available




NPS-04L
For Sit-Stand Desk

MATERIAL: ABS
COLOR: Black / Silver / White
LENGTH: 1300 mm
Custom Lengths Available




NPS-03


MATERIAL: ABS
COLOR: Black / Silver / White
LENGTH: 800 mm
Custom Lengths Available



NPS-03L
For Sit-Stand Desk

MATERIAL: ABS
COLOR: Black / Silver / White
LENGTH: 1300 mm
Custom Lengths Available





NPS-06
VIBRANT TWO-TONE DESIGN

MATERIAL: ABS
COLOR: Black / Silver / White
Blue/Green/Orange / Red + White
LENGTH: 800/1300 mm
Custom Lengths Available

Mix-and-match palettes
to complement any desk
and personalize workspace



NPS-05
**MAGNETIC SNAP-ON DESIGN
FOR SIT-STAND DESK**

MATERIAL: ABS
COLOR: Black / Silver / White
LENGTH: 800/1300 mm
Custom Lengths Available

Built-in heavy-duty magnets
for quick, tool-free installation.



NPS-08 DUAL-CHANNEL DESIGN


MATERIAL: ABS

COLOR: Black / Silver / White

LENGTH: 800 mm

Custom Lengths Available

**Independent routing
for power and data cables
to minimize EMI.**



NPS-07 TRIPLE-CHANNEL DESIGN


MATERIAL: ABS

COLOR: Black / Silver / White

LENGTH: 800 mm

Custom Lengths Available

**Independent routing
for power and data cables
to minimize EMI.**



ARTICULATING CABLE MANAGEMENT ARM

NPA-01 ANTI-PINCH NYLON CHANNELS

COLOR: Black / White


MATERIAL: Cold-Rolled Steel & Nylon

DIMENSIONS: 850 X 50 X 43 mm

**Integrated snap-in guides
protect cables from pinching while
maintaining clean, organized cable routing.**



UNDER-DESK SPIRAL POWER CABLE



NPS-10 MAGNETIC SNAP-ON DESIGN FOR SIT-STAND DESK

MATERIAL: ABS

COLOR: Black / Silver / White

LENGTH: 600~1000 mm

Custom Lengths Available

**Built-in heavy-duty magnets
for quick, tool-free installation.**



NPS-09 WEIGHTED BASE STABILITY AUTOMATIC CABLE RETRACTION UNIVERSAL OUTLET COMPATIBILITY


COLOR: Black / White

MATERIAL: PVC & Pure Copper

SPECIFICATION: 3 G1.0 mm²

LENGTH: 750~1200 mm

620~1250 mm





ERGONOMIC UNDER-DESK KEYBOARD TRAY



NPK-1

MATERIAL: PP

COLOR: Black / White

DIMENSIONS: 535 X 325 mm

Height-Adjustable Keyboard Slides



NPK-2

MATERIAL: PP

COLOR: Black / White

DIMENSIONS: 545 X 275 mm

Height-Adjustable Keyboard Slides



NPK-3

MATERIAL: Cold-Rolled Steel

FINISH:
Matte Black / Glossy White / Light Grey

DIMENSIONS: 565X385 mm



NPK-4

MATERIAL: Cold-Rolled Steel

FINISH:
Matte Black / Glossy White / Light Grey

DIMENSIONS: 535 X 385 mm



NPK-5

MATERIAL: Cold-Rolled Steel

FINISH:
Matte Black / Glossy White / Light Grey

DIMENSIONS: 560 X 270 mm

Height-Adjustable Keyboard Slides



NPK-6

MATERIAL: Cold-Rolled Steel

FINISH:
Matte Black / Glossy White / Light Grey

DIMENSIONS: 505 X 255 mm
Height-Adjustable Keyboard Slides
With Swivel Mouse Tray
Cushioned Mouse Mat



NPK-7

MATERIAL: Cold-Rolled Steel

FINISH:
Matte Black / Glossy White / Light Grey

DIMENSIONS: 485 X 350 mm



NPK-8

MATERIAL: Cold-Rolled Steel

FINISH:
Matte Black / Glossy White / Light Grey

DIMENSIONS: 595 X 200 mm

Cushioned Mouse Mat



NPK-9

MATERIAL: Cold-Rolled Steel

FINISH:
Matte Black / Glossy White / Light Grey

DIMENSIONS: 595 X 200 mm
CLAMPABLE DESK THICKNESS: 10-70 mm

Cushioned Mouse Mat



NPK-10

MATERIAL:
Cold-Rolled Steel +
Compact Laminate + Silicone Gel

FINISH:
Matte Black / Glossy Light Grey

DIMENSIONS: 680 X 255 mm

SLIDING TRAVEL: 300 mm

Optional Extended Bracket

Cushioned Mouse Mat

360* Free Rotation



NPK-11

MATERIAL:
Cold-Rolled Steel +
Compact Laminate + Silicone Gel

FINISH:
Matte Black / Glossy Light Grey

DIMENSIONS: 680 X 255 mm

SLIDING TRAVEL: 300 mm

Optional Extended Bracket

Cushioned Mouse Mat

360* Free Rotation



NPK-12

MATERIAL:
Cold-Rolled Steel + Silicone Gel
FINISH: Matte Black / Glossy Light Grey

DIMENSIONS: 680 X 255 mm

SLIDING TRAVEL: 300 mm

Optional Extended Bracket

Cushioned Mouse Mat

360* Free Rotation



ERGONOMIC UNDER-DESK CPU HOLDER



NLC-07

MATERIAL: Cold-Rolled Steel

FINISH:
Matte Black / Glossy White / Light Grey

ADJUSTABLE WIDTH: 140-220 mm
ADJUSTABLE HEIGHT: 280-520 mm
Anti-Scratch Foam Strips



NLC-10

MATERIAL: Cold-Rolled Steel

FINISH:
Matte Black / Glossy White / Light Grey

DIMENSIONS:
W(150-250) X D380 X H470 mm

Anti-Scratch Foam Strips



NLC-08

MATERIAL: Cold-Rolled Steel

FINISH:
Matte Black / Glossy White / Light Grey
CLAMPABLE BEAM WIDTH: 45-175 mm

ADJUSTABLE WIDTH: 150-270 mm
ADJUSTABLE HEIGHT: 340-500 mm
Anti-Scratch Foam Strips



NLC-11

MATERIAL: Cold-Rolled Steel

FINISH:
Matte Black / Glossy White / Light Grey

DIMENSIONS:
W(150-300) X D440 X H480 mm

Anti-Scratch Foam Strips



NLC-09

MATERIAL: Cold-Rolled Steel

FINISH:
Matte Black / Glossy White / Light Grey
CLAMPABLE BEAM WIDTH: 130-200 mm

ADJUSTABLE WIDTH: 140-250 mm
ADJUSTABLE HEIGHT: 280-520 mm
Anti-Scratch Foam Strips



NLC-12

MATERIAL: Cold-Rolled Steel

FINISH:
Matte Black / Glossy White / Light Grey

DIMENSIONS:
W185 X D400 X H450 mm

Anti-Scratch Foam Strips



NPZ-1

COLOR: Black / White

MATERIAL: ABS + Nylon

DIMENSIQNS:
W(150-250) X D305 X H135 mm

Four 360° Swivel Locking Casters
Anti-Scratch Foam Strips



NPZ-2

COLOR: Black / White

MATERIAL: ABS + Nylon + PVC

DIMENSIQNS:
W(150-250) X D320 X H150 mm

Four 360° Swivel Locking Casters
Anti-Scratch PVC Strips



NPZ-3

COLOR: Black / White

MATERIAL: ABS + Nylon

DIMENSIQNS:
W(150-250) X D320 X H150 mm

Four 360° Swivel Locking Casters
Anti-Scratch PVC Strips



NPZ-4

COLOR: Black / White

MATERIAL: ABS + Nylon + PVC

DIMENSIQNS:
W(0-260) X D410 X H125 mm

Four 360° Swivel Locking Casters
Anti-Scratch PVC Strips



NPZ-5

MATERIAL:
Cold-Rolled Steel +Nylon

FINISH:
Matte Black / Glossy White / Light Grey

DIMENSIQNS: W210 X D450 X H85 mm

Four 360° Swivel Locking Casters



NPZ-6

MATERIAL: Cold-Rolled Steel + Nylon

FINISH:
Matte Black / Glossy White / Light Grey

DIMENSIQNS:
W(200-265) X D450 X H85 mm

Four 360° Swivel Locking Casters



NPZ-7

MATERIAL: Cold-Rolled Steel +Nylon

FINISH:
Matte Black / Glossy White / Light Grey

DIMENSIONS:
W210 X D450 X H220 mm

Four 360° Swivel Locking Casters



NPZ-10

MATERIAL: Cold-Rolled Steel +Nylon

FINISH:
Matte Black / Glossy White / Light Grey

DIMENSIONS:
W210 X D450 X H250 mm

Four 360° Swivel Locking Casters



NPZ-8

MATERIAL: Cold-Rolled Steel +Nylon

FINISH:
Matte Black / Glossy White / Light Grey

DIMENSIONS:
W215 X D450 X H220 mm

Four 360° Swivel Locking Casters



NPZ-11

MATERIAL: Cold-Rolled Steel +Nylon

FINISH:
Matte Black / Glossy White / Light Grey

DIMENSIONS:
W(110-210) X D310 X H220 mm

Four 360° Swivel Locking Casters



NPZ-9

MATERIAL: Cold-Rolled Steel +Nylon

FINISH:
Matte Black / Glossy White / Light Grey

DIMENSIONS:
W258 X D450 X H210 mm

Four 360° Swivel Locking Casters



NPZ-12

MATERIAL: Cold-Rolled Steel +Nylon

FINISH:
Matte Black / Glossy White / Light Grey

DIMENSIONS:
W258 X D450 X H210 mm

Four 360° Swivel Locking Casters