




Improving Workspaces. Elevating Efficiency.

One-Stop Workspace Solutions for Power, Cable Management & Ergonomics.



CE · UL · ETL · SAA · ASTA · VDE · DEKRA



nicoletworkspace.com



WeChat



WhatsApp



Facebook



Linkedin



YouTube

15+ Years Manufacturing Experience
Strong OEM & ODM Capability
6,500 m² Production Facility
Global Safety Certifications

COMPANY PROFILE

About Nicolet

Improve Workspaces. Elevate Efficiency.

Nicolet is a trusted manufacturer of integrated workspace solutions, specializing in commercial workspace power solutions, under-desk cable management, and ergonomic workstation accessories for modern professional environments worldwide.

With over 15 years of manufacturing expertise in China, we support global office furniture brands, commercial distributors, and workplace solution providers with reliable, scalable, and cost-effective product development and turnkey manufacturing services.

What We Do

We provide one-stop, commercial-grade workspace solutions covering:

- ◆ Commercial Furniture Power Sockets
- ◆ Desktop Power Modules & USB Grommet Chargers
- ◆ Under-Desk Cable Management Systems
- ◆ Ergonomic Monitor Arms & Mounts
- ◆ Heavy-Duty CPU Holders
- ◆ Adjustable Keyboard Trays
- ◆ Premium Ergonomic Workspace Accessories

From standard catalog products to fully customized OEM & ODM development, Nicolet helps customers build cohesive, functional, and modern workspace systems.



Quality Assurance & Global Certifications

Quality is engineered into every stage of our production process—from raw material selection to final inspection and pre-shipment testing. Our products comply with major international standards:

CE · UL · ETL · SAA · VDE · DEKRA · ASTA

Global Market Coverage

Nicolet's products are widely used in commercial offices, educational institutions, healthcare facilities, and public workspaces across: Europe · North & South America · Australia · Middle East · Southeast Asia

We are committed to helping our customers create efficient, organized, and future-ready work environments.

Nicolet - Your Strategic Manufacturing Partner from China.

MANUFACTURING CAPABILITY

Our 6,500 m² modern production facility is equipped with advanced manufacturing infrastructure and lean production systems, enabling consistent quality control and fast, reliable delivery.

Key industrial capabilities include:

- ◆ 15 Lean Assembly Lines
- ◆ 20 High-Precision CNC Machines
- ◆ 30 Advanced Punching & Stamping Machines
- ◆ 2 Automated Precision Cutting Systems
- ◆ 2 Industrial Laser Marking Units for Custom Branding
- ◆ 5 Plastic Injection Molding Machines

This setup supports rapid prototyping, flexible customization, and high-volume mass production with consistent dimensional accuracy.



ENGINEERING & OEM/ODM SUPPORT

Our experienced in-house engineering team works closely with customers from concept to mass production, offering comprehensive technical support across every stage of product development.

Our turnkey capabilities include:

- ◆ Industrial Design & Structural Engineering
- ◆ Product Performance Optimization & Cost Reduction
- ◆ Rapid Prototyping (In-House 3D Printing)
- ◆ Precision Mold Development & Fabrication
- ◆ Full OEM & ODM Customization

We help partners reduce R&D costs, improve product performance, and accelerate time-to-market.



Customized solutions may vary by configuration. To ensure reliable performance and safety, all core electrical components — including power sockets, USB modules, plugs, and power cords — are certified to relevant international safety standards.

CERTIFICATE

Issued to:

Applicant:

Dongguan Yuhui Electrical Co., Ltd.

Yuehui Industrial, GaoH Town

523503 Dongguan, China

Manufacturer/Licensee:

Dongguan Yingui Electrical Co., Ltd.

Zhenhua Industrial GaoH Town

523503 Dongguan, China

Product

Two-pole plug with dual earthing contacts

Trade name(s)

YING GUI

Type(s)/model(s)

YG-102

The product and any acceptable variation thereto is specified in the Annexes to this certificate and the certification document there referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- a type test according to the standard IEC 60884-1:2002 / IEC 60884-1:2002/ A2:2002 or,

- IEC 60884-1:2002/A1:2006, NEW 1020:1987, NEW 1022:1987/A2:2004, NF C 63-314:2007,

- DIN VDE 0602-2:2016, NEN EN 61112:2017, NEK IEC 60884-1:2002 + A1:2006,

- NEC IEC 60884-1:2002 + A1:2006/A1:2013, NIK 302:2016, OVE/CENORM E 8684-1:2010,

- OE/CENORM E 8603-2:2012, SFS 3610:2015, SFS 3610:2015/A1:2016, SS-IEC 60884-1:2013,

- DS 60884-1:2011, CEI 60884-1:2011, CEI 23-50:2007, CEI 23-50:2007/A1:2009,

- CEI 23-50:2007/V1:2011, CEI 23-50:2007/V3:2015, CEI 23-50:2007/A4:2015, UNE 00315-1+1:2017

- UNE 00315-1+1:2017

- an inspection of the production location under the CENELEC Operational Document CGI 021

- a certification agreement with the number 1000059/15

DEKRA hereby grants the right to use the KEMA-KEUR certification mark.

The KEMA-KEUR certification mark may be applied to the product as specified in this certificate for the duration of the KEMA-KEUR certificate agreement and under the conditions of the KEMA-KEUR certification agreement.

This certificate is issued on 23 November 2017 and expires upon withdrawal of one of the above mentioned standards.

Certificate number: 35-102063

DEKRA Certification BV

d.s. J.G. Zoonen
Managing Director

© Integral product conformity assessment

ACCREDITED BY THE
DUTCH ACCREDITATION
COUNCIL

Kerry Lin
Kerry Lin
Certification Manager

DEKRA Certification B.V. | Member 001, 6820 SJ Arnhem • P.O. Box 5186, 6802 DB Arnhem, The Netherlands
T +31 81 86 53000 • F +31 81 86 53105 • info@deka-certification.com Company registration: 09006308

	<h1>Certificate of Compliance</h1>
<p>Certificate Number: UL-US-2407283-0</p>	<p>Issued to: Dongguan Rich Bay Electric Appliance Co., Ltd. No. 16, Yinhe Third Road, Shishuihou Village, Qiaotown Town Dongguan, GD 523231 China</p>
<p>Report Reference: E539144-20240220</p>	<p>This certificate confirms that representative samples of: RT1R2T - Recaptures for Plugs and Attachment - Component See Addendum Page for Product Designation(s).</p>
<p>Issue Date: 2024-02-20</p>	<p>Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on the Certificate. UL Recognized components are incomplete in certain constitutional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.</p>
	<p>UL 498, Edition 16, Issue Date 2017-04-28, Revision Date 2023-05-31</p>
	<p>Additional Information: See UL Product iQ® at https://ul.com/spectator.com for additional information.</p>
	<p>This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.</p>
	<p>Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under the UL Follow-Up Services.</p>
<p></p>	<p>Look for the UL Recognized Component Mark on the product.</p> <div data-bbox="1037 1226 1100 1257"></div> <p>David Pieuch UL Mark Certification Program Manager</p> <p><small>UL and the UL Mark are trademarks of UL. All other marks are the property of their respective owners. UL is not responsible for the accuracy of the information provided on this certificate. For more information, please contact your UL representative or visit ul.com/certification.</small></p>

		national regulator for complementary specifications	
Head Office			
SABS Campus, 1 Dr Liebenberg Rd, Groenkloof, Pretoria NRCS, Private Bag 32, Brooklyn, 0075 Tel: +27 12 482 8700 • Sharecell 0860 722 700 • Fax: +27 12 428 5199 www.nrccs.org.za			
NRCS Plugs, Socket-outlet & adapters: Safety Letter of Authority			
		Certificate Number: ZAF-SSO-0029800 Date of Issue: 21/04/2028 Expiry Date: 21/04/2028	
Applicant Name:	AFCOB SUPPLY CHAIN (PTY) LTD	Trading Name:	AFCOB SUPPLY CHAIN (PTY) LTD
Tel No:	+27 30 550 8900	Email:	info@afcob.co.za
Company Registration Number:	2022/752711/07		
Street Address:	46 MONTECAVALLO		
BULLEVARD/KALAM BUSINESS PARK,	MIDRAND		
	Gauteng		
	South Africa		
	1684		
Description	Brand	Main Model Number	Applicable Standard
Socket Outlet	RUBICOR	RD-01	IEC 60884-1; SANS 164-0; SANS 164-1
Accepted Variations			
RD-02, RD-03			
Countries of Manufacture			
China			
Test Report Number:		Date of Issue:	
GR023-0400		15/04/2023	
Certificate Number: ZAF-SSO-0029800		Record ID: ZAF-5-0029800	
Evaluated By: Kaiti Maswenganyi		Approved By: Stephanie Gwangwa	
			
"Protecting Health, Safety, the Environment and Ensuring Fair Trade"			



Certificate of Conformity

Certificate No.	: HTT2025110406E		
Applicant	: Zhongshan Jin Kai Sheng Tech. Co., LTD.		
Applicant Address	: 4 th floor, No.8 South Guang Ming Road, Nan Tou Town, Zhongshan, Guangdong, P.R.C		
Manufacturer	: Zhongshan Jin Kai Sheng Tech. Co., LTD.		
Manufacturer Address	: 4 th floor, No.8 South Guang Ming Road, Nan Tou Town, Zhongshan, Guangdong, P.R.C		
Product	: USB POWER MODULES JKS-P08-K422, JKS-P08-X*series P08: PCB Type Code: P08 X: overview 1 character; means different types of the X *, M-A-B-C-D-E-F-G-H-I-J-K-L-M-N-O-P-Q-R-S-T-U-V-W-X-Y-Z, letters for different overview *, design serial number+ characters; **001 to 999 denotes for different decoration of the product		
Model No.			
Trademark	: N/A		

The following products are listed in this certificate with all listed standards and found in compliance with the council EMC 2014/30/EU. It is possible to use CE marking to demonstrate the compliance with the EMC directive

Test standards:	Report(s) Number	Issued By	Issued Date
EN 55022:2005+A11:2020	HTT2025110406E	HTT	Nov. 27, 2025
EN 55025: 2017+A11:2020			
EN IEC 61000-3-2: 2017 + A2:2024			
EN 61000-3-3:2013+A2:2021+A2:2024-I			

This certificate of conformity is not transferable and based on an evaluation of a sample of the above mentioned product.



Authorised Signatory:




KevinYang Senior Manager

Date:

Nov. 27, 2025

SHENZHEN HTT TECHNOLOGY CO., LTD.

Tel: 86-0755-23550200 Fax: 86-0755-25110406
 Email: cs@httproject.com

12 Building and A20, A21, Huafeng International Robotics
 Industrial Park, Xixiang Street, Baoan District, Shenzhen, China



[illegible]

PRODUCT PORTFOLIO



MOTORIZED ROTARY
POWER & CONNECTIVITY HUB



MANUAL FLIP-UP
POWER & CONNECTIVITY HUB



MOTORIZED POP-UP POWER HUB



PNEUMATIC POP-UP POWER HUB



KITCHEN POP-UP POWER HUB



POP-UP POWER & CONNECTIVITY HUB




FLIP-UP DESKTOP
POWER & CONNECTIVITY HUB



SLIDING DESKTOP
POWER & CONNECTIVITY HUB



DESK-CLAMP POWER & CONNECTIVITY HUB




POWER TRACK SYSTEM




ALL-IN-ONE DESKTOP
POWER & CONNECTIVITY HUB



FLIP-UP DESK CABLE GROMMET




CABLE MANAGEMENT SYSTEM



ADJUSTABLE KEYBOARD TRAY



ADJUSTABLE CPU HOLDER



HEIGHT-ADJUSTABLE MONITOR ARM



ERGONOMIC UNDER-DESK KEYBOARD TRAY



NPK-1

MATERIAL: PP

COLOR: Black / White

DIMENSIONS: 535 X 325 mm

Height-Adjustable Keyboard Slides



NPK-2

MATERIAL: PP

COLOR: Black / White

DIMENSIONS: 545 X 275 mm

Height-Adjustable Keyboard Slides



NPK-3

MATERIAL: Cold-Rolled Steel

FINISH:
Matte Black / Glossy White / Light Grey

DIMENSIONS: 565X385 mm



NPK-4

MATERIAL: Cold-Rolled Steel

FINISH:
Matte Black / Glossy White / Light Grey

DIMENSIONS: 535 X 385 mm



NPK-5

MATERIAL: Cold-Rolled Steel

FINISH:
Matte Black / Glossy White / Light Grey

DIMENSIONS: 560 X 270 mm

Height-Adjustable Keyboard Slides



NPK-6

MATERIAL: Cold-Rolled Steel

FINISH:
Matte Black / Glossy White / Light Grey

DIMENSIONS: 505 X 255 mm
Height-Adjustable Keyboard Slides
With Swivel Mouse Tray
Cushioned Mouse Mat



NPK-7

MATERIAL: Cold-Rolled Steel

FINISH:
Matte Black / Glossy White / Light Grey

DIMENSIONS: 485 X 350 mm



NPK-10

MATERIAL:
Cold-Rolled Steel +
Compact Laminate + Silicone Gel
FINISH:
Matte Black / Glossy Light Grey
DIMENSIONS: 680 X 255 mm
SLIDING TRAVEL: 300 mm
Optional Extended Bracket
Cushioned Mouse Mat
360* Free Rotation



NPK-8

MATERIAL: Cold-Rolled Steel

FINISH:
Matte Black / Glossy White / Light Grey

DIMENSIONS: 595 X 200 mm

Cushioned Mouse Mat



NPK-11

MATERIAL:
Cold-Rolled Steel +
Compact Laminate + Silicone Gel
FINISH:
Matte Black / Glossy Light Grey
DIMENSIONS: 680 X 255 mm
SLIDING TRAVEL: 300 mm
Optional Extended Bracket
Cushioned Mouse Mat
360* Free Rotation




NPK-9

MATERIAL: Cold-Rolled Steel

FINISH:
Matte Black / Glossy White / Light Grey

DIMENSIONS: 595 X 200 mm
CLAMPABLE DESK THICKNESS: 10-70 mm

Cushioned Mouse Mat




NPK-12

MATERIAL:
Cold-Rolled Steel + Silicone Gel
FINISH: Matte Black / Glossy Light Grey
DIMENSIONS: 680 X 255 mm
SLIDING TRAVEL: 300 mm
Optional Extended Bracket
Cushioned Mouse Mat
360* Free Rotation



ERGONOMIC UNDER-DESK CPU HOLDER

NLC-01



MATERIAL: Cold-Rolled Steel
FINISH:
Matte Black / Glossy White / Light Grey
ADJUSTABLE WIDTH: 140-240 mm
ADJUSTABLE HEIGHT: 370-530 mm
Anti-Scratch Foam Strips


NLC-04



MATERIAL: Cold-Rolled Steel
FINISH:
Matte Black / Glossy White / Light Grey
ADJUSTABLE WIDTH: 47-139 mm
ADJUSTABLE HEIGHT: 223-440 mm

Anti-Scratch Foam Strips

NLC-02



MATERIAL: Cold-Rolled Steel
FINISH:
Matte Black / Glossy White / Light Grey
SLIDING TRAVEL: 300 mm
ADJUSTABLE WIDTH: 140-240 mm
ADJUSTABLE HEIGHT: 370-530 mm
Anti-Scratch Foam Strips


NLC-05



MATERIAL: Cold-Rolled Steel
FINISH:
Matte Black / Glossy White / Light Grey
ADJUSTABLE WIDTH: 110-300 mm
ADJUSTABLE HEIGHT: 110-465 mm

Anti-Scratch Foam Strips

NLC-03



MATERIAL: Cold-Rolled Steel
FINISH:
Matte Black / Glossy White / Light Grey
SLIDING TRAVEL: 300 mm
ADJUSTABLE WIDTH: 110-300 mm
ADJUSTABLE HEIGHT: 110-465 mm
Anti-Scratch Foam Strips

NLC-06



MATERIAL: Cold-Rolled Steel
FINISH:
Matte Black / Glossy White / Light Grey
ADJUSTABLE WIDTH: 110-300 mm
ADJUSTABLE HEIGHT: 110-465 mm

Anti-Scratch Foam Strips



NLC-07

MATERIAL: Cold-Rolled Steel

FINISH:
Matte Black / Glossy White / Light Grey

ADJUSTABLE WIDTH: 140-220 mm
ADJUSTABLE HEIGHT: 280-520 mm
Anti-Scratch Foam Strips



NLC-10

MATERIAL: Cold-Rolled Steel

FINISH:
Matte Black / Glossy White / Light Grey

DIMENSIONS:
W(150-250) X D380 X H470 mm

Anti-Scratch Foam Strips



NLC-08

MATERIAL: Cold-Rolled Steel

FINISH:
Matte Black / Glossy White / Light Grey
CLAMPABLE BEAM WIDTH: 45-175 mm

ADJUSTABLE WIDTH: 150-270 mm
ADJUSTABLE HEIGHT: 340-500 mm
Anti-Scratch Foam Strips




NLC-11

MATERIAL: Cold-Rolled Steel

FINISH:
Matte Black / Glossy White / Light Grey

DIMENSIONS:
W(150-300) X D440 X H480 mm

Anti-Scratch Foam Strips



NLC-09

MATERIAL: Cold-Rolled Steel

FINISH:
Matte Black / Glossy White / Light Grey
CLAMPABLE BEAM WIDTH: 130-200 mm

ADJUSTABLE WIDTH: 140-250 mm
ADJUSTABLE HEIGHT: 280-520 mm
Anti-Scratch Foam Strips



NLC-12

MATERIAL: Cold-Rolled Steel

FINISH:
Matte Black / Glossy White / Light Grey

DIMENSIONS:
W185 X D400 X H450 mm

Anti-Scratch Foam Strips



NPZ-1

COLOR: Black / White

MATERIAL: ABS + Nylon

DIMENSIQNS:
W(150-250) X D305 X H135 mm

Four 360° Swivel Locking Casters
Anti-Scratch Foam Strips



NPZ-2

COLOR: Black / White

MATERIAL: ABS + Nylon + PVC

DIMENSIQNS:
W(150-250) X D320 X H150 mm

Four 360° Swivel Locking Casters
Anti-Scratch PVC Strips



NPZ-3

COLOR: Black / White

MATERIAL: ABS + Nylon

DIMENSIQNS:
W(150-250) X D320 X H150 mm

Four 360° Swivel Locking Casters
Anti-Scratch PVC Strips



NPZ-4

COLOR: Black / White

MATERIAL: ABS + Nylon + PVC

DIMENSIQNS:
W(0-260) X D410 X H125 mm

Four 360° Swivel Locking Casters
Anti-Scratch PVC Strips



NPZ-5

MATERIAL:
Cold-Rolled Steel +Nylon

FINISH:
Matte Black / Glossy White / Light Grey

DIMENSIQNS: W210 X D450 X H85 mm

Four 360° Swivel Locking Casters




NPZ-6

MATERIAL: Cold-Rolled Steel + Nylon

FINISH:
Matte Black / Glossy White / Light Grey

DIMENSIQNS:
W(200-265) X D450 X H85 mm

Four 360° Swivel Locking Casters




NPZ-7

MATERIAL: Cold-Rolled Steel +Nylon

FINISH:
Matte Black / Glossy White / Light Grey

DIMENSIQNS:
W210 X D450 X H220 mm

Four 360° Swivel Locking Casters



NPZ-10

MATERIAL: Cold-Rolled Steel +Nylon

FINISH:
Matte Black / Glossy White / Light Grey

DIMENSIQNS:
W210 X D450 X H250 mm

Four 360° Swivel Locking Casters



NPZ-8

MATERIAL: Cold-Rolled Steel +Nylon

FINISH:
Matte Black / Glossy White / Light Grey

DIMENSIQNS:
W215 X D450 X H220 mm

Four 360° Swivel Locking Casters



NPZ-11

MATERIAL: Cold-Rolled Steel +Nylon

FINISH:
Matte Black / Glossy White / Light Grey

DIMENSIQNS:
W(110-210) X D310 X H220 mm

Four 360° Swivel Locking Casters



NPZ-9

MATERIAL: Cold-Rolled Steel +Nylon

FINISH:
Matte Black / Glossy White / Light Grey

DIMENSIQNS:
W258 X D450 X H210 mm

Four 360° Swivel Locking Casters



NPZ-12

MATERIAL: Cold-Rolled Steel +Nylon

FINISH:
Matte Black / Glossy White / Light Grey

DIMENSIQNS:
W258 X D450 X H210 mm

Four 360° Swivel Locking Casters