Nicolet

Improving Workspaces. Elevating Efficiency.

One-Stop Workspace Solutions for Power, Cable Management & Ergonomics.



CE · UL · ETL · SAA · ASTA · VDE · DEKRA

nicoletworkspace.com WeChat WhatsApp Facebook Linkedin YouTube

15+ Years Manufacturing Experience
Strong OEM & ODM Capability
6,500 m^2 Production Facility
Global Safety Certifications

COMPANY PROFILE

About Nicolet

Improve Workspaces. Elevate Efficiency.

Nicolet is a trusted manufacturer of integrated workspace solutions, specializing in commercial workspace power solutions, under-desk cable management, and ergonomic workstation accessories for modern professional environments worldwide.

With over 15 years of manufacturing expertise in China, we support global office furniture brands, commercial distributors, and workplace solution providers with reliable, scalable, and cost-effective product development and turnkey manufacturing services.

What We Do

We provide one-stop, commercial-grade workspace solutions covering:

- Commercial Furniture Power Sockets
- Desktop Power Modules & USB Grommet Chargers
- Under-Desk Cable Management Systems
- Ergonomic Monitor Arms & Mounts
- Heavy-Duty CPU Holders
- Adjustable Keyboard Trays
- Premium Ergonomic Workspace Accessories

From standard catalog products to fully customized OEM & ODM development, Nicolet helps customers build cohesive, functional, and modern workspace systems.

Quality Assurance & Global Certifications

Quality is engineered into every stage of our production process—from raw material selection to final inspection and pre-shipment testing. Our products comply with major international standards:

CE · UL · ETL · SAA · VDE · DEKRA · ASTA

Global Market Coverage

Nicolet's products are widely used in commercial offices, educational institutions, healthcare facilities, and public workspaces across: Europe · North & South America · Australia · Middle East · Southeast Asia

We are committed to helping our customers create efficient, organized, and future-ready work environments.

Nicolet - Your Strategic Manufacturing Partner from China.

MANUFACTURING CAPABILITY

Our 6,500 m² modern production facility is equipped with advanced manufacturing infrastructure and lean production systems, enabling consistent quality control and fast, reliable delivery.

Key industrial capabilities include:

- 15 Lean Assembly Lines
- 20 High-Precision CNC Machines
- 30 Advanced Punching & Stamping Machines
- 2 Automated Precision Cutting Systems
- 2 Industrial Laser Marking Units for Custom Branding
- 5 Plastic Injection Molding Machines

This setup supports rapid prototyping, flexible customization, and high-volume mass production with consistent dimensional accuracy.

ENGINEERING & OEM/ODM SUPPORT

Our experienced in-house engineering team works closely with customers from concept to mass production, offering comprehensive technical support across every stage of product development.

Our turnkey capabilities include:

- Industrial Design & Structural Engineering
- Product Performance Optimization & Cost Reduction
- Rapid Prototyping (In-House 3D Printing)
- Precision Mold Development & Fabrication
- Full OEM & ODM Customization

We help partners reduce R&D costs, improve product performance, and accelerate time-to-market.

QUALITY ASSURANCE

Component-Level Compliance

Customized solutions may vary by configuration. To ensure reliable performance and safety, all core electrical components
— including power sockets, USB modules, plugs, and power cords
— are certified to relevant international safety standards.

CERTIFICATE OF CONFORMITY

Ref. Certif. No.: KB2507173L01

Applicant: Yueqing Futian Electrical Appliance Co., Ltd. Qianxing Village, Beibaixiang Town, Yueqing City, Zhejiang Province, China

Manufacturer: Yueqing Futian Electrical Appliance Co., Ltd. Qianxing Village, Beibaixiang Town, Yueqing City, Zhejiang Province, China

Product: USB+Type C

Trademark: FURTHEA

Model(s): FT-012A

Parameter(s): Input 100-240V~, 50/60Hz, Class II Output $5V_{d.c.}$ 2.1A; $5V_{d.c.}$ 3.6A

This certificate of conformity is based on an evaluation of a sample of the above-mentioned product. This certificate of conformity confirms that the tested sample is in conformity with Annex I of Council Directive 2014/35/EU, referred to as the Low Voltage Directive. It refers only to the sample and its technical file submitted for conformity assessment.

CERTIFICATION BASIS			
EU Directive	Fulfilled Standard(s)	Documentary Evidence	Result
2014/35/EU (LVD)	EN IEC 62368-1:2020+A11:2020	Test Report TR2507173S01	Conform

This certificate is part of the full report and should be read in conjunction with it. This certificate remains the property of KTS and shall be returned upon request. The use of this certificate is subjected to the terms and conditions of the test certification scheme.

Authorised Signatory: JACK DING/MANAGER Date: July 14, 2025

After preparation of the necessary technical documentation as well as the declaration of conformity the required CE marking can be affixed on the product. Other relevant directives have to be observed.

SHENZHEN KTS TESTING SERVICES LTD
4F, Fuqiang Bldg, Xixiang Road Crossing, Zone 62, Xixiang Town, Bao'an District, Shenzhen, China
Tel: +86-755-26466982 Fax: +86-755-26466438 www.SZ-KTS.com.cn KTS@SZ-KTS.com.cn

CERTIFICATE

DEKRA

Issued to:
Applicant: Dongguan Ubill Electrical Co., Ltd. Yangwu Industrial, Qishi Town 523503 Dongguan, China

Manufacturer/Licensee: Dongguan Yinggui Electrical Co., Ltd. Zhenhua Industrial Qishi Town 523503 Dongguan, China

Product : Two-pole plug with dual earthing-contacts
Trade name(s) : YING GUI
Type(s)/model(s) : YG-102

The product and any acceptable variation thereto is specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:
- a type test according to the standard IEC 60884-1:2002, IEC 60884-1:2002/A2:2013, IEC 60884-1:2002/A1:2006, NEN 1020:1997, NEN 1020:1997/A2:2004, NF C 61-314:2017, DIN VDE 0620-2-1:2016, NBN C 61-112-1:2017, NEK IEC 60884-1:2002 + A1:2006, NEK IEC 60884-1:2002 + A1:2006/A2:2013, NEK 502:2016, OEVE/ÖNORM E 8664-1:2010, OEVE/ÖNORM E 8620-3:2012, SFS 5610:2015/A11:2016, SS-IEC 60884-1:2013, SS 4260834:2013, DS 60884-2-D1:2017, CEI 23-50:2007, CEI 23-50:2007/V1:2008, CEI 23-50:2007/V2:2011, CEI 23-50:2007/V3:2015, CEI 23-50:2007/V4:2015, UNE 20315-1-1:2017 and UNE 20315-1-2:2017
- an inspection of the production location according to CENELEC Operational Document CIG 021
- a certification agreement with the number 1000057/0

DEKRA hereby grants the right to use the KEMA-KEUR certification mark.

The KEMA-KEUR certification mark may be applied to the product as specified in this certificate for the duration of the KEMA-KEUR certification agreement and under the conditions of the KEMA-KEUR certification agreement.

This certificate is issued on 23 November 2017 and expires upon withdrawal of one of the above mentioned standards.

Certificate number: 35-102063

DEKRA Certification B.V.

drs. G.J. Zoetbrood
Managing Director

Krenny Lin
Certification Manager

© Integral publication of this certificate is allowed

ACCREDITED BY THE DUTCH ACCREDITATION COUNCIL

KEMA KEUR

DEKRA Certification B.V. Meander 1051, 6825 MJ Arnhem P.O. Box 5185, 6802 ED Arnhem, The Netherlands
T +31 88 96 83000 F +31 88 96 83100 www.dekra-certification.com Company registration 09085396

SAA

APPROVALS®

Certificate of Conformity/Approval

Certificate No.: SAA-211259-EA

Certificate Holder: Dongguan Rich Bay Electric Appliance Co., Ltd. No.16, Yinhe Third Road, Shishuikou Village, Qiaotou Town, Dongguan, Guangdong P.R. China

Regulatory Definition: Socket-Outlet
Product Description: Socket Outlet
Trade Name/s: RUIQIBEI
Model No.: A-01
Rating/Marking/s: 250V~ 10A

Standard/s: AS/NZS 3112:2017 AS/NZS 3100:2017 Inc A1-3
Condition/s: Nil

Approval Marks: RCM (In accordance with AS/NZS 4417 and 6555 requirements) and SAA-211259-EA (In accordance with NSW legislative requirements)

Initial Issue Date: 1 July 2021
Expiry Date: 1 July 2026

For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the Certification and Inspection Body Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and RECES accreditation under the NSW Government legislative requirements. SAA certifies the product mentioned in this certificate complies with standard/s listed above in accordance with the schemes herein. For SAA Contact Details and Certificate verification, go to www.saaapprovals.com.au

www.jas-anz.org/register

CERTIFIED

Issued: 01-07-21 211259

szhfcdet.1688.com

Certificate of Compliance

Certificate Number: UL-US-2407283-0

Report Reference: E539144-20240220

Issue Date: 2024-02-20

Issued to:
Dongguan Rich Bay Electric Appliance Co., Ltd.
No.16, Yinhe Third Road, Shishuikou Village, Qiaotou Town
Dongguan, GD 523528
China

This certificate confirms that representative samples of:
RTRT2 - Receptacles for Plugs and Attachment Plugs - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

UL 498, Edition 16, Issue Date 2017-04-28, Revision Date 2023-05-31

Additional Information:
See UL Product iQR at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.

David Piecuch
UL Mark Certification Program Manager

UL Solutions

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://ims.ul.com/contact-us

Page 1 of 2

中国国家强制性产品认证证书

证书编号：2025230907007312

认证委托人名称及地址
中山市金凯胜科技有限公司
中山市南头镇光明南路8号4楼

生产者名称及地址
中山市金凯胜科技有限公司
中山市南头镇光明南路8号4楼

生产企业名称及地址
深圳市宏安区福永街道白石厦社区东区水丰一路无都工业区9栋5层

产品名称和系列、型号、规格
USB 电源适配器
见附件

产品标准和技术要求
GB/T 9254.1-2021,GB 4943.1-2022,GB 17625.1-2022

上述产品符合《强制性产品认证实施规则 电子产品及安全附件》(CNCA-C09-01：2023)的要求，特发此证。
发证日期:2025 年 11 月 25 日 有效期至:2030 年 09 月 28 日
证书信息和有效性可扫描下方二维码或登录发证机构网站查验，也可在认监委网站(www.cnca.gov.cn)查询。
经中国合格评定国家认可委员会认可 CNAS C048-P

签发人：胡华华

北京泰瑞特认证有限责任公司

http://www.tirt.org.cn 北京市朝阳区酒仙桥北路乙7号1588万厘 100015 电话:+86 10 59570088

NRCS | national regulator for compulsory specifications

Head Office
SABS Campus, 1 Dr Lategan Rd, Groenkloof, Pretoria
NRCS, Private Bag X2, Brooklyn, 0075
Tel +27 12 482 8700 ● Sharecall 0860 722 700 ● Fax +27 12 428 5199
www.nrcs.org.za

NRCS Plugs, Socket-outlet & adapters: Safety Letter of Authority

Certificate Number: ZAF-SSO-0029800
Date of Issue: 21/04/2026
Expiry Date: 21/04/2029

Applicant Name: AFCOB SUPPLY CHAIN (PTY) LTD
Tel No: +27 10 045 8900
Company Registration Number: 2022/752711/07
Street Address: 46 MONTECASINO BOULEVARD,KYALAMI BUSINESS PARK, MIDRAND Gauteng South Africa 1684

Trading Name: AFCOB SUPPLY CHAIN (PTY) LTD
Email: info@afcob.co.za

Description	Brand	Main Model Number	Applicable Standard
Socket Outlet	RUIQIBEI	RD-01	IEC 60884-1; SANS 164-0; SANS 164-1

Accepted Variations
RD-02, RD-03

Countries of Manufacture
China

Test Report Number: GW2023-0609
Date of Issue: 15/04/2023

Certificate Number: ZAF-SSO-0029800
Evaluated By: Kate Mawangenyi

Record ID: ZAF-S-0029800
Approved By: Stephina Gwangwa

"Protecting Health, Safety, the Environment and Ensuring Fair Trade"

Certificate – 證明書 – Сертификат – Certificat – 증명서 – certificado

CERTIFICATE OF CONFORMITY

Certificate No. CTK20250917010LVD

Applicant : Dongguan Rich Bay Electric Appliance Co.,Ltd No.16, Yinhe Third Road, Shishuikou Village, Qiaotou Town Dongguan, Guangdong, China

Manufacturer : Same as the Applicant

Trade Mark : R-CH BAY; RUI QI BEI

Product Name : Socket Outlet(Socket-outlet Module)
Model(s) : RGI-02, D-01, D-02, D-03, E-08, E-08-L

Applicable Standard(s) : IEC 60884-1:2022 DIN 49440-1:2025

Test Report No. : CTK20250917010LVD

The submitted products have been tested by us with the above standards and found in compliance with the European Directives: Low Voltage Directive 2014/35/EU

Note: The test results apply only to the particular sample tested and the applicative tests carries out. This statement is based on a single evaluation of sample of above-mentioned product. It does not imply an assessment of the whole production process.

Issued Date: 20.10.2025
Updated Date: /
Expiry Date: 19.10.2030

Thomas Diong
Chief Certification Manager

GUANGZHOU CERTITEK TESTING SERVICES CO., LTD.
Room703/7F, Development Building, Tian An Hi-Tech Ecological Park
No.555 North Road Panyu Avenue, Panyu District, Guangzhou, 511400, China
☎ + 86 20 3921 1670 ⎙ + 86 20 3921 1640 Info@certitek.cn www.ctktest.com V6.0

HTT TECHNOLOGY

Certificate of Conformity

Certificate No. : HTT2025111046E
Applicant : Zhongshan Jin Kai Sheng Tech. Co., LTD.
Applicant Address : 4th floor, No.8 South Guang Ming Road, Nan Tou Town, Zhongshan, Guangdong, P.R.C
Manufacturer : Zhongshan Jin Kai Sheng Tech. Co., LTD.
Manufacturer Address : 4th floor, No.8 South Guang Ming Road, Nan Tou Town, Zhongshan, Guangdong, P.R.C
Product : USB POWER MODULES
Model No. : JKS-P08-K422, JKS-P08-X"series
P08: PCBA Type Code: P08
X, overview-1 character: means different overview, it's X
X=A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y/Z, denotes for different overview
*, design serail number-3 characters;
"=001 to 999 denotes for different decoration of the product
Trademark : N/A

The following products have been tested by us with listed standards and found in compliance with the council EMC 2014/30/EU. It is possible to use CE marking to demonstrate the compliance with the EMC directive

Test standards:	Report(s) Number	Issued By	Issued Date
EN 55032:2015+A11:2020 EN 55035: 2017+A11:2020 EN IEC 61000-3-2: 2019 + A2:2024 EN 61000-3-3:2013+A2:2021+AC:2022-01	HTT2025111046ER	HTT	Nov. 27, 2025

This certificate of conformity is not transferable and based on an evaluation of a sample of the above mentioned product.

Authorised Signatory: KevinYang/Senior Manager

Date: Nov. 27, 2025

SHENZHEN HTT TECHNOLOGY CO., LTD.
Tel: 86-0755-23595200 Hotline: 400-6655-351
Web: www.httpro.com Mail: info@httpro.com
Yi B Building and A109,A110, Huafeng International Robotics Industrial Park, Xixiang Street, Bao'an District, Shenzhen, China

HTT TECHNOLOGY

FCC SUPPLIER'S DECLARATION OF CONFORMITY

Certificate Number: HTT2025111046F
Applicant: Zhongshan Jin Kai Sheng Tech. Co., LTD.
Applicant Address: 4th floor, No.8 South Guang Ming Road, Nan Tou Town, Zhongshan, Guangdong, P.R.C
Manufacturer: Zhongshan Jin Kai Sheng Tech. Co., LTD.
Manufacturer Address: 4th floor, No.8 South Guang Ming Road, Nan Tou Town, Zhongshan, Guangdong, P.R.C
Product Name: USB POWER MODULES
Model No.: JKS-P08-K422, JKS-P08-X"series
P08: PCBA Type Code: P08
X, overview-1 character: means different overview, it's X
X=A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y/Z, denotes for different overview
*, design serail number-3 characters;
"=001 to 999 denotes for different decoration of the product
Trade Mark: N/A
Applicable standards: FCC CFR Title 47 Part 15 Subpart B:2024

The products comply with the FCC regulations and the electromagnetic compatibility evaluation requirements.

The test result has been evaluated by Shenzhen HTT Technology Co., Ltd laboratory and showed in the test report

The test report number: HTT2025111046FR

It is understood that each unit marketed is identical to the device as tested, and any changes to the device that could adversely affect the emission characteristics will require retest.

The following responsible party designated in FCC §2.909 is responsible for this declaration:

Authorised Signatory: KevinYang/Senior Manager

Date: Nov. 27, 2025

SHENZHEN HTT TECHNOLOGY CO., LTD.
Tel: 86-0755-23595200 Hotline: 400-6655-351
Web: www.httpro.com Mail: info@httpro.com
Yi B Building and A109,A110, Huafeng International Robotics Industrial Park, Xixiang Street, Bao'an District, Shenzhen, China

intertek
Total Quality. Assured.

AUTHORIZATION TO MARK

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant: Dongguan UBILL Electrical Co., Ltd. Yangwu Industrial Qishi Town, Address: Dongguan, GuangDong 525503, China Country: China

Manufacturer: Dongguan Yinggui Electrical Co., Ltd. Address: Qishi Town, Dongguan, GuangDong 525503 Country: China

Party Authorized To Apply Mark: Same as Manufacturer
Report Issuing Office: Intertek Testing Services Shenzhen Limited Guangzhou Branch

Control Number: 5009505 Authorized by: for L. Matthew Snyder, Certification Manager

Intertek

This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results in this report are relevant only to the sample tested. This Authorization to Mark by itself does not imply that the material, product or service is or has ever been under an Intertek certification program.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

Standard(s):	Cord Sets and Power-Supply Cords [UL 817:2015 Ed. 12+R:15Feb2021] Cord Sets and Power-supply Cords [CSA C22.2#21:20 18 Ed.10]
Product:	Power Supply Cord
Brand Name:	UBILL, YING GUI, QISHI, Baseus
Models:	YG-603, YG-605

ATM for Report 181219137GZU-001 Page 1 of 1 ATM Issued: 25-May-2022

PRODUCT PORTFOLIO

MOTORIZED ROTARY
POWER & CONNECTIVITY HUB

MANUAL FLIP-UP
POWER & CONNECTIVITY HUB

MOTORIZED POP-UP POWER HUB

PNEUMATIC POP-UP POWER HUB

KITCHEN POP-UP POWER HUB

POP-UP POWER & CONNECTIVITY HUB

FLIP-UP DESKTOP
POWER & CONNECTIVITY HUB

SLIDING DESKTOP
POWER & CONNECTIVITY HUB

DESK-CLAMP POWER & CONNECTIVITY HUB



POWER TRACK SYSTEM

ALL-IN-ONE DESKTOP
POWER & CONNECTIVITY HUB

FLIP-UP DESK CABLE GROMMET



CABLE MANAGEMENT SYSTEM



ADJUSTABLE KEYBOARD TRAY

ADJUSTABLE CPU HOLDER

HEIGHT-ADJUSTABLE MONITOR ARM

MOTORIZED ROTARY POWER & CONNECTIVITY HUB WITH WIRELESS CHARGING

AVAILABLE SOCKETS

AVAILABLE MODULES



INSTALLATION STEPS



1. Place Unit
Place the unit into the desktop cutout.



2. Insert Screws
Insert long screws diagonally from the bottom.



3. Tighten Screws
Tighten screws until secure against the desk.

PRODUCT IMAGES			
MODEL NO.	NPR-600E	NPR-601E	NPR-602E
DIMENSIONS	390*120*105 mm	390*120*105 mm	445*120*105 mm
CUT-OUT SIZE	380*110*105 mm	380*110*105 mm	435*110*105 mm
MATERIAL	Aluminium Alloy + ABS	Aluminium Alloy + ABS	Aluminium Alloy + ABS
CONFIGURATION	1 * Qi Wireless Charging (MAX 15W) 2 * Schuko Sockets (AC 250V~, 16A, 50/60Hz, MAX 2300W) USB-A+USB-C (PD 10W / 20W / 65W) 1.5 m EU Plug Power Cord, 3G 1.0 mm² Pure Copper	1 * Qi Wireless Charging (MAX 15W) 2 * UK Sockets (AC 250V~, 13A, 50/60Hz, MAX 2300W) USB-A+USB-C (PD 10W / 20W / 65W) 1.5 m UK Plug Power Cord, 3G 1.0 mm² Pure Copper	1 * Qi Wireless Charging (MAX 15W) 3 * Schuko Sockets (AC 250V~, 16A, 50/60Hz, MAX 2300W) USB-A+USB-C (PD 10W / 20W / 65W) 1.5 m EU Plug Power Cord, 3G 1.0 mm² Pure Copper
AVAILABLE COLORS	Brushed Silver / Brushed Black / Brushed Gold / Brushed Gunmetal		
AVAILABLE MODULES	UK / US / AU / Schuko / FR / CN / IN / TH / ZA / BR / IT / Universal Power Sockets; HDMI, VGA, USB3.0, CAT6 RJ45, RJ11, 3.5mm Audio, ect.		

BRUSHED BLACK

BRUSHED GOLD

BRUSHED SILVER

PRODUCT IMAGES			
MODEL NO.	NPR-603E	NPR-604E	NPR-605E
DIMENSIONS	445*120*105 mm	445*120*105 mm	445*120*105 mm
CUT-OUT SIZE	435*110*105 mm	435*110*105 mm	435*110*105 mm
MATERIAL	Aluminium Alloy + ABS	Aluminium Alloy + ABS	Aluminium Alloy + ABS
CONFIGURATION	1 * Qi Wireless Charging (MAX 15W) 3 * UK Sockets (AC 250V~, 13A, 50/60Hz, MAX 2300W) USB-A+USB-C (PD 10W / 20W / 65W) 1.5 m UK Plug Power Cord, 3G 1.0 mm² Pure Copper	1 * Qi Wireless Charging (MAX 15W) 4 * US Sockets (AC 125V~, 13A, 50/60Hz, MAX 1600W) USB-A+USB-C (PD 10W / 20W / 65W) 1.5 m US Plug Power Cord, 16 AWG Pure Copper	1 * Qi Wireless Charging (MAX 15W) 3 * CN Sockets (AC 250V~, 10A, 50/60Hz, MAX 2200W) USB-A+USB-C (PD 10W / 20W / 65W) 1.5 m CN Plug Power Cord, 3G 1.0 mm² Pure Copper
AVAILABLE COLORS	Brushed Silver / Brushed Black / Brushed Gold / Brushed Gunmetal		
AVAILABLE MODULES	UK / US / AU / Schuko / FR / CN / IN / TH / ZA / BR / IT / Universal Power Sockets; HDMI, VGA, USB3.0, CAT6 RJ45, RJ11, 3.5mm Audio, ect.		

CLOSED

OPEN

CLOSED

OPEN

MOTORIZED ROTARY POWER & CONNECTIVITY HUB

AVAILABLE SOCKETS

US TYPE | AU TYPE | UK TYPE | SCHUKO TYPE | CN TYPE | UNIVERSAL TYPE | ZA TYPE | FR TYPE

AVAILABLE MODULES



3.5 AUDIO | USB-A USB-C | 6.35mm MIC JACK | CAT6 RJ45 | VGA | RJ11 | USB2.0/3.0 | HDMI

INSTALLATION STEPS



1.Place Unit
Place the unit into the desktop cutout.



2. Insert Screws
Insert long screws diagonally from the bottom.



3. Tighten Screws
Tighten screws until secure against the desk.

PRODUCT IMAGES			
MODEL NO.	NPR-400E	NPR-401E	NPR-402E
DIMENSIONS	315*120*105 mm	315*120*105 mm	370*120*105 mm
CUT-OUT SIZE	305*110*105 mm	305*110*105 mm	360*110*105 mm
MATERIAL	Aluminium Alloy + ABS	Aluminium Alloy + ABS	Aluminium Alloy + ABS
CONFIGURATION	2 * Schuko Sockets (AC 250V~, 16A, 50/60HZ, MAX 2300W) USB-A+USB-C (PD 10W / 20W / 65W) 1.5 m EU Plug Power Cord, 3G 1.0 mm² Pure Copper	2 * UK Sockets (AC 250V~, 13A, 50/60HZ, MAX 2300W) USB-A+USB-C (PD 10W / 20W / 65W) 1.5 m UK Plug Power Cord, 3G 1.0 mm² Pure Copper	2 * US Sockets (AC 125V~, 13A, 50/60HZ, MAX 1600W) USB-A+USB-C (PD 10W / 20W / 65W) 1.5 m US Plug Power Cord, 16AWG Pure Copper
AVAILABLE COLORS	Brushed Silver / Brushed Black / Brushed Gold / Brushed Gunmetal		
AVAILABLE MODULES	UK / US / AU / Schuko / FR / CN / IN / TH / ZA / BR / IT / Universal Power Sockets; HDMI, VGA, USB3.0, CAT6 RJ45, RJ11, 3.5mm Audio, ect.		

BRUSHED BLACK

BRUSHED GOLD

BRUSHED SILVER

PRODUCT IMAGES			
MODEL NO.	NPR-403E	NPR-404E	NPR-405E
DIMENSIONS	370*120*105 mm	422*120*105 mm	422*120*105 mm
CUT-OUT SIZE	360*110*105 mm	412*110*105 mm	412*110*105 mm
MATERIAL	Aluminium Alloy + ABS	Aluminium Alloy + ABS	Aluminium Alloy + ABS
CONFIGURATION	3 * CN Sockets (AC 250V~, 10A, 50/60Hz, MAX 2200W) USB-A+USB-C (PD 10W / 20W / 65W) 1.5 m CN Plug Power Cord, 3G 1.0 mm² Pure Copper	4 * UK Sockets (AC 250V~, 13A, 50/60Hz, MAX 2300W) USB-A+USB-C (PD 10W / 20W / 65W) 1.5 m UK Plug Power Cord, 3G 1.0 mm² Pure Copper	4 * Schuko Sockets (AC 250V~, 16A, 50/60Hz, MAX 2300W) USB-A+USB-C (PD 10W / 20W / 65W) 1.5 m EU Plug Power Cord, 3G 1.0 mm² Pure Copper
AVAILABLE COLORS	Brushed Silver / Brushed Black / Brushed Gold / Brushed Gunmetal		
AVAILABLE MODULES	UK / US / AU / Schuko / FR / CN / IN / TH / ZA / BR / IT / Universal Power Sockets; HDMI, VGA, USB3.0, CAT6 RJ45, RJ11, 3.5mm Audio, ect.		

CLOSED

OPEN

CLOSED

OPEN

MOTORIZED ROTARY POWER & CONNECTIVITY HUB

AVAILABLE SOCKETS

AVAILABLE MODULES

INSTALLATION STEPS



1. Place Unit
Place the unit into the desktop cutout.



2. Insert Screws
Insert long screws diagonally from the bottom.



3. Tighten Screws
Tighten screws until secure against the desk.

PRODUCT IMAGES			
MODEL NO.	NPR-200E	NPR-201E	NPR-202E
DIMENSIONS	325*110*105 mm	380*110*105 mm	435*110*105 mm
CUT-OUT SIZE	295*105*105 mm	350*105*105 mm	405*105*105 mm
MATERIAL	Aluminium Alloy + ABS	Aluminium Alloy + ABS	Aluminium Alloy + ABS
CONFIGURATION	2 * CN Sockets (AC 250V~, 10A, 50/60Hz, MAX 2200W) USB-A+USB-C (PD 10W / 20W / 65W) 1.5 m CN Plug Power Cord, 3G 1.0 mm² Pure Copper	2 * CN Sockets (AC 250V~, 10A, 50/60Hz, MAX 2200W) USB-A+USB-C (PD 10W / 20W / 65W) CAT6 RJ45, HDMI 1.5 m CN Plug Power Cord, 3G 1.0 mm² Pure Copper 1.5 m CAT6 Cable, 1.5 m HDMI Cable	3 * CN Sockets (AC 250V~, 10A, 50/60Hz, MAX 2200W) USB-A+USB-C (PD 10W / 20W / 65W) CAT6 RJ45, HDMI 1.5 m CN Plug Power Cord, 3G 1.0 mm² Pure Copper 1.5 m CAT6 Cable, 1.5 m HDMI Cable
AVAILABLE COLORS	Textured Black / Textured Silver		
AVAILABLE MODULES	UK / US / AU / Schuko / FR / CN / IN / TH / ZA / BR / IT / Universal Power Sockets; HDMI, VGA, USB3.0, CAT6 RJ45, RJ11, 3.5mm Audio, ect.		

TEXTURED BLACK

TEXTURED SILVER

TEXTURED BLACK

TEXTURED SILVER

PRODUCT IMAGES			
MODEL NO.	NPR-203E	NPR-204E	NPR-205E
DIMENSIONS	435*110*105 mm	435*110*105 mm	435*110*105 mm
CUT-OUT SIZE	405*105*105 mm	405*105*105 mm	405*105*105 mm
MATERIAL	Aluminium Alloy + ABS	Aluminium Alloy + ABS	Aluminium Alloy + ABS
CONFIGURATION	3 * UK Sockets (AC 250V~, 13A, 50/60Hz, MAX 2300W) USB-A+USB-C (PD 10W / 20W / 65W) CAT6 RJ45, HDMI 1.5 m UK Plug Power Cord, 3G 1.0 mm² Pure Copper 1.5 m CAT6 Cable, 1.5 m HDMI Cable	3 * Schuko Sockets (AC 250V~, 16A, 50/60Hz, MAX 2300W) USB-A+USB-C (PD 10W / 20W / 65W) CAT6 RJ45, HDMI 1.5 m EU Plug Power Cord, 3G 1.0 mm² Pure Copper 1.5 m CAT6 Cable, 1.5 m HDMI Cable	4 * US Sockets (AC 125V~, 13A, 50/60Hz, MAX 1600W) USB-A+USB-C (PD 10W / 20W / 65W) CAT6 RJ45, HDMI 1.5 m US Plug Power Cord, 16 AWG Pure Copper 1.5 m CAT6 Cable, 1.5 m HDMI Cable
AVAILABLE COLORS	Textured Black / Textured Silver		
AVAILABLE MODULES	UK / US / AU / Schuko / FR / CN / IN / TH / ZA / BR / IT / Universal Power Sockets; HDMI, VGA, USB3.0, CAT6 RJ45, RJ11, 3.5mm Audio, ect.		

CLOSED

OPEN

CLOSED

OPEN

MANUAL ROTARY POWER & CONNECTIVITY HUB

AVAILABLE SOCKETS



AVAILABLE MODULES



INSTALLATION STEPS



1. Place Unit
Place the unit into the desktop cutout.



2. Insert Screws
Insert long screws diagonally from the bottom.



3. Tighten Screws
Tighten screws until secure against the desk.

PRODUCT IMAGES			
MODEL NO.	NPR-500H	NPR-501H	NPR-502H
DIMENSIONS	265*120*105 mm	265*120*105 mm	265*120*105 mm
CUT-OUT SIZE	255*110*105 mm	255*110*105 mm	255*110*105 mm
MATERIAL	Aluminium Alloy + ABS	Aluminium Alloy + ABS	Aluminium Alloy + ABS
CONFIGURATION	1 * Power Switch 2 * US Sockets (AC 125V~, 13A, 50/60Hz, MAX 1600W) USB-A+USB-C (PD 10W / 20W / 65W) 1.5 m US Plug Power Cord, 16 AWG Pure Copper	1 * Power Switch 2 * UK Sockets (AC 250V~, 13A, 50/60Hz, MAX 2300W) USB-A+USB-C (PD 10W / 20W / 65W) 1.5 m UK Plug Power Cord, 3G 1.0 mm² Pure Copper	1 * Power Switch 2 * Schuko Sockets (AC 250V~, 16A, 50/60Hz, MAX 2300W) USB-A+USB-C (PD 10W / 20W / 65W) 1.5 m EU Plug Power Cord, 3G 1.0 mm² Pure Copper
AVAILABLE COLORS	Brushed Silver / Brushed Black / Brushed Gold / Brushed Gunmetal		
AVAILABLE MODULES	UK / US / AU / Schuko / FR / CN / IN / TH / ZA / BR / IT / Universal Power Sockets; HDMI, VGA, USB3.0, CAT6 RJ45, RJ11, 3.5mm Audio, ect.		

BRUSHED BLACK

BRUSHED GOLD

BRUSHED SILVER

PRODUCT IMAGES			
MODEL NO.	NPR-503H	NPR-504H	NPR-505H
DIMENSIONS	315*120*105 mm	315*120*105 mm	315*120*105 mm
CUT-OUT SIZE	305*110*105 mm	305*110*105 mm	305*110*105 mm
MATERIAL	Aluminium Alloy + ABS	Aluminium Alloy + ABS	Aluminium Alloy + ABS
CONFIGURATION	1 * Power Switch 2 * CN Sockets (AC 250V~, 10A, 50/60Hz, MAX 2200W) USB-A+USB-C (PD 10W / 20W / 65W) CAT6 RJ45, HDMI 1.5 m CN Plug Power Cord, 3G 1.0 mm² Pure Copper 1.5 m CAT6 Cable, 1.5 m HDMI Cable	1 * Power Switch 2 * UK Sockets (AC 250V~, 13A, 50/60Hz, MAX 2300W) USB-A+USB-C (PD 10W / 20W / 65W) CAT6 RJ45, HDMI 1.5 m UK Plug Power Cord, 3G 1.0 mm² Pure Copper 1.5 m CAT6 Cable, 1.5 m HDMI Cable	1 * Power Switch 2 * Schuko Sockets (AC 250V~, 16A, 50/60Hz, MAX 2300W) USB-A+USB-C (PD 10W / 20W / 65W) CAT6 RJ45, HDMI 1.5 m EU Plug Power Cord, 3G 1.0 mm² Pure Copper 1.5 m CAT6 Cable, 1.5 m HDMI Cable
AVAILABLE COLORS	Brushed Silver / Brushed Black / Brushed Gold / Brushed Gunmetal		
AVAILABLE MODULES	UK / US / AU / Schuko / FR / CN / IN / TH / ZA / BR / IT / Universal Power Sockets; HDMI, VGA, USB3.0, CAT6 RJ45, RJ11, 3.5mm Audio, ect.		

BEFORE FLIPPING

AFTER FLIPPING

BEFORE FLIPPING

AFTER FLIPPING

MANUAL ROTARY
POWER & CONNECTIVITY HUB

AVAILABLE SOCKETS

AVAILABLE MODULES

INSTALLATION METHOD



1. Place Unit
Place the unit into the desktop cutout.

2. Insert Screws
Insert long screws diagonally from the bottom.

3. Tighten Screws
Tighten screws until secure against the desk.

PRODUCT IMAGES			
MODEL NO.	NPR-300H	NPR-301H	NPR-302H
DIMENSIONS	270*110*105 mm	325*110*105 mm	325*110*105 mm
CUT-OUT SIZE	240*105*105 mm	295*105*105 mm	295*105*105 mm
MATERIAL	Aluminium Alloy + ABS	Aluminium Alloy + ABS	Aluminium Alloy + ABS
CONFIGURATION	1 * Power Switch 2 * CN Sockets (AC 250V~, 10A, 50/60Hz, MAX 2200W) USB-A+USB-C (PD 10W / 20W / 65W) 1.5 m CN Plug Power Cord, 3G 1.0 mm² Pure Copper	1 * Power Switch 2 * CN Sockets (AC 250V~, 10A, 50/60Hz, MAX 2200W) USB-A+USB-C (PD 10W / 20W / 65W) CAT6 RJ45, HDMI 1.5 m CN Plug Power Cord, 3G 1.0 mm² Pure Copper 1.5 m CAT6 Cable, 1.5 m HDMI Cable	1 * Power Switch 2 * Schuko Sockets (AC 250V~, 16A, 50/60Hz, MAX 2300W) USB-A+USB-C (PD 10W / 20W / 65W) CAT6 RJ45, HDMI 1.5 m EU Plug Power Cord, 3G 1.0 mm² Pure Copper 1.5 m CAT6 Cable, 1.5 m HDMI Cable
AVAILABLE COLORS	Textured Black / Textured Silver		
AVAILABLE MODULES	UK / US / AU / Schuko / FR / CN / IN / TH / ZA / BR / IT / Universal Power Sockets; HDMI, VGA, USB3.0, CAT6 RJ45, RJ11, 3.5mm Audio, ect.		

TEXTURED BLACK

TEXTURED SILVER

TEXTURED BLACK

TEXTURED SILVER

PRODUCT IMAGES			
MODEL NO.	NPR-303H	NPR-304H	NPR-305H
DIMENSIONS	380*110*105 mm	380*110*105 mm	380*110*105 mm
CUT-OUT SIZE	350*105*105 mm	350*105*105 MM	350*105*105 mm
MATERIAL	Aluminium Alloy + ABS	Aluminium Alloy + ABS	Aluminium Alloy + ABS
CONFIGURATION	1 * Power Switch 3 * UK Sockets (AC 250V~, 13A, 50/60Hz, MAX 2300W) USB-A+USB-C (PD 10W / 20W / 65W) CAT6 RJ45, HDMI 1.5 m UK Plug Power Cord, 3G 1.0 mm² Pure Copper 1.5 m CAT6 Cable, 1.5 m HDMI Cable	1 * Power Switch 3 * Schuko Sockets (AC 250V~, 16A, 50/60Hz, MAX 2300W) USB-A+USB-C (PD 10W / 20W / 65W) CAT6 RJ45, HDMI 1.5 m EU Plug Power Cord, 3G 1.0 mm² Pure Copper 1.5 m CAT6 Cable, 1.5 m HDMI Cable	1 * Power Switch 4 * US Sockets (AC 125V~, 13A, 50/60Hz, MAX 1600W) USB-A+USB-C (PD 10W / 20W / 65W) CAT6 RJ45, HDMI 1.5 m US Plug Power Cord, 16 AWG Pure Copper 1.5 m CAT6 Cable, 1.5 m HDMI Cable
AVAILABLE COLORS	Textured Black / Textured Silver		
AVAILABLE MODULES	UK / US / AU / Schuko / FR / CN / IN / TH / ZA / BR / IT / Universal Power Sockets; HDMI, VGA, USB3.0, CAT6 RJ45, RJ11, 3.5mm Audio, ect.		

CLOSED

OPEN

CLOSED

OPEN

MOTORIZED POP-UP DESKTOP POWER HUB

NPR-1050
4*CN Sockets

NPR-1051
2*CN Sockets
Bluetooth Speaker

NPR-1052
4*Universal Sockets

NPR-1053
2*Universal Sockets
Bluetooth Speaker

Dimensions: 320 mm (Closed Height)*120 mm	425 mm (Raised Height)*120 mm
Cut-out size: Φ105 mm	Available Colors: Black / Grey / White
Materials: Aluminium Alloy+Flame-Retardant PC+Tempered Glass	
Input: AC 250V～, 13A, 50/60Hz	Rated Power: MAX 2300W
USB Charging: 2* USB-A+2*USB-C (PD 20W)	Qi Wireless Charging: MAX 15W
Available Power Cord: UK / US / AU / Schuko / CN / IN / TH / ZA / BR / IT / Plug Power Cord, Pure Copper	

Multi-Standard
Sockets Available

Integrated Bluetooth Speaker
App & Voice Dual-Mode Control

Same WiFi Smart Device Control



MOTORIZED POP-UP DESKTOP POWER HUB

NPR-1100
4*US Sockets

NPR-1101
4*UK Sockets

NPR-1102
3*Universal Sockets
Bluetooth Speaker

Dimensions: 230 mm (Closed Height)*120 mm	330 mm (Raised Height)*120 mm
Cut-out size: Φ110 mm	Available Colors: Black / Grey / White
Materials: Flame-Retardant PC+Tempered Glass	
Input: AC 110-250V～, 10-16A, 50/60Hz	Rated Power: MAX 1600W - 2300W
USB Charging: 2* USB-A+2*USB-C (PD 20W)	Qi Wireless Charging: MAX 15W
Available Sockets: UK / US / AU / Schuko / FR / CN / IN / TH / ZA / BR / IT / Universal Power Sockets	

MOTORIZED POP-UP DESKTOP POWER HUB



NPR-1020
3*CN Sockets

NPR-1021
3*UK Sockets

NPR-1022
3*Schuko Sockets

NPR-1023
2*US Sockets
Bluetooth Speaker

Dimensions: 415 mm (Closed Height)*120 mm	625 mm (Raised Height)*120 mm
Cut-out size: Φ102 mm	Available Colors: Black / Silver / White
Materials: Aluminium Alloy + ABS	Input: AC 110–240V 50/60Hz
USB Charging: 2*USB-A (PD 15W) / USB-A+USB-C (PD 20W) / 2*USB-A+USB-C (PD 65W)	
Qi Wireless Charging: MAX 15W	Rated Power: MAX 1600W - 2300W
Available Modules: UK / US / AU / Schuko / FR / CN / IN / TH / ZA / BR / IT / Universal	
Power Sockets; USB-A+USB-A / USB-A+USB-C / 2*USB-A+USB-C, Bluetooth Speaker	

MOTORIZED POP-UP DESKTOP POWER HUB

NPR-0650	NPR-0651	NPR-0652	NPR-0653
2* Universal Sockets	2*Schuko Sockets	2*US Sockets	2*UK Sockets

Dimensions: 520 mm (Closed Height)*80 mm	690 mm (Raised Height)*80 mm
Cut-out size: Φ 65 mm	Available Colors: Black / Silver
Materials: Aluminium Alloy + Flame-Retardant PC	
Input: AC 110-250V~, 10-16A, 50/60Hz	Rated Power: MAX 1600W - 3500W
USB Charging: USB-A+2*USB-C (PD 20W/30W/65W)	Qi Wireless Charging: MAX 10W
Available Modules: UK / US / AU / Schuko / FR / CN / IN / TH / ZA / BR / IT /	
Universal Power Sockets; USB-A+USB-A, Bluetooth Speaker	



MOTORIZED POP-UP DESKTOP POWER HUB

NPR-1100	NPR-1101	NPR-1102	NPR-1103
4*UK Sockets	4*US Sockets	4*Schuko Sockets	4*Universal Sockets

Dimensions: 275 mm (Closed Height)*120 mm	450 mm (Raised Height)*120 mm
Cut-out size: Φ110 mm	Available Colors: Black / Grey / White
Materials: Aluminium Alloy + Flame-Retardant PC + Tempered Glass	
Input: AC 110-250V~, 10-16A, 50/60Hz	Rated Power: MAX 1600W - 2300W
USB Charging: USB-A+2*USB-C (PD 20W/45W)	Qi Wireless Charging: MAX 15W
Available Sockets: UK / US / AU / Schuko / FR / CN / IN / TH / ZA / BR / IT / Universal Power Sockets	

PNEUMATIC POP-UP DESKTOP POWER HUB



NPR-1200
4*UK Sockets

NPR-1201
4*Universal Sockets

NPR-1202
4*US Sockets

Dimensions: 170 mm (Closed Height)*145 mm		270 mm (Raised Height)*145 mm
Cut-out size: Φ120 mm	Material: ABS	Available Colors: Black / White
Input: AC 110-250V~, 10-16A, 50/60Hz		Rated Power: MAX 1600W - 2300W
USB Charging: USB-A+USB-C (PD 20W)		Qi Wireless Charging: MAX 15W

Available Sockets: UK / US / AU / Schuko / FR / CN / IN / TH / ZA / BR / IT / Universal Power Sockets



MANUAL
POP-UP DESKTOP POWER HUB

NPR-0800
Power Switch
3*US Sockets

NPR-0801
Power Switch
3*Schuko Sockets

NPR-0802
Power Switch
3*Universal Sockets

NPR-0803
Power Switch
3*UK Sockets

Dimensions: 335*90 mm	Cut-out size: Φ80 mm	Available Colors: Black / Grey / White
Materials: Aluminium Alloy+Flame-Retardant PC+Tempered Glass		
Input: AC 110-250V~, 10-16A, 50/60Hz		Rated Load: MAX 1600W - 2300W
USB Charging: USB-A+2*USB-C(PD 20W/45W)		Qi Wireless Charging: MAX 15W
Available Sockets: UK / US / AU / Schuko / FR / CN / IN / TH / ZA / BR / IT / Universal Power Sockets		

KITCHEN POP-UP DESKTOP POWER HUB

AVAILABLE MODULES



INSTALLATION STEPS



Model No.: NPR-0600

3*Schuko Sockets
Dimensions: 345*80 mm
Cut-out Size: Φ60 mm
Materials: Aluminium Alloy+ABS+ Flame-Retardant PC
Available Colors: Black / Silver / White
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 3500W
USB Charging: USB-A+2*USB-C (PD 20W/30W/65W)
Power Cord: 1.8 m Schuko Plug Power Cord, 3G 1.5 mm² Pure Copper

Model No.: NPR-0601

3*US Sockets
Dimensions: 345*80 mm
Cut-out Size: Φ60 mm
Materials: Aluminium Alloy+ABS+ Flame-Retardant PC
Available Colors: Black / Silver / White
Input: AC 125V~, 15A, 50/60Hz
Rated Load: MAX 1600W
USB Charging: USB-A+2*USB-C (PD 20W/30W/65W)
Power Cord: 1.8 m US Plug Power Cord, 16AWG Pure Copper

Model No.: NPR-0602

3*UK Sockets
Dimensions: 345*80 mm
Cut-out Size: Φ60 mm
Materials: Aluminium Alloy+ABS+ Flame-Retardant PC
Available Colors: Black / Silver / White
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 3200W
USB Charging: USB-A+2*USB-C (PD 20W/30W/65W)
Power Cord: 1.8 m UK Plug Power Cord, 3G 1.5 mm² Pure Copper

Model No.: NPR-0603

3*AU Sockets
Dimensions: 345*80 mm
Cut-out Size: Φ60 mm
Materials: Aluminium Alloy+ABS+ Flame-Retardant PC
Available Colors: Black / Silver / White
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: USB-A+2*USB-C (PD 20W/30W/65W)
Power Cord: 1.8 m AU Plug Power Cord, 3G 1.5 mm² Pure Copper



POP-UP DESKTOP HUB WITH WIRELESS CHARGING

AVAILABLE SOCKETS

UNIVERSAL SOCKET

AU SOCKET

CN SOCKET

US TSOCKET

SCHUKO / IT SOCKET

SCHUKO SOCKET

FR SOCKET

UK SOCKET

INSTALLATION STEPS

235*110 mm
Desk Cut-Out


Insert the unit

Fix L-brackets to housing, then tighten screws against desk underside

L-brackets

Model No.: NPR-050

2*CN Sockets
Dimensions: 266*118*75 mm
Cut-out Size: 235*110 mm
Materials: Aluminium Alloy + ABS
Available Colors: Textured Black /
Textured Silver / Textured White
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2200W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Qi Wireless Charging: MAX 15W

Model No.: NPR-051

2*US Sockets
Dimensions: 266*118*75 mm
Cut-out Size: 235*110 mm
Materials: Aluminium Alloy + ABS
Available Colors: Textured Black /
Textured Silver / Textured White
Input: AC 125V~, 13A, 50/60Hz
Rated Load: MAX 1600W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Qi Wireless Charging: MAX 15W

Model No.: NPR-052

2*Universal Sockets
Dimensions: 266*118*75 mm
Cut-out Size: 235*110 mm
Materials: Aluminium Alloy + ABS
Available Colors: Textured Black /
Textured Silver / Textured White
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Qi Wireless Charging: MAX 15W

Model No.: NPR-053

2*UK Sockets
Dimensions: 266*118*75 mm
Cut-out Size: 235*110 mm
Materials: Aluminium Alloy + ABS
Available Colors: Textured Black /
Textured Silver / Textured White
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Qi Wireless Charging: MAX 15W

Model No.: NPR-054

2*AU Sockets
Dimensions: 266*118*75 mm
Cut-out Size: 235*110 mm
Materials: Aluminium Alloy + ABS
Available Colors: Textured Black /
Textured Silver / Textured White
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Qi Wireless Charging: MAX 15W

Model No.: NPR-055

2*Schuko Sockets
Dimensions: 266*118*75 mm
Cut-out Size: 235*110 mm
Materials: Aluminium Alloy + ABS
Available Colors: Textured Black /
Textured Silver / Textured White
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Qi Wireless Charging: MAX 15W

POP-UP DESKTOP
POWER & CONNECTIVITY HUB

Model No.: NPR-020

2*Universal Sockets
Dimensions: 138*135*68 mm
Cut-out Size: 130*110 mm
Materials: Zinc Alloy + Cold Rolled Steel
Available Colors: Textured Black / Textured Silver
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
Available Modules: HDMI, VGA, USB 3.0, CAT6 RJ45, RJ11, 3.5mm Audio ect.

Model No.: NPR-021

1*CN Socket
Dimensions: 138*135*68 mm
Cut-out Size: 130*110 mm
Materials: Zinc Alloy + Cold Rolled Steel
Available Colors: Textured Black / Textured Silver
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2200W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W)

Model No.: NPR-022

1*CN Socket
Dimensions: 138*135*68 mm
Cut-out Size: 130*110 mm
Materials: Zinc Alloy + Cold Rolled Steel
Available Colors: Textured Black / Textured Silver
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2200W
Available Modules: HDMI, USB 3.0, CAT6 RJ45, RJ11

Model No.: NPR-023

1*UK Socket
Dimensions: 138*135*68 mm
Cut-out Size: 130*110 mm
Materials: Zinc Alloy + Cold Rolled Steel
Available Colors: Textured Black /
Textured Silver
Input: AC 250V~,13A ,50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W)

Model No.: NPR-024

1*Universal Socket
Dimensions: 138*135*68 mm
Cut-out Size: 130*110 mm
Materials: Zinc Alloy + Cold Rolled Steel
Available Colors: Textured Black /
Textured Silver
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11

Model No.: NPR-025

1*Schuko Socket
Dimensions: 138*135*68 mm
Cut-out Size: 130*110 mm
Materials: Zinc Alloy + Cold Rolled Steel
Available Colors: Textured Black /
Textured Silver
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W)

Model No.: NPR-026

1*Universal Socket
Dimensions: 138*135*68 mm
Cut-out Size: 130*110 mm
Materials: Zinc Alloy + Cold Rolled Steel
Available Colors: Textured Black /
Textured Silver
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W)

Model No.: NPR-027

1*AU Socket
Dimensions: 138*135*68 mm
Cut-out Size: 130*110 mm
Materials: Zinc Alloy + Cold Rolled Steel
Available Colors: Textured Black /
Textured Silver
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W)

Model No.: NPR-028

1*US Socket
Dimensions: 138*135*68 mm
Cut-out Size: 130*110 mm
Materials: Zinc Alloy + Cold Rolled Steel
Available Colors: Textured Black /
Textured Silver
Input: AC 125V~, 13A, 60Hz
Rated Load: MAX 1600W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W)

POP-UP DESKTOP
POWER & CONNECTIVITY HUB

Model No.: NPR-030

2*Universal Sockets
Dimensions: 265*118*68 mm
Cut-out Size: 225*111 mm
Materials: Zinc Alloy + Cold Rolled Steel
Available Colors: Textured Black /
Textured Silver
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
Available Modules: HDMI, VGA, USB 3.0, CAT6 RJ45, RJ11, 3.5mm Audio ect.

Model No.: NPR-031

3*CN Sockets
Dimensions: 265*118*68 mm
Cut-out Size: 225*111 mm
Materials: Zinc Alloy + Cold Rolled Steel
Available Colors: Textured Black /
Textured Silver
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2200W
Available Sockets: UK / US / AU / TH / ZA / BR / IT / Universal Power Sockets

Installation Steps



1.Pop up
Press the button to open the panel.



2.Remove Screws
Unscrew the 2 side screws to detach the panel.



3.Fix Housing
Insert the housing into the desk cutout and secure with 4 self-tapping screws. (Tip: Keep power and data cables separated.)



4.Reassemble Panel
Place the panel back and tighten the 2 side screws to finish.

Model No.: NPR-032

3*Schuko Sockets
Dimensions: 265*118*68 mm
Cut-out Size: 225*111 mm
Materials: Zinc Alloy + Cold Rolled Steel
Available Colors: Textured Black /
Textured Silver
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
Available Sockets: FR Power Sockets



Model No.: NPR-033

2*Schuko Sockets
Dimensions: 265*118*68 mm
Cut-out Size: 225*111 mm
Materials: Zinc Alloy + Cold Rolled Steel
Available Colors: Textured Black /
Textured Silver
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W)
Available Sockets: FR Power Sockets

Model No.: NPR-034

2*UK Sockets
Dimensions: 265*118*68 mm
Cut-out Size: 225*111 mm
Materials: Zinc Alloy + Cold Rolled Steel
Available Colors: Textured Black /
Textured Silver
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W)
Available Sockets: CN / US / AU / TH / ZA /
BR / IT /Universal Power Sockets

Model No.: NPR-035

2*AU Sockets
Dimensions: 265*118*68 mm
Cut-out Size: 225*111 mm
Materials: Zinc Alloy + Cold Rolled Steel
Available Colors: Textured Black /
Textured Silver
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W)
Available Sockets: CN / US / UK / TH /
ZA / BR / IT /Universal Power Sockets

Model No.: NPR-036

2*US Sockets
Dimensions: 265*118*68 mm
Cut-out Size: 225*111 mm
Materials: Zinc Alloy + Cold Rolled Steel
Available Colors: Textured Black /
Textured Silver
Input: AC 125V~, 13A, 60Hz
Rated Load: MAX 1600W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W)
Available Modules: HDMI, USB 3.0, CAT6
RJ45, RJ11, CN / UK / AU / TH / ZA / BR / IT /Universal Power Sockets

Model No.: NPR-037

2*Universal Sockets
Dimensions: 265*118*68 mm
Cut-out Size: 225*111 mm
Materials: Zinc Alloy + Cold Rolled Steel
Available Colors: Textured Black /
Textured Silver
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
Configuration: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5 Audio
Available Sockets: CN / US / UK / AU/
TH / ZA / BR / IT Power Sockets

PNEUMATIC POP-UP DESKTOP POWER & CONNECTIVITY HUB

Model No.: NPR-1750

1*CN Socket
Dimensions: 175*130*130 mm
Cut-out Size: 168*125 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Silver /
Brushed Black / Brushed Gold /
Brushed Gunmetal
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2200W
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5 Aduio, Type-C,
RCA Vedio & Audio, UK / US / AU / Schuko /
TH / ZA / BR / IT / IN / Universal Power Sockets,
USB-A+USB-C (PD 10W/20W)

Model No.: NPR-1751

1*Universal Socket
Dimensions: 175*130*130 mm
Cut-out Size: 168*125 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Silver /
Brushed Black / Brushed Gold /
Brushed Gunmetal
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5 Aduio,
RCA Vedio & Audio, Type-C, CN / UK / US /
AU / Schuko / TH / ZA / BR / IT / IN / Power Sockets,
USB-A+USB-C (PD 10W/20W)

Model No.: NPR-1752

2*UK Sockets
Dimensions: 175*130*130 mm
Cut-out Size: 168*125 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Silver /
Brushed Black / Brushed Gold /
Brushed Gunmetal
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5 Aduio,
RCA Vedio & Audio, Type-C, CN / US / AU /
Schuko / TH / ZA / BR / IT / / IN / Universal Power Sockets,
USB-A+USB-C (PD 10W/20W)

PNEUMATIC POP-UP DESKTOP POWER & CONNECTIVITY HUB

Model No.: NPR-2660

2*Schuko Sockets
Dimensions: 266*130*130 mm
Cut-out Size: 258*125 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Silver /
Brushed Black / Brushed Gold /
Brushed Gunmetal
Input: AC 250V, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
2*USB-A+2*USB-C (PD 10W/20W)
Available Modules: HDMI, VGA, USB
3.0, CAT6 RJ45, RJ11, 3.5 Aduio, RCA Vedio & Audio,
Type-C, CN / UK / US / AU / TH / ZA / BR / IT / IN / Universal Power Sockets

Model No.: NPR-2661

2*Universal Sockets
Dimensions: 266*130*130 mm
Cut-out Size: 258*125 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Silver /
Brushed Black / Brushed Gold /
Brushed Gunmetal
Input: AC 250V, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5 Aduio, RCA Vedio & Audio, Type-C,
CN / UK / US / AU / Schuko / TH / ZA / BR / IT/ IN / Power Sockets

Model No.: NPR-2662

2*AU Sockets
Dimensions: 266*130*130 mm
Cut-out Size: 258*125 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Silver /
Brushed Black / Brushed Gold /
Brushed Gunmetal
Input: AC 250V, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5 Aduio, RCA Vedio & Audio,
Type-C, CN / UK / US / Schuko / TH / ZA / BR / IT / IN / Universal Power Sockets



FLIP-UP DESKTOP POWER & CONNECTIVITY HUB

Model No.: NPR-A0201

1*CN Socket
Dimensions: 145*130*68 mm
Cut-out Size: 135*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2200W
Available Modules: HDMI, VGA, USB 3.0, CAT6 RJ45, RJ11, 3.5 Aduio, AV, UK / US / AU / Schuko / IN / TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPR-A0202

2*CN Sockets
Dimensions: 145*130*68 mm
Cut-out Size: 135*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2200W
Available Modules: HDMI, USB 3.0, CAT6 RJ45, RJ11, UK / US / AU / Schuko / IN / TH / ZA / BR / IT / Universal Power Sockets, USB-A+USB-C (PD 10W/20W/65W)

Model No.: NPR-A0203

1*AU Socket
Dimensions: 145*130*68 mm
Cut-out Size: 135*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / US / CN / Schuko /
IN / TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPR-A0204

1*Universal Socket
Dimensions: 145*130*68 mm
Cut-out Size: 135*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, UK / US / AU / CN / Schuko
IN / TH / ZA / BR / IT Power Sockets

Model No.: NPR-A0205

1*US Socket
Dimensions: 145*130*68 mm
Cut-out Size: 135*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 125V~, 13A, 60Hz
Rated Load: MAX 1600W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / AU / CN / Schuko /
IN / TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPR-A0206

1*IN Socket
Dimensions: 145*130*68 mm
Cut-out Size: 135*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / US / CN / AU / Schuko /
TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPR-A0207

1*UK Socket
Dimensions: 145*130*68 mm
Cut-out Size: 135*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5 Audio, AU / US / CN /
Schuko / IN / TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPR-A0208

1*Schuko Socket
Dimensions: 145*130*68 mm
Cut-out Size: 135*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5 Audio, UK / US / CN /
AU / IN / TH / ZA / BR / IT / Universal Power Sockets

FLIP-UP DESKTOP POWER & CONNECTIVITY HUB

Model No.: NPR-L0210

2*CN Sockets
Dimensions: 266*130*100 mm
Cut-out Size: 258*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2200W
Available Modules: HDMI, VGA, USB 3.0, CAT6 RJ45, RJ11, 3.5 Aduio, UK / US / AU / Schuko / IN / TH / ZA / BR / IT / Universal Power Sockets, USB-A+USB-C (PD 10W/20W/65W)

Model No.: NPR-L0211

2*CN Sockets
Dimensions: 266*130*100 mm
Cut-out Size: 258*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2200W
Available Modules: HDMI, VGA, USB 3.0, CAT6 RJ45, RJ11, 3.5 Aduio, AV, XLR Port, UK / US / AU / Schuko / IN / TH / ZA / BR / IT / Universal Power Sockets，USB-A+USB-C (PD 10W/20W/65W)

Model No.: NPR-L0212

3*US Sockets
Dimensions: 266*130*100 mm
Cut-out Size: 258*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 125V~, 13A, 60Hz
Rated Load: MAX 1600W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / AU / CN / Schuko /
IN / TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPR-L0213

2*Schuko Sockets
Dimensions: 266*130*100 mm
Cut-out Size: 258*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / US / CN / AU / IN /
TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPR-L0214

2*Universal Sockets
Dimensions: 266*130*100 mm
Cut-out Size: 258*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, UK / US / AU / CN / Schuko /
IN / TH / ZA / BR / IT Power Sockets

Model No.: NPR-L0215

2*AU Sockets
Dimensions: 266*130*100 mm
Cut-out Size: 258*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5 Aduio, UK / US / CN /
Schuko / IN / TH / ZA / BR / IT /
Universal Power Sockets,
USB-A+USB-C (PD 10W/20W/65W)

Model No.: NPR-L0216

2*UK Sockets
Dimensions: 266*130*100 mm
Cut-out Size: 258*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, AU / US / CN / Schuko /
IN / TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPR-L0217

3*IN Sockets
Dimensions: 266*130*100 mm
Cut-out Size: 258*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / US / CN / AU / Schuko /
TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPR-L0175

2*CN Sockets
Dimensions: 175*130*70 mm
Cut-out Size: 168*122 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2200W
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5 Aduio, AV, UK / US /
AU / Schuko / IN / TH / ZA / BR / IT /
Universal Power Sockets,
USB-A+USB-C (PD 10W/20W/65W)

Model No.: NPR-L0176

1*Universal Socket
Dimensions: 175*130*70 mm
Cut-out Size: 168*122 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5 Aduio, AV, UK / US /
AU / CN / Schuko / IN / TH / ZA / BR /
IT Power Sockets, USB-A+USB-C (PD 10W/20W/65W)

Model No.: NPR-L0185



2*Universal Sockets
Dimensions: 185*100*78 mm
Cut-out Size: 178*88 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5 Aduio, AV, UK / US /
AU / CN / Schuko / IN / TH / ZA / BR /
IT Power Sockets, USB-A+USB-C (PD 10W/20W/65W)

Model No.: NPR-L0301

2*IN Sockets
Dimensions: 300*120*138 mm
Cut-out Size: 290*110 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5 Audio, AV,
6.35 mm MIC Jack, UK / US / CN / AU /
Schuko / TH / ZA / BR / IT / Universal Power Sockets,
USB-A+USB-C (PD 10W/20W/65W)

Model No.: NPR-L0302

2*UK Sockets
Dimensions: 300*150*138 mm
Cut-out Size: 290*142 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5 Audio, AV,
6.35 mm MIC Jack, UK / US / CN / AU /
Schuko / TH / ZA / BR / IT / Universal Power Sockets,
USB-A+USB-C (PD 10W/20W/65W)

Model No.: NPR-L0303

3*Schuko Sockets
Dimensions: 240*80*45 mm
Cut-out Size: 232*72 mm
Material: Aluminium Alloy
Available Colors: Black / Silver
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5 Audio, UK / US / CN /
AU / IN / TH / ZA / BR / IT / Universal Power Sockets

FLIP-UP DESKTOP
POWER & CONNECTIVITY HUB

AVAILABLE MODULES:

CN Socket

Universal Socket


UK Socket

Schuko Socket

US Socket

AU Socket


ZA Socket

FR Socket

IN Socket

USB-A+USB-C
20W

USB-A+USB-C
10W

USB-A+USB-A
10W

BR Socket

IT Socket

HDMI

CAT 5E
RJ45

USB 3.0

CAT 3
RJ11

Type-C

Model No.: NPR-F1580

2*Universal Sockets
Dimensions: 208*158*68 mm
Cut-out Size: 194*149 mm
Materials: Aluminium Alloy + ABS
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Textured White
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0, CAT6 RJ45, RJ11, 3.5 Aduio, Type-C, UK / US / AU / CN / Schuko / IN / TH / ZA / BR / IT Power Sockets

Model No.: NPR-F1581

3*AU Sockets
Dimensions: 262*158*68 mm
Cut-out Size: 248*149 mm
Materials: Aluminium Alloy + ABS
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Textured White
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0, CAT6 RJ45, RJ11, 3.5 Aduio, Type-C, UK / US / CN / Schuko / IN / TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPR-F1582

3*UK Sockets
Dimensions: 262*158*68 mm
Cut-out Size: 248*149 mm
Materials: Aluminium Alloy + ABS
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Textured White
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0, CAT6 RJ45, RJ11, 3.5 Aduio, Type-C, AU / US / CN / Schuko / IN / TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPR-F1583



3*IN Sockets
Dimensions: 262*158*68 mm
Cut-out Size: 248*149 mm
Materials: Aluminium Alloy + ABS
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Textured White
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
Available Modules: HDMI, VGA, USB 3.0, CAT6 RJ45, RJ11, 3.5 Aduio, Type-C, UK / US / CN / Schuko / AU / TH / ZA / BR / IT / Universal Power Sockets,
USB-A+USB-C (PD 10W/20W/65W)

Model No.: NPR-F1584

3*US Sockets
Dimensions: 316*158*68 mm
Cut-out Size: 302*149 mm
Materials: Aluminium Alloy + ABS
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Textured White
Input: AC 125V~, 13A, 60Hz
Rated Load: MAX 1600W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0, CAT6 RJ45, RJ11, 3.5 Aduio, Type-C, UK / IN / CN / Schuko / AU / TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPR-F1585

5*Schuko Sockets
Dimensions: 370*158*68 mm
Cut-out Size: 356*149 mm
Materials: Aluminium Alloy + ABS
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Textured White
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0, CAT6 RJ45, RJ11, 3.5 Aduio, Type-C, UK / US / CN / IN / AU / TH / ZA / BR / IT / Universal Power Sockets

FLIP-UP DESKTOP POWER & CONNECTIVITY HUB

Model No.: NPR-L0350

3*CN Sockets
Dimensions: 350*130*105 mm
Cut-out Size: 335*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2200W
Qi Wireless Charging: MAX 15W
Available Modules: HDMI, VGA, USB 3.0, CAT6 RJ45, RJ11, UK / US / AU / Schuko / IN / TH / ZA / BR / IT / Universal Power Sockets, USB-A+USB-C (PD 10W/20W/65W)

Model No.: NPR-L0351

2*AU Sockets
Dimensions: 350*130*105 mm
Cut-out Size: 335*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Qi Wireless Charging: MAX 15W
Available Modules: HDMI, VGA, USB 3.0, CAT6 RJ45, RJ11, UK / US / CN / Schuko / IN / TH / ZA / BR / IT / Universal Power Sockets

AVAILABLE MODULES:

Model No.: NPR-L0352

3*US Sockets
Dimensions: 350*130*105 mm
Cut-out Size: 335*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 125V~, 13A, 60Hz
Rated Load: MAX 1600W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Qi Wireless Charging: MAX 15W
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / AU / CN / Schuko / IN / TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPR-L0353

3*UK Sockets
Dimensions: 350*130*105 mm
Cut-out Size: 335*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Qi Wireless Charging: MAX 15W
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, AU / US / CN / Schuko / IN / TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPR-L0354

3*Universal Sockets
Dimensions: 350*130*105 mm
Cut-out Size: 335*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
Qi Wireless Charging: MAX 15W
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, UK / US / AU / CN / Schuko /
IN / TH / ZA / BR / IT Power Sockets， USB-A+USB-C (PD 10W/20W/65W)

Model No.: NPR-L0355

2*Schuko Sockets
Dimensions: 350*130*105 mm
Cut-out Size: 335*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver
Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Qi Wireless Charging: MAX 15W
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, UK / US / CN / AU / IN / TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPR-L0356

2*CN Sockets
Dimensions: 350*130*105 mm
Cut-out Size: 335*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2200W
Qi Wireless Charging: MAX 15W
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5 Aduio, AV, XLR Port,
UK / US / AU / Schuko / IN / TH / ZA / BR / IT / Universal Power Sockets，
USB-A+USB-C (PD 10W/20W/65W)

Model No.: NPR-L0357

3*IN Sockets
Dimensions: 350*130*105 mm
Cut-out Size: 335*120 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Qi Wireless Charging: MAX 15W
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / US / CN / AU / Schuko / TH / ZA / BR / IT / Universal Power Sockets



FLIP-UP DESKTOP POWER & CONNECTIVITY HUB

Model No.: NPR-F1950

2*CN Sockets
Dimensions: 195*102*56 mm
Cut-out Size: 182*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2200W
Available Modules: HDMI, USB 3.0, CAT6 RJ45, RJ11, UK / US / AU / IN / TH / ZA / BR / IT / Universal Power Sockets, USB-A+USB-C (PD 10W/20W/65W)

Model No.: NPR-F1951

2*CN Sockets
Dimensions: 195*102*56 mm
Cut-out Size: 182*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2200W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0, CAT6 RJ45, RJ11, UK / US / AU /IN / TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPR-F1952

1*Schuko Socket
Dimensions: 195*102*56 mm
Cut-out Size: 182*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, FR Power Sockets

Model No.: NPR-F1953

2*UK Sockets
Dimensions: 195*102*56 mm
Cut-out Size: 182*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, US / AU / CN / IN / TH /
ZA / BR / IT / Universal Power Sockets

Model No.: NPR-F1954

1*IN Socket
Dimensions: 195*102*56 mm
Cut-out Size: 182*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~5, 0/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / US / AU / CN / TH /
ZA / BR / IT / Universal Power Sockets

Model No.: NPR-F1955

2*Universal Sockets
Dimensions: 195*102*56 mm
Cut-out Size: 182*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / US / AU / CN / IN /
TH / ZA / BR / IT Power Sockets

Model No.: NPR-F1956

2*AU Sockets
Dimensions: 195*102*56 mm
Cut-out Size: 182*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / US / CN / IN /
TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPR-F1957

2*US Sockets
Dimensions: 195*102*56 mm
Cut-out Size: 182*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 125V~, 13A, 60Hz
Rated Load: MAX 1600W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / AU / CN / IN / TH /
ZA / BR / IT / Universal Power Sockets



FLIP-UP DESKTOP POWER & CONNECTIVITY HUB

Model No.: NPR-F2850

3*Schuko Sockets
Dimensions: 285*102*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
Available Sockets: FR Power Sockets

Model No.: NPR-F2851

2*Schuko Sockets
Dimensions: 285*102*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0, CAT6 RJ45, RJ11, FR Power Sockets

Model No.: NPR-F2852

2*CN Sockets
Dimensions: 285*102*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2200W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0, CAT6 RJ45, RJ11, UK / US / AU / IN / TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPR-F2853

2*UK Sockets
Dimensions: 285*102*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0, CAT6 RJ45, RJ11, US / AU / CN / IN / TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPR-F2854

3*AU Sockets
Dimensions: 285*102*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0, CAT6 RJ45, RJ11, UK / US / CN / IN / TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPR-F2855

3*US Sockets
Dimensions: 285*102*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Gold
Input: AC 125V~, 13A, 60Hz
Rated Load: MAX 1600W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0, CAT6 RJ45, RJ11, UK / AU / CN / IN / TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPR-F2856

2*IN Sockets
Dimensions: 285*102*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0, CAT6 RJ45, RJ11, UK / US / AU / CN / TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPR-F2857

2*Universal Sockets
Dimensions: 285*102*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0, CAT6 RJ45, RJ11, UK / US / AU / CN / IN / TH / ZA / BR / IT Power Sockets

FLIP-UP DESKTOP POWER & CONNECTIVITY HUB

AVAILABLE MODULES:



Model No.: NPR-F2860

2*Schuko Sockets
Dimensions: 285*102*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy & Cold Rolled Steel
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 45W), 400 mm
Retractable Type-C Charging Cable (PD 20W)
Available Modules: HDMI, USB 3.0, CAT6 RJ45, RJ11, Power Switch, AU / US / IN / UK / FR / IT / CN / BR / TH / ZA / Universal Power Sockets, Qi Wireless Charging

Model No.: NPR-F2861

2*AU Sockets
Dimensions: 285*102*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy & Cold Rolled Steel
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 45W), 400 mm
Retractable Type-CCharging Cable (PD 20W)
Available Modules: HDMI, USB 3.0, CAT6 RJ45, RJ11, Power Switch, Schuko / US / IN / UK / FR / IT / CN / BR / TH / ZA / Universal Power Sockets, Qi Wireless Charging

FLIP-UP DESKTOP
POWER & CONNECTIVITY HUB





AVAILABLE MODULES:

Model No.: NPR-S3000

2*Schuko Sockets
Dimensions: 300*90*88 mm
Cut-out Size: 296*84 (R42) mm
Materials: Aluminium Alloy & Cold Rolled Steel
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
Qi Wireless Charging: MAX 15W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0, CAT6 RJ45, RJ11, 3.5 mm Audio, US / UK / AU / CN / IN / FR / TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPR-S3001

2*UK Sockets
Dimensions: 300*90*88 mm
Cut-out Size: 296*84 (R42) mm
Materials: Aluminium Alloy & Cold Rolled Steel
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Brushed Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
Qi Wireless Charging: MAX 15W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0, CAT6 RJ45, RJ11, 3.5 mm Audio, US / Schuko / AU / CN / IN / FR / TH / ZA / BR / IT / Universal Power Sockets



FLIP-UP DESKTOP POWER & CONNECTIVITY HUB

Model No.: NPR-F3550

3*Schuko Sockets
Dimensions: 355*102*56 mm
Cut-out Size: 342*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
Qi Wireless Charging: MAX 15W
Available Sockets: FR Power Sockets

Model No.: NPR-F3551

2*Schuko Sockets
Dimensions: 355*102*56 mm
Cut-out Size: 342*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
Qi Wireless Charging: MAX 15W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0, CAT6 RJ45, RJ11, FR Power Sockets

Model No.: NPR-F3552

2*CN Sockets
Dimensions: 355*102*56 mm
Cut-out Size: 342*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2200W
Qi Wireless Charging: MAX 15W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / US / AU / IN / TH / ZA /
BR / IT / Universal Power Sockets

Model No.: NPR-F3553

2*UK Sockets
Dimensions: 355*102*56 mm
Cut-out Size: 342*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
Qi Wireless Charging: MAX 15W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, US / AU / CN / IN / TH / ZA /
BR / IT / Universal Power Sockets

Model No.: NPR-F3554

3*AU Sockets
Dimensions: 355*102*56 mm
Cut-out Size: 342*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
Qi Wireless Charging: MAX 15W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, US / UK / CN / IN / TH / ZA /
BR / IT / Universal Power Sockets

Model No.: NPR-F3555

3*US Sockets
Dimensions: 355*102*56 mm
Cut-out Size: 342*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 125V~, 13A, 60Hz
Rated Load: MAX 1600W
Qi Wireless Charging: MAX 15W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, AU / UK / CN / IN / TH / ZA /
BR / IT / Universal Power Sockets

Model No.: NPR-F3556

2*IN Sockets
Dimensions: 355*102*56 mm
Cut-out Size: 342*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
Qi Wireless Charging: MAX 15W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, US / UK / CN / AU / TH / ZA /
BR / IT / Universal Power Sockets

Model No.: NPR-F3557

2*Universal Sockets
Dimensions: 355*102*56 mm
Cut-out Size: 342*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
Qi Wireless Charging: MAX 15W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0, CAT6 RJ45,
RJ11, US / UK / CN / IN / AU / TH / ZA / BR / IT Power Sockets



SLIDING DESKTOP POWER & CONNECTIVITY HUB

Model No.: NPR-S1850

2*Schuko Sockets
Dimensions: 185*80*60 mm
Cut-out Size: 172*58 mm
Material: Aluminium Alloy & Cold Rolled Steel
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Brushed Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0, CAT6 RJ45, RJ11, US / UK / AU / CN / IN / FR / TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPR-S1851

2*US Sockets
Dimensions: 185*80*60 mm
Cut-out Size: 172*58 mm
Material: Aluminium Alloy & Cold Rolled Steel
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Brushed Gold
Input: AC 125V~, 13A, 50/60Hz
Rated Load: MAX 1600W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0, CAT6 RJ45, RJ11, Schuko / UK / AU / CN / IN / FR / TH / ZA / BR / IT / Universal Power Sockets



SLIDING DESKTOP POWER & CONNECTIVITY HUB

Model No.: NPR-S1900

3*Schuko Sockets
Dimensions: 190*100*56 mm
Cut-out Size: 182*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
Available Sockets: FR Power Sockets

Model No.: NPR-S1901

2*Schuko Sockets
Dimensions: 190*100*56 mm
Cut-out Size: 182*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0, CAT6 RJ45, RJ11, FR Power Sockets

Model No.: NPR-S1902

2*CN Sockets
Dimensions: 190*100*56 mm
Cut-out Size: 182*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2200W
Available Modules: HDMI, USB 3.0, CAT6 RJ45, RJ11, UK / US / AU / IN / TH / ZA / BR / IT / Universal Power Sockets, USB-A+USB-C (PD 10W/20W/65W)

Model No.: NPR-S1903

2*UK Sockets
Dimensions: 190*100*56 mm
Cut-out Size: 182*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0, CAT6 RJ45, RJ11, US / AU / CN / IN / TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPR-S1904

2*AU Sockets
Dimensions: 190*100*56 mm
Cut-out Size: 182*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0, CAT6 RJ45, RJ11, US / UK / CN / IN / TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPR-S1905

2*US Sockets
Dimensions: 190*100*56 mm
Cut-out Size: 182*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Gold
Input: AC 125V~, 13A, 50/60Hz
Rated Load: MAX 1600W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0, CAT6 RJ45, RJ11, UK / AU / CN / IN / TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPR-S1906

2*IN Sockets
Dimensions: 190*100*56 mm
Cut-out Size: 182*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0, CAT6 RJ45, RJ11, US / UK / CN / AU / TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPR-S1907

2*Universal Sockets
Dimensions: 190*100*56 mm
Cut-out Size: 182*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
Available Modules: HDMI, USB 3.0, CAT6 RJ45, RJ11, UK / US / AU / CN / IN / TH / ZA / BR / IT Power Sockets, USB-A+USB-C (PD 10W/20W/65W)



SLIDING DESKTOP POWER & CONNECTIVITY HUB

Model No.: NPR-S2400

2*Schuko Sockets
Dimensions: 240*80*60 mm
Cut-out Size: 225*58 mm
Material: Aluminium Alloy & Cold Rolled Steel
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0, CAT6 RJ45, RJ11, US / UK / AU / CN / IN / FR / TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPR-S2401

2*UK Sockets
Dimensions: 240*80*60 mm
Cut-out Size: 225*58 mm
Material: Aluminium Alloy & Cold Rolled Steel
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0, CAT6 RJ45, RJ11, US / Schuko / AU / CN / IN / FR / TH / ZA / BR / IT / Universal Power Sockets





SLIDING DESKTOP POWER & CONNECTIVITY HUB

Model No.: NPR-S2403

2*Schuko Sockets
Dimensions: 240*80*60 mm
Cut-out Size: 225*58 mm
Material: Aluminium Alloy & Cold Rolled Steel
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0, CAT6 RJ45, RJ11, Cable Retention Clamp,
US / UK / AU / CN / IN / FR / TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPR-S2404



2*UK Sockets
Dimensions: 240*80*60 mm
Cut-out Size: 225*58 mm
Material: Aluminium Alloy & Cold Rolled Steel
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Brushed Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0, CAT6 RJ45, RJ11, Cable Retention Clamp, US / Schuko / AU / CN / IN / FR / TH / ZA / BR / IT / Universal Power Sockets



SLIDING DESKTOP POWER & CONNECTIVITY HUB

Model No.: NPR-S2800

3*Schuko Sockets
Dimensions: 280*100*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0, CAT6 RJ45, RJ11, FR Power Sockets

Model No.: NPR-S2801

2*Schuko Sockets
Dimensions: 280*100*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0, CAT6 RJ45, RJ11, FR Power Sockets

Model No.: NPR-S2802

2*CN Sockets
Dimensions: 280*100*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2200W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / US / AU / IN / TH / ZA /
BR / IT / Universal Power Sockets

Model No.: NPR-S2803

3*UK Sockets
Dimensions: 280*100*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, US / AU / CN / IN / TH / ZA /
BR / IT / Universal Power Sockets

Model No.: NPR-S2804

3*AU Sockets
Dimensions: 280*100*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, US / UK / CN / IN / TH / ZA /
BR / IT / Universal Power Sockets

Model No.: NPR-S2805

3*US Sockets
Dimensions: 280*100*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 125V~, 13A, 50/60Hz
Rated Load: MAX 1600W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / AU / CN / IN / TH / ZA /
BR / IT / Universal Power Sockets

Model No.: NPR-S2806

3*IN Sockets
Dimensions: 280*100*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, US / UK / CN / AU / TH / ZA /
BR / IT / Universal Power Sockets

Model No.: NPR-S2807

2*Universal Sockets
Dimensions: 280*100*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / US / AU / CN / IN / TH /
ZA / BR / IT Power Sockets



SLIDING DESKTOP POWER & CONNECTIVITY HUB

Model No.: NPR-S2800B

3*Schuko Sockets
Dimensions: 280*100*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0, CAT6 RJ45, RJ11, FR Power Sockets

Model No.: NPR-S2801B

2*Schuko Sockets
Dimensions: 280*100*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Sockets: HDMI, USB 3.0, CAT6 RJ45, RJ11, FR Power Sockets

Model No.: NPR-S2802B

2*CN Sockets
Dimensions: 280*100*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2200W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / US / AU / IN / TH / ZA /
BR / IT / Universal Power Sockets

Model No.: NPR-S2803B

3*UK Sockets
Dimensions: 280*100*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, US / AU / CN / IN / TH / ZA /
BR / IT / Universal Power Sockets

Model No.: NPR-S2804B

3*AU Sockets
Dimensions: 280*100*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, US / UK / CN / IN / TH / ZA /
BR / IT / Universal Power Sockets

Model No.: NPR-S2805B

3*US Sockets
Dimensions: 280*100*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Brushed Gold
Input: AC 125V~, 13A ,50/60Hz
Rated Load: MAX 1600W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / AU / CN / IN / TH / ZA /
BR / IT / Universal Power Sockets

Model No.: NPR-S2806B

3*IN Sockets
Dimensions: 280*100*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, US / UK / CN / AU / TH /
ZA / BR / IT / Universal Power Sockets



Model No.: NPR-S2807B

2*Universal Sockets
Dimensions: 280*100*56 mm
Cut-out Size: 272*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / US / AU / CN / IN /
TH / ZA / BR / IT Power Sockets



SLIDING-FORWARD DESKTOP POWER & CONNECTIVITY HUB

AVAILABLE SOCKETS

AVAILABLE MODULES





INSTALLATION STEPS



248×55 mm Desk Cut-out & Insert Unit



Slide forward cover
and fix with self-tapping screws



Snap on screw caps to finish

Model No.: NPR-S2920

2*Schuko Sockets
Dimensions: 292*70*62 mm
Cut-out Size: 248*55（R5）mm
Material: Flame-Retardant PC
Available Colors: Black / White
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Available Modules: HDMI, VGA, USB 3.0, CAT6 RJ45, RJ11, UK / US / AU / FR / CN / IN / TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPR-S2921

4*UK Sockets
Dimensions: 292*70*62 mm
Cut-out Size: 248*55（R5）mm
Material: Flame-Retardant PC
Available Colors: Black / White
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Available Modules: HDMI, VGA, USB 3.0, CAT6 RJ45, RJ11, US / AU / Schuko / FR / CN / IN / TH / ZA / BR / IT / Universal Power Sockets



Model No.: NPR-S2922

4*AU Sockets
Dimensions: 292*70*62 mm
Cut-out Size: 248*55（R5）mm
Material: Flame-Retardant PC
Available Colors: Black / White
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Available Modules: HDMI, VGA, USB 3.0, CAT6 RJ45, RJ11, UK / US / Schuko / FR / CN / IN / TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPR-S2923

4*US Sockets
Dimensions: 292*70*62 mm
Cut-out Size: 248*55（R5）mm
Material: Flame-Retardant PC
Available Colors: Black / White
Input: AC 125V~, 13A, 50/60Hz
Rated Load: MAX 1600W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Available Modules: HDMI, VGA, USB 3.0, CAT6 RJ45, RJ11, UK / AU / Schuko / FR / CN / IN / TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPR-S2924

4*CN Sockets
Dimensions: 292*70*62 mm
Cut-out Size: 248*55（R5）mm
Material: Flame-Retardant PC
Available Colors: Black / White
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2200W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Available Modules: HDMI, VGA, USB 3.0, CAT6 RJ45, RJ11, UK / US / Schuko / FR / AU / IN / TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPR-S2925

4*Universal Sockets
Dimensions: 292*70*62 mm
Cut-out Size: 248*55（R5）mm
Material: Flame-Retardant PC
Available Colors: Black / White
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Available Modules: HDMI, VGA, USB 3.0, CAT6 RJ45, RJ11, UK / US / AU / Schuko / FR / CN / IN / TH / ZA / BR / IT Power Sockets



SLIDING DESKTOP POWER & CONNECTIVITY HUB

Model No.: NPR-S3500

3*Schuko Sockets
Dimensions: 350*100*56 mm
Cut-out Size: 342*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
Qi Wireless Charging: MAX 15W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0, CAT6 RJ45, RJ11, FR Power Sockets

Model No.: NPR-S3501

2*Schuko Sockets
Dimensions: 350*100*56 mm
Cut-out Size: 342*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver / Brushed Gunmetal /Brushed Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
Qi Wireless Charging: MAX 15W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0, CAT6 RJ45, RJ11, FR Power Sockets

Model No.: NPR-S3502

2*CN Sockets
Dimensions: 350*100*56 mm
Cut-out Size: 342*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2200W
Qi Wireless Charging: MAX 15W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / US / AU / IN / TH / ZA /
BR / IT / Universal Power Sockets

Model No.: NPR-S3503

3*UK Sockets
Dimensions: 350*100*56 mm
Cut-out Size: 342*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
Qi Wireless Charging: MAX 15W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, US / AU / CN / IN / TH / ZA /
BR / IT / Universal Power Sockets

Model No.: NPR-S3504

3*AU Sockets
Dimensions: 350*100*56 mm
Cut-out Size: 342*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
Qi Wireless Charging: MAX 15W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, US / UK / CN / IN / TH /
ZA / BR / IT / Universal Power Sockets

Model No.: NPR-S3505

3*US Sockets
Dimensions: 350*100*56 mm
Cut-out Size: 342*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 125V~, 13A, 50/60Hz
Rated Load: MAX 1600W
Qi Wireless Charging: MAX 15W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / AU / CN / IN / TH /
ZA / BR / IT / Universal Power Sockets

Model No.: NPR-S3506

3*IN Sockets
Dimensions: 350*100*56 mm
Cut-out Size: 342*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
Qi Wireless Charging: MAX 15W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, US / UK / CN / AU / TH / ZA /
BR / IT / Universal Power Sockets

Model No.: NPR-S3507

2*Universal Sockets
Dimensions: 350*100*56 mm
Cut-out Size: 342*72 mm
Materials: Aluminium Alloy + Cold Rolled Steel
Available Colors: Brushed Black / Silver /
Brushed Gunmetal / Gold
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
Qi Wireless Charging: MAX 15W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, UK / US / AU / CN / IN /
TH / ZA / BR / IT Power Sockets

DUAL-SLIDING DESKTOP POWER & CONNECTIVITY HUB

AVAILABLE MODULES:



Model No.: NPR-S3510

2*Schuko Sockets
Dimensions: 350*100*56 mm
Cut-out Size: 342*72 mm
Materials: Aluminium Alloy & Cold Rolled Steel
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Gold
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
Qi Wireless Charging: MAX 15W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W/35W/65W)
Available Modules: HDMI, USB 3.0, CAT6 RJ45, RJ11, AU / US / IN / UK / FR / IT / CN / BR / TH / ZA / Universal Power Sockets

Model No.: NPR-S3511

2*US Sockets
Dimensions: 350*100*56 mm
Cut-out Size: 342*72 mm
Materials: Aluminium Alloy & Cold Rolled Steel
Available Colors: Brushed Black / Silver / Brushed Gunmetal / Gold
Input: AC 125V~, 13A, 50/60Hz
Rated Load: MAX 1600W
Qi Wireless Charging: MAX 15W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, USB 3.0, CAT6 RJ45, RJ11, UK / AU / CN / IN / TH / ZA / BR / IT / Universal Power Sockets

400 mm
Retractable
Type-C

USB-A
USB-C
(PD 20W)

CLAMP-ON DESKTOP POWER HUB

AVAILABLE SOCKETS

CN SOCKET | SCHUKO SOCKET | UK SOCKET | UNIVERSAL SOCKET | AU SOCKET | US SOCKET

Model No.: NPJ-1420

1*CN Socket
Dimensions: 142*72*60 mm
Material: Flame-Retardant PC
Available Colors: Black / White
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2200W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
400 mm Retractable Type-C
Charging Cable (PD 20W)
Available Sockets: US / UK / AU / Schuko /
FR / IN / TH / ZA / BR / IT / Universal Power Socket

Model No.: NPJ-1421

1*UK Socket
Dimensions: 142*72*60 mm
Material: Flame-Retardant PC
Available Colors: Black / White
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
400 mm Retractable Type-C
Charging Cable (PD 20W)
Available Sockets: US / CN / AU / Schuko /
FR / IN / TH / ZA / BR / IT / Universal Power Socket

CLAMP-ON DESKTOP POWER HUB

AVAILABLE SOCKETS



INSTALLATION STEPS



Secure clamp with screws and apply anti-scratch pad.

Thread thumb screw into clamp then attach swivel pad.

Slide clamp onto desk edge and tighten thumb screw.

Model No.: NPJ-2780

3*CN Sockets
Dimensions: 278*52*45 mm
Material: Flame-Retardant PC
Available Colors: Black / White
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2200W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Available Sockets: US / UK / AU / Schuko / FR / IN / TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPJ-2781

3*AU Sockets
Dimensions: 278*52*45 mm
Material: Flame-Retardant PC
Available Colors: Black / White
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Available Sockets: US / UK / CN / Schuko / FR / IN / TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPJ-2782

3*Universal Sockets
Dimensions: 278*52*45 mm
Material: Flame-Retardant PC
Available Colors: Black / White
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Available Sockets: US / UK / CN / AU / Schuko / FR / IN / TH / ZA / BR / IT Power Sockets

Model No.: NPJ-2783

3*US Sockets
Dimensions: 278*52*45 mm
Material: Flame-Retardant PC
Available Colors: Black / White
Input: AC 125V~, 13A, 50/60Hz
Rated Load: MAX 1600W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Available Sockets: AU / UK / CN / Schuko / FR / IN / TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPJ-2784

3*UK Sockets
Dimensions: 278*52*45 mm
Material: Flame-Retardant PC
Available Colors: Black / White
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Available Sockets: US / AU / CN / Schuko / FR / IN / TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPJ-2785

3*Schuko Sockets
Dimensions: 278*52*45 mm
Material: Flame-Retardant PC
Available Colors: Black / White
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Available Sockets: US / AU / CN / UK / FR / IN / TH / ZA / BR / IT / Universal Power Sockets



CLAMP-ON DESKTOP POWER HUB



AVAILABLE MODULES

Model No.: NPJ-2850

3*CN Sockets
Dimensions: 285*45*125 mm
Materials: Aluminium Alloy +
Flame-Retardant PC
Available Colors: Black / White
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2200W
USB Charging: 100-240V~, 50/60Hz
USB-A+2*USB-C (PD 20W/30W/65W)
Power Cord: 1.8 m CN Plug Power Cord,
3G 1.5 mm² Pure Copper

Model No.: NPJ-2851

3*AU Sockets
Dimensions: 285*45*125 mm
Materials: Aluminium Alloy +
Flame-Retardant PC
Available Colors: Black / White
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+2*USB-C (PD 20W/30W/65W)
Power Cord: 1.8 m AU Plug Power Cord,
3G 1.5 mm² Pure Copper

Model No.: NPJ-2852

3*Universal Sockets
Dimensions: 285*45*125 mm
Materials: Aluminium Alloy +
Flame-Retardant PC
Available Colors: Black / White
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 3200W
USB Charging: 100-240V~, 50/60Hz
USB-A+2*USB-C (PD 20W/30W/65W)
Available Sockets: US / UK / CN / AU /
Schuko / FR / IT Power Sockets

Model No.: NPJ-2853

3*US Sockets
Dimensions: 285*45*125 mm
Materials: Aluminium Alloy +
Flame-Retardant PC
Available Colors: Black / White
Input: AC 125V~, 15A, 50/60Hz
Rated Load: MAX 1600W
USB Charging: 100-240V~, 50/60Hz
USB-A+2*USB-C (PD 20W/30W/65W)
Power Cord: 1.8 m US Plug Power Cord,
16 AWG Pure Copper

Model No.: NPJ-2854

3*UK Sockets
Dimensions: 285*45*125 mm
Materials: Aluminium Alloy +
Flame-Retardant PC
Available Colors: Black / White
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 3200W
USB Charging: 100-240V~, 50/60Hz
USB-A+2*USB-C (PD 20W/30W/65W)
Power Cord: 1.8 m UK Plug Power Cord,
3G 1.5 mm² Pure Copper

Model No.: NPJ-2855

3*Schuko Sockets
Dimensions: 285*45*125 mm
Materials: Aluminium Alloy +
Flame-Retardant PC
Available Colors: Black / White
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 3500W
USB Charging: 100-240V~, 50/60Hz
USB-A+2*USB-C (PD 20W/30W/65W)
Power Cord: 1.8 m Schuko Plug Power Cord,
3G 1.5 mm² Pure Copper

CLAMP-ON DESKTOP POWER & CONNECTIVITY HUB



Overload Protection Switch

Clamping Range:15-35 mm

USB-A+USB-C
(PD 10W / 20W / 65W)

AVAILABLE MODULES

US SOCKET

AU SOCKET

UK SOCKET

SCHUKO SOCKET

CN SOCKET

UNIVERSAL SOCKET

ZA SOCKET

FR SOCKET

3.5 AUDIO

USB-A
USB-C

6.35mm
MIC JACK

CAT6
RJ45

VGA

RJ11

USB2.0/3.0

HDMI

INSTALLATION STEPS


Snap clamp into center slot on bottom of unit.


Align and slide the unit onto desk edge.


Tighten thumb screw to secure the unit.

Model No.: NPJ-2400

3*UK Sockets
Dimensions: 240*80*175 mm
Materials: Aluminium Alloy + ABS +
Flame-Retardant PC
Available Colors: Textured Black/White/Silver
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5mm Audio, Overload Protection Switch,
US / IN / AU / Schuko / FR / IT / CN / BR / TH / ZA / Universal Power Sockets

Model No.: NPJ-2150

2*Universal Sockets
Dimensions: 215*80*175 mm
Materials: Aluminium Alloy + ABS +
Flame-Retardant PC
Available Colors: Textured Black/White/Silver
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5mm Audio, Overload Protection Switch,
US / UK / CN / AU / Schuko / FR / IT / IN / BR / TH / ZA Power Sockets

Model No.: NPJ-2401

3*Schuko Sockets
Dimensions: 240*80*175 mm
Materials: Aluminium Alloy + ABS +
Flame-Retardant PC
Available Colors: Textured Black/White/Silver
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5mm Audio, Overload Protection Switch,
US / IN / AU / UK / FR / IT / CN / BR / TH / ZA / Universal Power Sockets

Model No.: NPJ-2680

2*CN Sockets
Dimensions: 268*80*175 mm
Materials: Aluminium Alloy + ABS +
Flame-Retardant PC
Available Colors: Textured Black/White/Silver
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2200W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5mm Audio, Overload Protection Switch,
US / UK / AU / Schuko / FR / IT / IN / BR / TH / ZA / Universal Power Sockets

Model No.: NPJ-2402

3*AU Sockets
Dimensions: 240*80*175 mm
Materials: Aluminium Alloy + ABS +
Flame-Retardant PC
Available Colors: Textured Black/White/Silver
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5mm Audio, Overload Protection Switch,
US / IN / Schuko / UK / FR / IT / CN / BR / TH / ZA / Universal Power Sockets

Model No.: NPJ-2681

2*IN Sockets
Dimensions: 268*80*175 mm
Materials: Aluminium Alloy + ABS +
Flame-Retardant PC
Available Colors: Textured Black/White/Silver
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5mm Audio, Overload Protection Switch,
US / UK / AU / Schuko / FR / IT / CN / BR / TH / ZA / Universal Power Sockets

POWER TRACK SYSTEM

(Flush-Mounted Series)



5x 3.5mm Solid Copper Bars
8000W Max Capacity

Flexible 360° Versatile Wiring Support for Easy Installation

Triple Protection: Waterproof, Dustproof, and Shock-Resistant with High-Resilience Safety Seals



POWER TRACK SYSTEM

Available Length: 1200 / 1500 / 1800 / 2000 / 2500 / 3000 mm

Matte White

Deep Space Grey

Meteorite Black

Model No. : NPT-080
Materials: Aluminium Alloy + Acrylic + Flame-Retardant PC
Input: AC 110-250V~, 10-16A, 50/60 Hz Rated Load: MAX 8000W
USB Charging: USB-A+USB-A (PD 10W), USB-A+USB-C (PD 20W)

AVAILABLE MODULES:

AU SOCKET

TH SOCKET

SCHUKO SOCKET

FR SOCKET

CN SOCKET

US SOCKET

UNIVERSAL SOCKET

UK SOCKET

USB-A
USB-A

USB-A
USB-C

INSTALLATION STEPS



Cutout Dimensions:
72 mm (W) x 18 mm (D) x
(Track Length - 5 mm) (L)



Position and secure mounting brackets with screws.



Remove the bottom cover,
secure the L, N, and G wires in order,
then snap the cover back.



Snap the track into mounting brackets to complete installation.

POWER TRACK SYSTEM

(Surface-Mounted Series)



5x 3.5mm Solid Copper Bars
8000W Max Capacity

Flexible 360° Versatile Wiring Support for Easy Installation

Triple Protection: Waterproof, Dustproof, and Shock-Resistant with High-Resilience Safety Seals



POWER TRACK SYSTEM

Available Length: 1200 / 1500 / 1800 / 2000 / 2500 / 3000 mm

Matte White

Deep Space Grey

Meteorite Black

Model No. : NPT-086
Materials: Aluminium Alloy + Acrylic + Flame-Retardant PC
Input: AC 110-250V~, 10-16A, 50/60 Hz Rated Load: MAX 8000W
USB Charging: USB-A+USB-A (PD 10W), USB-A+USB-C (PD 20W)

AVAILABLE MODULES:

AU SOCKET

TH SOCKET

SCHUKO SOCKET

FR SOCKET

CN SOCKET

US SOCKET

UNIVERSAL SOCKET

UK SOCKET

USB-A
USB-A

USB-A
USB-C

INSTALLATION STEPS



Mark a positioning line along the top of the track.



Align with positioning line and secure mounting brackets.



Remove the bottom cover, secure the L, N, and G wires in order, then snap the cover back.



Snap the track into mounting brackets to complete installation.

UNDER-DESK POWER & CONNECTIVITY HUB

AVAILABLE MODULES:

Model No.: NPU-3190

2*Schuko Sockets
Dimensions: 319*68*68 mm
Material: Aluminium Alloy + ABS
Available Colors: Textured Black / White / Silver
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5mm Audio,
Overload Protection Switch, US / IN / AU /
UK / FR / IT / CN / BR / TH / ZA / Universal Power Sockets

Model No.: NPU-3191

2*UK Sockets
Dimensions: 319*68*68 mm
Material: Aluminium Alloy + ABS
Available Colors: Textured Black / White / Silver
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5mm Audio,
Overload Protection Switch, Schuko / US / IN /
AU / FR / IT / CN / BR / TH / ZA / Universal Power Socketss

UNDER-DESK POWER & CONNECTIVITY HUB

AVAILABLE MODULES:

Model No.: NPU-2650

2*Schuko Sockets
Dimensions: 265*80*80 mm
Material: Aluminium Alloy + ABS
Available Colors: Textured Black / White / Silver
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5mm Audio,
Overload Protection Switch, US / IN / AU /
UK / FR / IT / CN / BR / TH / ZA / Universal Power Sockets

Model No.: NPU-2651

NPU-2651
2*UK Sockets
Dimensions: 265*80*80 mm
Material: Aluminium Alloy + ABS
Available Colors: Textured Black / White / Silver
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5mm Audio,
Overload Protection Switch, Schuko / US / IN /
AU / FR / IT / CN / BR / TH / ZA / Universal Power Sockets

RECESSED POWER HUB



400 mm Retractable Type-C

USB-A
USB-C
(PD 20W)

AVAILABLE SOCKETS

CN SOCKET | SCHUKO SOCKET | UK SOCKET | UNIVERSAL SOCKET | AU SOCKET | US SOCKET

Model No.: NPR-R1420

1*CN Socket
Dimensions: 142*72*60 mm
Cut-out Size: 112*66（R8）mm
Material: Flame-Retardant PC
Available Colors: Black / White
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2200W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
400 mm Retractable Type-C
Charging Cable (PD 20W)
Available Sockets: US / UK / AU / Schuko / FR /
IN / TH / ZA / BR / IT / Universal Power Socket

Model No.: NPR-R1421

1*UK Socket
Dimensions: 142*72*60 mm
Cut-out Size: 112*66（R8）mm
Material: Flame-Retardant PC
Available Colors: Black / White
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
400 mm Retractable Type-C
Charging Cable (PD 20W)
Available Sockets: US / CN / AU / Schuko / FR
IN / TH / ZA / BR / IT / Universal Power Socket

RECESSED POWER & CONNECTIVITY HUB



USB-A
USB-C
(PD 20W)

Installation screw holes

AVAILABLE SOCKETS

US SOCKET | AU SOCKET | UK SOCKET | SCHUKO SOCKET | CN SOCKET | UNIVERSAL SOCKET

AVAILABLE MODULES



CAT6 RJ45 | VGA | RJ11

USB-A+ USB-C | HDMI | CABLE HOLE

Overload Protection Switch

INSTALLATION STEPS



248×55 mm Desk Cut-out & Insert Unit



Remove screw covers and secure with self-tapping screws.



Snap on screw covers to finish.

Model No.: NPR-R2860

2*Schuko Sockets
Dimensions: 286*68*56 mm
Cut-out Size: 248*55 (R5) mm
Material: Flame-Retardant PC
Available Colors: Black / White
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Available Modules: HDMI, VGA, USB 3.0, CAT6 RJ45, RJ11, Cable Retention Slot, UK / US / AU / FR / CN / IN / TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPR-R2861

4*UK Sockets
Dimensions: 286*68*56 mm
Cut-out Size: 248*55 (R5) mm
Material: Flame-Retardant PC
Available Colors: Black / White
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Available Modules: HDMI, VGA, USB 3.0, CAT6 RJ45, RJ11, Cable Retention Slot, Schuko / US / AU / FR / CN / IN / TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPR-R2862

4*AU Sockets
Dimensions: 286*68*56 mm
Cut-out Size: 248*55 (R5) mm
Material: Flame-Retardant PC
Available Colors: Black / White
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Available Modules: HDMI, VGA, USB 3.0, CAT6 RJ45, RJ11, Cable Retention Slot, Schuko / US / UK / FR / CN / IN / TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPR-R2863

4*US Sockets
Dimensions: 286*68*56 mm
Cut-out Size: 248*55 (R5) mm
Material: Flame-Retardant PC
Available Colors: Black / White
Input: AC 125V~, 13A, 50/60Hz
Rated Load: MAX 1600W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Available Modules: HDMI, VGA, USB 3.0, CAT6 RJ45, RJ11, Cable Retention Slot, Schuko / AU / UK / FR / CN / IN / TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPR-R2864

4*CN Sockets
Dimensions: 286*68*56 mm
Cut-out Size: 248*55 (R5) mm
Material: Flame-Retardant PC
Available Colors: Black / White
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2200W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Available Modules: HDMI, VGA, USB 3.0, CAT6 RJ45, RJ11, Cable Retention Slot, Schuko / US / UK / FR / AU / IN / TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPR-R2865

4*Universal Sockets
Dimensions: 286*68*56 mm
Cut-out Size: 248*55 (R5) mm
Material: Flame-Retardant PC
Available Colors: Black / White
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W)
Available Modules: HDMI, VGA, USB 3.0, CAT6 RJ45, RJ11, Cable Retention Slot, Schuko / US / UK / CN / FR / AU / IN / TH / ZA / BR / IT Power Sockets



RECESSED POWER & CONNECTIVITY HUB

1.5 h Power Plg, Pure Copper

USB-A+USB-A
USB-A+USB-C
(PD 10W / 20W)
2*USB-A+USB-C
USB-A+2*USB-C
(Gan PD 65W)

AVAILABLE MODULES

US SOCKET

AU SOCKET

UK SOCKET

SCHUKO SOCKET

CN SOCKET

UNIVERSAL SOCKET

ZA SOCKET

FR SOCKET

3.5 AUDIO

USB-A
USB-C

6.35mm
MIC JACK

CAT6
RJ45

VGA

RJ11

USB2.0/3.0

HDMI

INSTALLATION STEPS



Make a cutout: 72mm (W) x (L-8mm)
(L = Unit Length)



Insert unit into cutout.



Secure L-bracket to unit housing and press against tabletop. Tighten screws to finish.

Model No.: NPR-R8450

2*AU Sockets
Dimensions: 190*80*45 mm
Cut-out Size: 182*72 mm
Material: Aluminium Alloy
Available Colors: Textured Black /
Textured White / Matte Silver
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5mm Audio,
Overload Protection Switch, Schuko / US / UK /
FR / CN / IN / TH / ZA / BR / IT / Universal Power Sockets



Model No.: NPR-R8451

2*IN Sockets
Dimensions: 190*80*45 mm
Cut-out Size: 182*72 mm
Material: Aluminium Alloy
Available Colors: Textured Black /
Textured White / Matte Silver
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5mm Audio,
Overload Protection Switch, Schuko / US / UK /
FR / CN / AU / TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPR-R8452

3*Universal Sockets
Dimensions: 270*80*45 mm
Cut-out Size: 262*72 mm
Material: Aluminium Alloy
Available Colors: Textured Black /
Textured White / Matte Silver
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5mm Audio,
Overload Protection Switch, Schuko / US / UK /
FR / CN / IN / TH / ZA / BR / IT / AU Power Sockets

Model No.: NPR-R8453

3*CN Sockets
Dimensions: 295*80*45 mm
Cut-out Size: 287*72 mm
Material: Aluminium Alloy
Available Colors: Textured Black /
Textured White / Matte Silver
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2200W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5mm Audio,
Overload Protection Switch, Schuko / US / UK /
FR / AU / IN / TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPR-R8454

3*Schuko Sockets
Dimensions: 295*80*45 mm
Cut-out Size: 287*72 mm
Material: Aluminium Alloy
Available Colors: Textured Black /
Textured White / Matte Silver
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+2*USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5mm Audio,
Overload Protection Switch, CN / US / UK / FR /
AU / IN / TH / ZA / BR / IT / Universal Power Sockets

Model No.: NPR-R8455

3*UK Sockets
Dimensions: 322*80*45 mm
Cut-out Size: 314*72 mm
Material: Aluminium Alloy
Available Colors: Textured Black /
Textured White / Matte Silver
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
Qi Wireless Charging: MAX 15W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 10W/20W/65W)
Available Modules: HDMI, VGA, USB 3.0,
CAT6 RJ45, RJ11, 3.5mm Audio, Overload Protection Switch,
Schuko / US / CN / FR / AU / IN / TH / ZA / BR / IT / Universal Power Sockets



FLUSH-MOUNT RECESSED

QI WIRELESS CHARGING GROMMET

NPG-0600

DIMENSIONS: Φ70*40 mm

CUT-OUT SIZE: Φ80 mm

COLOR: Black / White

MATERIAL: Flame-Retardant PC+ Acrylic

INPUT: AC 110-250V, 50/60Hz, Max 16A

Qi WIRELESS CHARGING: MAX 15W

NPG-0601

DIMENSIONS: Φ70*45 mm　　CUT-OUT SIZE: Φ60 mm

COLOR:Black / White　　MATERIAL: Fame-Retardant PC+ Acrylic

Input: AC 110V - 250V, 50/60Hz, 16A Max

Type-C (RETRACTABLE): PD 3.0 | Max 45W (5V-3A, 9V-3A, 12V-3A, 15V-3A, 20V-2.25A)

Type-C (PORT): PD 3.0| Max 45W (5V=3A,9V=3A, 12V=3A, 15V=3A, 20V=2.25A)

USB-A (PORT): QC 3.0 | Max 18W (5V-3A, 9V-2A, 12V-1.5A)

SIMULTANEOUS OUTPUT: Retractable Cable 30W | USB-C + USB-A: Max 15W

NPG-0806

DIMENSIONS: Φ95*65mm　　CUT-OUT SIZE: Φ80 mm

COLOR: Black / White　　MATERIAL: Flame-Retardant PC + Acrylic

INPUT: AC 250V~, 13A, 50/60Hz

USB-C OUTPUT (PD 3.0): 5V-3A, 9V-3A, 12V-3A, 15V-3A, 20V-3.25A (Max 65W)

USB-A OUTPUT (QC 3.0): 5V-3A, 9V-2A, 12V-1.5A (Max 18W)

SIMULTANEOUS OUTPUT: USB-C (45W) + USB-A (15W)



ALL-IN-ONE

DESKTOP POWER & CONNECTIVITY HUB

AVAILABLE MODULES:

US Socket

AU Socket

UK Socket

Schuko Socket

IN Socket

Universal Socket

ZA Socket

FR Socket

BR Socket

USB-A+USB-C

CAT 6 RJ45

RJ11

USB3.0

HDMI


Make a Φ 80 mm desk cut-out.


Insert the unit.


Secure with threaded lock ring to finish.

Model No.: NPG-0800

1*UK Socket
Dimensions: Φ 90*90 mm
Cut-out Size: Φ 80 mm
Material: Flame-Retardant PC+ Acrylic
Available Colors: Black / White
Input: AC 250V~, 13A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, Cable Pass-Through Hole,
Schuko / US / IN / AU / FR / IT / CN / BR / TH / ZA / Universal Power Socket

Model No.: NPG-0801

1*AU Socket
Dimensions: Φ 90*90 mm
Cut-out Size: Φ 80 mm
Material: Flame-Retardant PC+ Acrylic
Available Colors: Black / White
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W/65W)
Available Modules: HDMI, USB 3.0, CAT6 RJ45,
RJ11, Cable Pass-Through Hole, Schuko / US / IN /
UK / FR / IT / CN / BR / TH / ZA / Universal Power Socket

Model No.: NPG-0802

1*US Socket
Dimensions: Φ 90*90 mm
Cut-out Size: Φ 80 mm
Material: Flame-Retardant PC+ Acrylic
Available Colors: Black / White
Input: AC 125V~, 13A, 50/60Hz
Rated Load: MAX 1600W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, Cable Pass-Through Hole,
Schuko / AU / IN / UK / FR / IT / CN / BR / TH / ZA / Universal Power Socket

Model No.: NPG-0803

1*Schuko Socket
Dimensions: Φ 90*90 mm
Cut-out Size: Φ 80 mm
Material: Flame-Retardant PC+ Acrylic
Available Colors: Black / White
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, Cable Pass-Through Hole,
AU / US / IN / UK / FR / IT / CN / BR / TH / ZA / Universal Power Socket

Model No.: NPG-0804

1*IT Socket
Dimensions: Φ 90*90 mm
Cut-out Size: Φ 80 mm
Material: Flame-Retardant PC+ Acrylic
Available Colors: Black / White
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, Cable Pass-Through Hole,
Schuko / AU / US / IN / UK / FR / CN / BR / TH / ZA / Universal Power Socket

Model No.: NPG-0805

1*BR Socket
Dimensions: Φ 90*90 mm
Cut-out Size: Φ 80 mm
Material: Flame-Retardant PC+ Acrylic
Available Colors: Black / White
Input: AC 250V~, 10A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W/65W)
Available Modules: HDMI, USB 3.0,
CAT6 RJ45, RJ11, Cable Pass-Through Hole,
Schuko / AU / US / IN / UK / FR / CN / IT / TH / ZA / Universal Power Socket



AVAILABLE MODULES:

US Socket | AU Socket | UK Socket | Schuko Socket | IN Socket | Universal Socket | ZA Socket | FR Socket | BR Socket

Model No.: NPC-1080

1*Schuko Socket
Dimensions: 108*76*76 mm
Material: Aluminium Alloy + ABS
Available Colors: Textured Black / White / Silver
Input: AC 250V~, 16A, 50/60Hz
Rated Load: MAX 2300W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W/65W)
Available Modules: US / IN / AU / UK / FR / IT / CN / BR / TH / ZA / Universal Power Sockets

Model No.: NPC-1081

1*US Socket
Dimensions: 108*76*76 mm
Material: Aluminium Alloy + ABS
Available Colors: Textured Black / White / Silver
Input: AC 125V~, 13A, 50/60Hz
Rated Load: MAX 1600W
USB Charging: 100-240V~, 50/60Hz
USB-A+USB-C (PD 20W/65W)
Available Modules: Schuko / IN / AU / UK / FR /IT / CN / BR / TH / ZA / Universal Power Sockets